

Visit: www.ips.co.in
to view our e-magazine

Focus:
Pumps, Valves, Tubes & Pipe Fittings
Pneumatic & Hydraulics

Products Index
Page 54

Leading Manufacturer of
Materials Handling
Equipment

CRANE KITS & COMPONENTS



WIRE ROPE HOISTS
Up to 50 Ton



ELECTRIC CHAIN HOISTS
Up to 3 Ton



NEW GENERATION HOISTS
Monorail up to 25 Ton
Double Girder up to 50 Ton



DOWN SHOP LEAD (DSL)



PENDENT PUSH BUTTON



SOCKETED PANELS




CHAIN PULLEY BLOCK
Up to 20 Ton



CABLE DRAG CHAIN



G. G. WHEEL



FASTOON SYSTEM - C RAIL



SHROUDED DSL SYSTEM



WHEEL BLOCK
DRIVE SIDE



WHEEL BLOCK
IDLER



END CARRIAGE



Corporate Office & Plant 1: Plot 5,6,7 Devraj Industrial Park, Piplaj-Pirana Road, Piplaj, Ahmedabad-382405.Gujarat
Plant 2: Plot 613, Phase 4, G.I.D.C., Vatva, Ahmedabad-382445. Gujarat Plant 3: 508, Sompura Industrial Area, Dobaspet, Bengaluru-562111
M: 9875139466 , 93770 39904 | E-mail : salesho@tacklers.in Website : www.tacklers.in



**Superior Solutions for Motor Run,
Motor Start and Power Factor Correction**



World-class capacitors and key components with , IEC and VDE certifications*,
manufactured in state-of-the-art production facilities

Authorized Channel Partner



Shop No: 345/1042F, Bharatiyar Road,
Pappanaickenpalayam, Tamil Nadu 641037, India
Email: balaji.raja@shreetrading.com, sales@shreetrading.com
Ph: 0422-2241619, 0422-2244245, 9842214245
Website: www.shreetrading.net

our customize product range make us

**No.1 IN SURFACE
FINISHING SOLUTION**



Spl. Blasting M/c for Roof-Mounted
Pantographs Contact Strips of Electric Rail



Spl. Pressure Blaster M/c for Mining
Digging Tools Bits Moving Parts



Spl. Blasting M/c for Cleaning of
Submersible Pump Casing



Spl. Pressure Blaster Machine
for Roll Etching



BLAST ROOM & PAINT ROOM SYSTEM
to Blast Clean Container & Railway Wagons



Spl. Pressure Blaster Machine
to Blast Clean of Mould of Alloy Wheel



SPARE PARTS & ABRASIVES

**MEC SHOT BLASTING
EQUIPMENTS PVT. LTD.**

H.O. & Works: B-14, Parshvath Industrial Estate Yojna
Khasra No. 160, Mogra Kalan, Tehsil - Luni
JODHPUR - 342802 (Rajasthan) INDIA



0291-2740609 | E-mail: mail@mecshot.com | Website: www.mecshot.in



EMPIRE CABLES

Connecting Your Life

AAPKA GHAR SHURAKSHIT TOH AAP SURAKSHIT



Flame
Retardant



100%
Conductivity
Copper



Heat & Moisture
Resistant



Long
Cycles



ISI
Certified



High Insulation
Resistance



Mfg. by : EMPIRE CABLE INDUSTRIES PVT. LTD.
115, Badli Industrial Area, Phase-2, New Delhi (India)

Toll Free No.: 1800-202-7972
www.empirecables.net
enquiry@empirecables.net

Manufacturer of

All Type of Electrical Good
& Accessories



VENTURA
—ALLOY AND STEELS—

Building complete special steel solutions

Ventura, established in 2014 with a generational industry presence since 1965, is a complete steel service provider. With strong capabilities in global sourcing, stocking, and processing, we ensure consistent availability of premium materials. Our range includes tool steel, die steel, plastic mold steel, alloy steel, spring steel, and carbon steel, supported by advanced cutting and customized processing services. A trusted supply network, we offer quick turnaround and dependable service, focusing on quality, transparency, and long-term partnerships while advancing toward a technology-driven future.



1,10,500

SQ. FT. Infrastructure

QUALITY | TRANSPARENCY | DEPENDABILITY

Our Premium Steel Products



Hot Work Tool Steel:
DB6/1.2714, H13/1.2344, H11




Cold Work Tool Steel:
D3, Cr12MoV, D2/1.2379, SAE 52100



Plastic Mould Steel:
P20/1.2311, P20+Ni/1.2738



Carbon Steel:
C45, EN9, SAE1018, ST52.3, EN1A_L



Alloy Steel:
20MnCr5, SAE 4140,
SAE 1020, EN24, 41Cr4



Spring Steel:
50CrV4/51CrV4,
SUP9, SAE 9254

Advanced Machinery & Solutions



Vertical Plate Cutting Systems



Advanced Horizontal Band Saw Systems



High-Speed Circular Cutting Systems

Official Stockist Of...



Contact

Email: sales@venturasteels.com | Website: <https://venturasteels.com/> | Contact: +91 98192 25666

Address: Corporate: Unit No. 1201 & 1202, GhanashyamEnclave, New Link Road, Near Lalipada PoliceStation, Kandivali (West), Mumbai - 400 067, Maharashtra India

Warehouse: Gala No. 5 & 6, Building No. 183, Gala No. 3 & 4, Building No. 200, Gala No. 8, Building No. 181, Indian Corporation, Mouje, Gundavli (Mankoli - Phata), Dapoda, Taluka - Bhiwandi - 421302, Maharashtra - India



Industrial Products Source

(A Product News Publication)

Vol. 23 No. 9 September 2026

ISSN 0973-1857

Editor & Publisher: Mohanan Naduvalath
Mobile: 098206 70855

Sub Editor: Ramachandran. T
✉: ipseditor@gmail.com

Marketing Manager: V Madanmohan
Mobile: 098208 38998

Layout Artist: Chandrakant G. Kadam

Single copy price: ₹30/-

Annual Subscription: ₹300/-

Registered Address

A/10 Jayshree Laxmi Puja CHS, MES Road, Plot No: 78/82,
Ramachandra Nagar, Dombivli (E), Thane 421 201

For Editorial, Marketing & Advertising

104 Sudama Yash
Nr: Ramkrishna Hotel, Kelkar Cross Road, Ram Nagar,
Dombivli (E), Thane 421 201
✉: ipsmaginfo@gmail.com
ipsmag@yahoo.com

Representative

Coimbatore: Rajeev Kumar, Mobile: 094431 29073

Industrial Products Source is a product news
monthly publication, registered with the Registrar of
Newspapers for India,
RNI No: MAHENG/2004/12919.

Industrial Products Source reserves the right
to use the information published herein in any manner
whatsoever. The Editor/Publisher to the best of their ability
have tried to check the accuracy of information published in
this issue which is based on the material supplied by
respective manufacturers/agents/advertising agencies.

Neither **Product News Publication**
nor any of its employees will be morally or legally
responsible for any errors or omission. No part of this
publication may be reproduced in any form without the
written permission of the publisher. All rights reserved.

Printed and Published by Mohanan Naduvalath,
and Printed at Perfect Prints,
22/23 Jyoti Industrial Estate, Noori Baba Darga Road,
Near Makhmali Talao, Thane 400 601, and Published from
A/10 Jayshree Laxmi Puja CHS Ltd., M.E.S. Road,
Plot No: 78/82, Ramachandra Nagar,
Dombivli (E), Dist: Thane 421 201
Editor : Mohanan Naduvalath,
Owner - Product News Publication
RNI No: MAHENG/2004/12919

CONVEYORS & COMPONENTS



A WIDE RANGE TO CHOOSE

- Slats in Delrin, S.S., M.S
- Multi Directional
- Universal Flex
- Stackable
- Min / Backline Force
- Nylon, MS, SS Sprockets
- Brackets + Guides
- Clamps for Photo Cells
- Cartonator Pockets
- Tripod & Bipod
- Modular Supports

 **moldex corporation**

A-9, New Empire Industrial Estate, Kondivita Road, J.B. Nagar

Andheri (E), Mumbai 400 059

Phone: 022 - 4015 5959 • Mob: 99200 52389

E-mail: info@moldex.in / krish@moldex.in

Website: www.moldex.in

HEATRAN ENGINEERS PVT. LTD.

Boiling, Enduring, Doing More With

BURNROX
INDUSTRIAL BURNERS

Brought to you by: Heatran Engineers Pvt Ltd., AHMEDABAD

Oil / Gas / Dual Fuel Burners / Biogas / Syngas / Hydrogen &
Special Fuel Burners.

BURNROX™ for its High Technology,
Energy Efficient Oil/Gas/Dual fuel Burners.

Key Features

- Capacity ranging from 18.6 KW to 80000 KW
- Low NOx and Low CO emission class III & IV defined according to standard EN 676
- Excellent Quality / Price Ratio, High Efficiency
- Many different version/executions like:
 - Single stage / Two stage
 - Mechanical Modulation / Electronic Modulation
 - Combustion Management System with O2/CO/Fan Controls and more
- Retrofitting of Heating Equipment, Boilers, heaters, Gas Train components, Ring Main systems
- Heating Equipment, Custom-Built & Heat Transfer Equipment, Spares & Accessories

Industrial Dual Block Burners with Separate Fan & Flame Geometry Series:

Fuel: Gas, Light Oil, Heavy Oil and Dual Fuel, Pre-heated air burners
Flame Geometry Series up to 24 MW and up to 120 MW



C/U/14-16, Swetang Complex, Jodhpur Village Road, Satellite, Ahmedabad 380 015, Gujarat
Tel: 079-2692 3170 / 2692 2315 Fax: 079-2692 3469
Mobile: 99879 14903 / 99789 84503

Email: info@heatranengineers.com / sales@heatranengineers.com
Website: www.heatranengineers.com



NIRMAL ENERGY LIMITED

(An ISO 9001:2015 Certified Company)

402, ISCON Elegance, Nr. Jain Temple, Prahladnagar
Cross Roads, S.G. Highway, Ahmedabad 380 015, Gujarat

Tel: 079-6616 8944 Telefax: 079-6616 8945

Email: info@nirmalenergy.com / salesadmin@nirmalenergy.com / burnersales@nirmalenergy.com
Website: www.nirmalenergy.com

HEAT TRANSFER FLUIDS - MAXOTHERMIE® RANGE OF PRODUCTS

- Maxothermie® 550: Temp Range: -10°C to 305°C, Extended to 315°C
- Maxothermie® 600: Temp Range: -10°C to 320°C
- Maxothermie® HFF: Flushing Fluid
- Maxothermie® FF: Temp Range: -10°C to 320°C
- Maxothermie® 660: Temp Range: -7°C to 350°C
- Maxothermie® VPI: Temp Range: -12°C to 400°C



Regional Contacts

AHMEDABAD: Mr. Shankar Pital / Mr. Arvind Modgil Cell: 99789 84504 / 98258 04923 **BANGALORE:** Mr. Arvind Modgil / Mr. Shankar Pital Cell: 99258 04923 / 98789 84504 **CHENNAI:** Mr. Arvind Modgil / Mr. Shankar Pital Cell: 99258 04923 / 98789 84504 **DELHI:** Mr. Arvind Modgil Cell: 98258 04923 **HYDERABAD:** Mr. Chaitanya Lakkaraju / Nirmal Madhusoodanan Cell: 94408 10646 / 9721 49505 **INDORE:** Mr. Arvind Modgil Cell: 98258 04923 / 98258 04925 **KOLKATA:** Mr. Krishnendu Ghosh / Mr. Arvind Modgil Cell: 94330 18350 / 98258 04923 **MUMBAI:** Mr. Arvind Modgil / Mr. Rajiv Mishra Cell: 99258 04923 / 99789 84501 **PUNE:** Mr. Arvind Modgil Cell: 98258 04923 / 99789 84503

Dealership Enquiries are Solicited From Unrepresented Areas



TRITONVALVES FUTURE TECH PRIVATE LIMITED

www.tritonfuturetech.com

Innovating for a brighter tomorrow. Tritonvalves Future Tech wishes you a prosperous and successful New Year 2026!

QUALITY BRASS MILL PRODUCTS MANUFACTURER



BRASS WIRES



HEX BARS




ROUND BARS



EKA-8367



HOLLOW RODS



FLAT BARS



AS EXTRUDED



SQUARE BARS



CUSTOMISED PROFILE



HOLLOW BRASS ROD

WE OFFER A WIDE RANGE OF ALLOYS INCLUDING

- Eco-Friendly Brass • Lead Free Brass • Dezincification Resistance Brass
- Naval Brass • Super High Machining Brass • Various Grades of High Tensile Brass
- Hot and Cold Forging Brass • Free Machining Brass

intertek
Total Quality. Assured.



**BOMBAY METAL
EXCHANGE LTD.**



FUTURE TECH

Registered Office:

Sunrise Chambers, 22 Ulsoor Road, Bangalore 560 042, Karnataka

Factory Address:

Plot No: 29, 30, 31 Mercera Road, Belvadi, Mysore 570 018, Karnataka

Tel. No: +91-80-2558 8965, +91-80-2558 8966

Email: info@tritonfuturetech.com

Core Values :

Craftsmanship | Excellence | Ethics | Passion | Customer Suceess | People | Joy of Life

Liquid Ring Vacuum Pumps





- Wide Range-Capacities upto 36,000 m³/hr
- Vacuum System Audits
- Vacuum Pumps Efficiency Tests
- Worldwide Installations In Over 40 Countries









PPI PUMPS PVT. LTD.
G.S. Between Plot No 16 And Prashant Gamatex Pvt Ltd
 GIDC, Phase-I, Ahmedabad, Gujarat 382 445
 Phone:(079) 40083251 / 9904067775
Since 1975
Email: sales@pipumps.com | www.pipumps.com
 Branch Offices: Delhi | Mumbai | Kolkata | Chennai | Bangalore | Hyderabad | Gajraula

Renowned For Reliability & Service World Wide

Process Equipment

Flowchem Process Equipments manufactures Industrial Process Equipment for Oil and Gas, Refinery, Petrochemicals, Chemicals, Fertilizers, Power Plants, Steel Plants, Cement Plants, Pharmaceuticals, Pulp and Paper, etc. The products offered are: Pressure Vessels and Drums, Air Receivers, Shell and Tube Heat Exchangers, High Vacuum Furnace Vessels, Chemical Storage Tanks, Separators, Reactor Vessels, etc. Flowchem Process Equipments are involved in fabricating unit static equipment for process industries.



Process Equipments are manufactured in accordance with ASME, TEMA, DIN, etc standards; and is authorized for designing, manufacturing, inspection and testing, procurement and supply of pressure vessels by the ASME and the national Board. Flowchem Quality Management System is certified with ISO 9001: 2015, ASME U, R and NB Stamps by Bureau Veritas with UKAS Management Systems.

Contact:

Flowchem Process Equipments

Shed No: 5, Flowchem Inds Estate, Rakanpur-Santej Road
 Village Rakanpur, Tal: Kalol, Gandhinagar, Gujarat 382 721
 Mob: 99798 82111 • E-mail: jigarpatel@flowchem.com

Butterfly Valves

Jayant Engineering & Marketing Pvt Ltd offers Butterfly Valves. Advantages: Butterfly valve is much smaller than other valve designs. The results are saving in materials, less weight, small space requirements, and easy installation and operation. The liner materials used in the construction of Butterfly valve are either Elastomer or TEFLON. Wafer construction provides maximum strength under conditions of pipeline strain. Jayant Valves perform three basic functions of stopping flows, controlling flow and regulating



flows and pressure with several advantage functions such as: Tight shut off; Less fluid resistance achieved through smooth flow; Low pressure drop; On-off or throttling applications; Suitable for automation with low operating torque and 90 degree operating angle; Reduced weight and installation space; No flange gasket; Quick fitting and dismantling; Easy replacement and renewable seat. Applications: Power plant, Factory, Petroleum, Steel Works, Ships, Water Treatment, Chemistry, Foods, Mining, Housing, Gas, Leisure Facility, Air Control, Paper making, etc.

Contact:

Jayant Engineering & Marketing Pvt Ltd

Plot No: 2003/2004, Phase II, GIDC Chhatral

Tal: Kalol, Dist: Gandhinagar, Gujarat 382 729

☎ 02764 – 234 053 / 232 182 • E-mail: sales@jayantvalves.com

Seamless SS Pipes Annealed & Pickled

Blumet Tubes Private limited offers Seamless Stainless Steel Pipes Annealed & Pickled. Products Range – Outside Diameter: 3/8" NPS to 16" NPS (Up to 4" NPS from the Company's own hot production); Wall Thickness: Sch SS to Sch XXS; Grades: TP 304/L/H (304L: 8% Ni and 10% Ni), TP 310/L/H/S, TP 310 MoLN, TP 316/L/H/Ti (304L: 10% Ni and 11% Ni); TP 317/L, TP 321/H, TP 347/H, 904L, UNS S 31500, 318032, 32205, 32750, 32760. Specification: ASTM, ASME, DIN EN (German). Applications: Onshore and Offshore Oil and Gas production, Exploration and Transport (OCTG – Oil Country Tubular Goods); Chemical and Petrochemical; Energy and Power Generation; Mechanical and Plant Engineering; Liquefaction Projects; and Ship Building.



Contact:

Blumet Tubes Private Limited

Survey No: 149-002, Aldesan, Utnva Road

Aldesan, Kadi, Mehsana, Gujarat 382 715

☎ 022 – 6636 3030 / 6636 3088 E-mail: blumetpltd@gmail.com

Industrial Products Source

A Product News Publication

Since 2004 Publishing Every Month
Reaching all Industrial Sectors throughout India.

ANNOUNCING 23rd *Annual Issue*

to be Published by end December 2026

Ensures long lasting response to the advertisers.

Advertising booking started... book your space.

Mob: 98208 38998 / 98206 70855

E-mail: ipsmaginfo@gmail.com

madanipsmag@gmail.com

to view our e-magazine

www.ips.co.in


www.industrialproductssource.com

Belt Tumbler (Tumblast) Type Shot Blasting Machine

MEC SHOT, a renowned name in Design, Development and Manufacturing Surface Preparation, Finishing, Shot Peening Machines, Media Conveying, Blast Room, Paint Booth and Dust Collectors and Accessories. MEC SHOT, provides ser-



vices of Air Operated Abrasive Blasting/Airless Shot Blasting and Shot Peening machines to various industries in India as well as globally since 1992. MEC SHOT offers various



types of Custom-built Automated or Semi-Automated machines, Dust Collectors and Accessories to industries for achieving different substrate finishes, surface preparation, deburring, deflashing, peening with protection and safeguarding of working environment and human resource. The customers are finding that Mec Shot machines are cost effective by way of purchase or in operation. The rugged design shot blast machines increases production, improves quality and reduces costs, Faster and better Shot Blasting leads to faster machining, saving of power, cutting tool cost, reduces rejections. The tumble blast machine is fitted with endless Rubber Conveyor Belt gives gentle turning of the parts to be shot blasted. The Shot Blasting is suitable for the batch processing of large quantities of small jobs for foundry, forging, aluminium deburring, and surface preparation. Features: Batch processing with 100% batch integrity; Uniform blast media circulation; Integrated anti-static spray system; Compatible with Fabric bags/Polyester bags and Cartridge/Pleated filter dust collector; Processing spectrum includes small, large, and even complex work pieces; High process consistency with automatic monitoring systems (eg, drives) and automatic blast media replenishment systems; Optimum, multi-stage blast media cleaning via blast chamber extraction and screen systems.

Contact:

Mec Shot Blasting Equipments Pvt Ltd
B-14, Parshvnath Industrial Estate Yojna, Khasra No: 160
Mogra Kalan, Tehsil - Luni, Jodhpur, Rajasthan 342 802
☎ 0291 – 274 0609, 274 4068 • Mob: 70147 31363
E-mail: mail@mecshot.com

Visit us at: www.ips.co.in

Metal Tube Rotameter with Digital Flow Indication & Transmitting Output

FITZER® Metal Tube Rotameter with Digital LCD/LED Flow Indication and Transmitter Output is specially designed for Process industries to measure the flow rate and total quantity of Liquid or Gases under Critical Condition. This Rotameter finds application particularly for fluid with high temperature, pressure and can also be used for opaque liquid, whenever the visibility of Float is observed. Features: Compact and Long Terms reliability; Rugged and corrosive environmental construction; Custom-built, construction, ranges and process connection; Individual calibration for high accuracy; Simple mechanism and thus maintenance free; Easy to clean – no calibration disturb; 2-Wire Linear transmitting output; Digital flow indicator totalizer unit with adjustable alarm set point; With weatherproof-flameproof enclosure. User Areas: In process of Chemicals, Pharmaceuticals, Dairy, Oil and Food Industries, Petrochemicals, Fertilizer, Effluent Water Treatment Plants and many uses where Accurate Flow Measurement required in Process and Engineering Industries.

Contact:

Fitzer Instruments Company (India)
Atali, Nr: Ambivli Station (W), PO: Mohone
Tal: Kalyan, Dist: Thane, Maharashtra 421 102
Mob: 86918 16354 / 86918 16356
E-mail: fitzerindia@hotmail.com



PSC Series Single Cone Vacuum Pump

PPI Pumps Pvt Ltd – PPI Systems offers PSC Series Single Cone Vacuum Pump. Features: Suction Capacity: 220 to 5000 m³/hr; Power Consumption: 7.5 kW to 132 kW; Maximum Vacuum: 710 mm of Hg (G). This Series pump is widely used in Process Industries and Power Plants. The Company also supplies Liquid Ring Vacuum Pumps/Compressor, Two-Stage Vacuum Pumps, Close Couple Vacuum Pumps, Dry Screw Vacuum Pumps, etc.



Contact:

PPI Pumps Pvt Ltd – PPI Systems
Gr Floor, GS B/W Plot No: 14 & 16, Phase 1
GIDC Industrial Estate, Vatva
Ahmedabad, Gujarat 382 445
☎ 079 – 4008 3251 • Mob: 99040 47775 / 99040 67775
E-mail: sales@ppipumps.com

Cutting, Chamfering & Drilling Machine Model CNC75 for Round Bars

ITL Industries Limited offers Cutting, Chamfering and Drilling Machine, Model CNC75. Specifications – Cutting Capacity (Round): 20-75 mm; Chamfer Size: 0.5 to 3 mm x 45° Other Angle Optional; Material Cut Length: Min 50 mm or Double of Bar Diameter, Maximum 650 mm; Cutter Diameter: 460 mm TCT; Saw Motor: 10/7.5 HP/kW; Chamfering Head (1st and 2nd) Motor: 5/3.7 HP/kW; Hydraulic Motor: 3/2.2 HP/kW; Remnant Length: 230 + cut length; Shuttle Indexing Stroke: 1000 mm; Minimum Trim Cut: 10 mm; Coolant: Micro mist; Control Voltage: 24 V; Weight Approximately: 4500 kg; Dimension (L x W x H) approx. 3450 x 2200 x 2050 mm. Salient Features: Saw Head Movement; Chamfering Head Indexing and Positioning; Bar Clamping by Hydraulic Chuck; Shuttle Table Movement; Automatic Bar Loading.



Contact:

ITL Industries Limited
111 Sector-B, Sanwer Road, Industrial Area
Indore, Madhya Pradesh 452 015, Bharat (India)
☎ 0731 – 710 4400
Marketing & Sales: 0731 – 710 4412, 710 4416
E-mail: info@itl.co.in/marketing@itl.co.in

SURAJ

India's Leading Manufacturers of Stainless Steel, Alloy steel,
Carbon steel Seamless Pipes, Tubes, Fittings & Flanges.



Fast response, Guaranteed Quality. In a large Stock & Production Range.
Deliver Customized Near Net Shape & Finish with Smaller to Large Quantity.
All Required Testing Facility Available In-house.
We are Supplying under all Customer & Third Party Inspection Agencies.



SURAJ LIMITED

Serving World Wide Oil, Gas & Power Industries
Quality first Since 1960

+91 95124 11444
suraj@surajgroup.com
www.surajgroup.com

Sealless Magnetic DRIVE CHEMICAL PUMPS

- Photocine / X-Ray / Filtration Plants
- Electroplating Machines
- Chemicals Industries
- Water Treatment / Etching Machine

- Capacity : 0-250 LPM
- Head : 0-22 Metre
- Motor : One / Three Phase
- MOC : P.P / PVDF
- Nipple / Thread / Flange



100%
Leak Proof

MACHBOW products
MFG. OF MAGNET PUMPS

www.machbow.com

Email : machbow@gmail.com

Plot No. 1878/79, On M-Road, Off Main Road, No. 5, Behind Gujarat Gas Co., Lodhika, GIDC Metoda, Rajkot - 360 021, Gujarat.
Suresh Bhatt (Proprietor) - 07096004831 • Devak Bhatt - 07096004839 • Hasmukh Gohil - 07096004833

33, First Floor, Suyog Industrial Estate, LBS Marg, Opp, Vitrum Glass Factory, Vikhroli West, MUMBAI - 400 083.
Phone.: 022 - 2578 4069 • Fax : 022 - 2578 6023 • Gopi P Narayanan - 09920 5560 23. 07096004832

TRMS Enhanced Practical Multimeter Model - KM 2807CSE

KUSAM-MECO has recently added a new 'UL' listed Multimeter model KM 2807 CSE. It has 3-5/6 digits 6000 counts LCD display. The update rate is 5 per second. It is TRMS sensing. The safety category is CAT III 1000V and CAT IV 600V. The Transient protection is 8 KV. It meets EMC standard EN61326 1:2013. The overload protection in mV, Ohm, and other ranges is 1000 V DC/AC rms. The special features are VFD-AC Voltage, VFD-Hz, Hi/Lo EF Detection (NCV & Single pole); Display Hold. w/Hold-alert warning, MAX Hold, BeepLit Diode Test, w/BeepPass indication, BeepLit Continuity; Relative-Zero Mode; Backlighted LCD display, Beep-Jack audible & visible input warning. It measures AC Voltage 0.01mV 41000V; VFD-ACV (with Low Pass Filter) 10 4400 Hz, DC Voltage 0.01 mV to 1000V. Resistance 0.1 ohms to 60.00 Mega ohm; Capacitance from 0.01nF to 2000µF. Diode Test; DC Current from 0.1µA to 10.00A, AC Current from 0.1µA to 10.00 A, Logic Frequency 5.00Hz-300.0KHz. Temperature -40 to 400°C. Line frequency 10Hz-50KHz. Non-Contact EF 15V 41000V. The instrument is powered by 2 x 1.5V AAA Size battery. The instrument weight is 400 gms(without battery). It is supplied with optional manual, batteries, Test Leads, Thermocouple, Carrying case.



Contact:

Kusam Electrical Industries Ltd.
Shop No. 18, 1st Floor, CIDCO Shopping Complex
Plot No. 9, Sector-7, Rajiv Gandhi Marg
Sanpada, Navi Mumbai 400 705
☎ 98674 88006 / 98676 75093
E-mail: sales@kusam-meco.co.in

Process Equipments

Centpro supplies a range of Process Equipments like Reactors, Crystallizers, Underground Storage Tanks, Heat Exchangers, Storage Vessels (API 650), ATFE (Agitated Thin Film Evaporator), Distillation Columns, Underground Storage Tanks, e-GMP Pharma Equipments, etc.

Contact:

Centpro Engineering Private Limited
306 Vishal Ventilla Magarpotta Road, Hadapsar
Pune, Maharashtra 411 013
Mob: 83810 32727 / 70286 61818
E-mail: info@centpro.com

NICAL Pro Series Precision Calibration, Built to Perform

Nagman Instruments and Electronics Pvt. Ltd. is an ISO 9001:2015 certified manufacturer located in Chennai, India, with a longstanding reputation for precision instrumentation serving industrial and marine sectors. Building on this foundation of engineering expertise, Nagman brings the NICAL Pro Series to calibration professionals who demand reliability without compromise. Accurate temperature measurement underpins safety and quality across industrial and marine operations and the NICAL Pro Series, a dry-block calibrator, is engineered to deliver uncompromising accuracy & stability wherever your operations demand it. Spanning four powerful models (NICAL 100 Pro, 50 Pro, 660 Pro, and 1200 Pro), the series covers an industry-leading range of -100°C to 1200°C, the go-to solution for testing & calibrating



RTDs, thermocouples, bi-metal thermometers, temperature switches, on-site or on the laboratory test bench. The standout innovation? Multiple-sensor input. The NICAL Pro Series lets you calibrate multiple sensors simultaneously, eliminating sequential bottlenecks for faster turnaround and maximum productivity, exactly what the calibration team needs. Backed by class-leading $\pm 0.025\%$ of reading accuracy, the NICAL Pro Series measures mV, V, mA, resistance, and a full spectrum of thermocouple (J, K, R, S, N, B, T, E) and RTD (Pt100/200/500/1000) signals with ease. Add a vivid full-color display, auto-tune PID control, real-time stability indicators, and switch-test capability, and you have a calibrator built to perform in the harshest field conditions or the most demanding lab. Every unit ship with Nagman's own NICAL calibration software, enabling auto, semi-automatic, or manual workflows with PC-documented certification, issued under Nagman's NABL scope as per ISO/IEC 17025:2017 Standard. Rugged. Reliable. Complete with interchangeable single/multi-hole thermowell inserts and a durable carrying case, the NICAL Pro Series is precision engineering you can trust, for industries where measurement integrity cannot be compromised.

Contact:

Nagman Instruments and Electronics Pvt. Ltd.
170/1a2, Chennai Bangalore Highway Road
Sembarambakkam, Chennai 600 123
☎ 044 - 6677 7006, 6677 7025
E-mail: exports@nagman.com

Power Cables

Empire Cable supplies power cables with PVC insulation for power transmission. Voltage grade 650/1100 volts (Uo/U) provided with ISI marking IS 1554 (Pt-1), with or without HR/FRLs properties. Screening can be provided if desired. The cables conform to standard specifications like IS 1554 (Pt-1), IEC 502, BS 6436/87. Configuration: Single core up to 1000 sq mm, multi-core up to 400 sq mm x 3-1/2 cores; Construction: Conductor is aluminium/copper, solid/stranded circular/compacted/sector shaped. Insulation is PVC; Mechanical protection: Galvanized steel wire/strips/double helical steel tape; aluminium wire amounting for single core cable; Inner and outer sheath – PVC black/grey or as per requirement.



Contact:

Empire Cable Industries (P) Ltd
Plot No: 115, Phase-II
Badli Industrial Area
Delhi 110 042
☎ 011 – 2387 4632 • Fax: 011 – 2386 1610

Optical Systems

Photon Controls offers a wide range of Optical Systems. Features: it is used for atomisation of process. The unit consists of transmitter, receiver and control unit. The range can be up to 5 to 10 metres. Any object passing through transmitter and receiver arrangement can be detected; the control unit has facility of sensitivity adjustment with which the sensitivity for transparent or opaque object can be set; the relay's T1 and T2 are also provided on control unit eliminating requirement of external timers. The unit is available in supply 24 V DC/ 110 V AC/ 230 V AC, and output is relay change over with contacts rated for 5 A at 230 V AC. The sensors can be housed in the required size and shape as required. The company is engaged in manufacturing of photoelectric switches and sensors from past seven years.



Contact:

Photon Controls (India) Private Limited
C-10/1, Gala No: 54, 2nd Floor, A Road, NICE
MIDC, Satpur, Nashik, Maharashtra 422 007
☎ 0253 – 2355 498 • Mob: 93739 07348
E-mail: photoncontrol@gmail.com



*a unique innovation,
 with trust and quality...*



Commercial Gauges



Industrial Gauges



Low Pressure Capsule Gauges



Economical Gauges



Chemical Sealed Gauges



Compact Sealed Gauges



Gauge Saver



Triclover Sealed Gauges



Homogenizer Gauges



Mud Gauges



Bi-Metallic Temperature Gauges



Comparison Tester



Comparison Tester



Needle Valves

**Manufacturers of Pressure Gauges, Temperature Gauges,
 Testing Equipments & Accessories**

ARBUDA INSTRUMENTS

Office : E-11/1, G.I.D.C., Sector-26, Gandhinagar - 382 026 (Gujarat)
 Telefax: 079 - 2328 7990 • Mob: 090337 11390 / 093282 97128
 E-mail: arbudainst@yahoo.com • Website: www.arbudainstruments.com
 Mumbai Office : 23/25, Maruti Mandir Marg, Mumbai - 400 004
 Tel.: 022 - 2382 4101, 6636 2754



Syphons

Grab Buckets

Eddycranes Engineers Pvt Ltd, manufactures EDDY-CRANES make Mechanical Grab Buckets of Single rope hook on type or four rope types to suit specific requirement. The Grab Buckets are manufactured for 0.5 Cu. M Capacity to 15.0 Cu. M. Capacity to satisfy specific bulk density of material handled. EDDY-CRANES single line self-dumping hook on type grab buckets are string operated and can be connected to any conventional EOT Cranes or Electric Hoists. EDDYCRANES four rope type Grab Buckets are specially suited for Grabbing Crane operation. They are already operating in various industries such as fertilizers, sand foundry, coal handling, single super phosphate factory, slag granulation plants, river sand excavation sites, etc. EDDYCRANES Grab Buckets are made from IS: 2062 quality steel with hard faced knife edges up to RC45. Hard faced teeth are also provided for specific application.



Contact:

Eddycranes Engineers (P) Ltd
3/23 Tardeo A/C Market, Mumbai 400 034
☎ 022 – 2352 2710 / 2352 5103 / 2352 1798
E-mail: info@eddycranes.com / insujan@eddycranes.com

Pressure Gauge

Atlas Industrial Stores offers Pressure Gauge. Features are: this pressure gauge is perfectly suited in industrial and process applications; and is developed to be used in valve positioned, air filters and regulators; offered in number of dimensions and is customized according to requirements of clients; this gauge does not break and is free from defects; its applications include: petrochemicals, pharmaceutical, power, cement, sugar, food and beverages, pulp and paper and allied process industries. The company is one of the prominent manufacturers, suppliers and traders of Measuring Hygrometer, Alarm Gauge, Contact Gauge, Clamp Flow Meter, Dipping Tape, Level Sampler, Board Indicator, Magnetic Level Indicator, Sight Flow Indicator, Level Switch, Remote Seal, Pipe Fitting Spare, Ball Valve and many more products.




Contact:

Atlas Industrial Stores
8 BRB Basu Road, Room No: G-3
Khengrapatti, Kolkata 700 001
☎ 033 – 2243 2416, 3985 5755 • Mob: 99030 60627
E-mail: dipoleindia@gmail.com

Direct Drive Pump

Over three decades of expertise in vacuum technology, Toshniwal Instruments (Madras) offers customized solutions ranging from individual products to a complete system. Toshniwal's Direct Drive high Vacuum Pump, the 72-D Series double stage model is with ultimate vacuum. This vacuum pump is compact, since it is directly mounted on motor flange. The pump has pumping speeds and high water vapour tolerance. The Oil consumption is extremely low and air cooled. 72-D Series pump offers improvement in the areas of quieter operation, smaller size and easy maintenance. Range: 120 litre - 1000 litre/minute. Features include: Portable; highly reliable; Low noise operation; Double Stage pump; Compact and Sturdy design; Advanced lubricating system; Easy maintenance and usage.



Contact:

Toshniwal Instruments (Madras) Pvt Ltd
267 Kilpauk Garden Road, Chennai 600 010
☎ 044 – 2644 5626, 2644 8983
E-mail: sales@toshniwal.net

Flame Arrestor Valves

Hyper Valves Pvt Ltd offers Flame Arrestor Valves. A flame arrestor is a safety device used to prevent the propagation of flames and explosions in industrial processes involving flammable gases or vapors, by extinguishing the flame and preventing it from spreading. Design: Inline or End of Line; Type: Deflagration or Detonation type; Size: 1" to 16"; Pressure Rating: 150#; End Connection: Screwed End, Flange End; Material Body: Carbon Steel, Stainless Steel, Duplex Steel, Hastelloy; Alloy 20, Monel, Inconel. Material Element: SS304, SS316, Hastelloy; Explosion Gas Group: IIA, IIB, IIC. The Company's range of products include: Automatic Control Valves, Dome Loaded Back Pressure Regulator Valves, Emergency Relief/Vent Valves, Pressure Vacuum Relief Valve/Breather Valves, Safety Relief Valve and Pressure Relief Valves, Slam Shutoff Valve, Pressure Reducing Valve, Back Pressure Regulating Valves, etc.



Contact:

Hyper Valves Pvt Ltd
R-21 & 3, Arbuda Estate, Nr: Muthia Railway Crossing
GIDC, Phase-II, Naroda, Ahmedabad
Gujarat 382 330
☎ 079 – 4604 0470 • E-mail: info@hypervalves.com

TRMS Digital Multimeter Model KM-2257

KUSAM-MECO has added one more 'UL' listed Digital Multimeter to its range Model KM-2257. It has a large LCD display 3^{5/6} Digits - 6000 counts and Analog Bar-graph of 60 Segments. It is TRMS sensing with ingress protection Ip40, Pollution Degree 2. It has CAT II 1000V, CAT III 600V. The Transient protection is 6.0kV. It meets EMC standard EN61326-1. It has high overload protection on mV, Ohm & other functions of 1000V AC/DC. It has special features such as AutoV (LoZ); VFD measurement; BeepLit Continuity; Auto ranging MAX / MIN / AUG Record. The LCD Display has Backlight for taking measurements in the dark areas, Auto ranging Relative Zero mode; Display Hold; EF-Detection (NCV); Beepjack on mA, mA/A terminals to prevent wrong connection. It measures AC voltage up to 1000V; ACmV from 0.1 mV to 600.0mV; VFD ACV with low Pass filter. 600.0V, 1000V; AutoV_ACV Range 6.000V to 1000V; DC Voltage 60.00 mV to 1000V; Auto V_DC. 6.00V - 1000V; Crest Mode (Instantaneous Peak Hold); AutoHold Real-Read; Resistance 0.1 Ω to 60.00 M Ω ; BeepLit Continuity Tester, Capacitance 0.01nF to 10.00mF; Diode Test; DC Current 0.1 μ A to 10.00 A; AC Current 0.1 μ A to 10.00 A; Temperature -40°C to 1000°C; Logic Level Frequency 10Hz 4200.0 KHz; Line Frequency 10Hz - 5KHz; Non-Contact EF Detection 3V - 500V. It operates on 1.5V x 2 Nos AAA size Alkaline batteries, It has Auto Power Off Function (Idle time 30 minutes). It is light weight 335 gms with holster. It is supplied with operation manual, batteries, Carrying case & Thermocouple (250°C) only.

Contact:

Kusam Electrical Industries Ltd.
Shop No. 18, 1st Floor, CIDCO Shopping Complex
Plot No. 9, Sector-7, Rajiv Gandhi Marg
Sanpada, Navi Mumbai 400 705
☎ 98674 88006 / 98676 75093
E-mail: sales@kusam-meco.co.in

Cable Trays, Gratings & Solar Structures

Patny Systems Private Limited, an ISO 9001-2015 Certified Company manufactures Cable Trays, Perforated Cable Trays, Ladder Type, Angular Ladder Type Cable Trays, Cable Tray Covers, Fencing Wires, Coupler Plates, Gratings, Solar Structures, and Sag Rods/Tie Rods.

Contact:

Patny Systems Private Limited
Patny Plaza, 160 Sardar Patel Road, Rasoolpura, Viman Nagar
Begumpet, Secunderabad, Hyderabad, Telangana 500 003
☎ 040 - 2790 5154 / 2790 1119 • Mob: 99480 91000
E-mail: info@patnysystems.com



Liquid Ring Vacuum Pump/Compressor VWS Series

PPI Pumps Pvt Ltd supplies a wide range of products that fulfill the exact requirements of customers. The different designs of pumps are developed to suit different industry and process specific requirements. Specifications of Liquid Ring Vacuum Pump/Compressor VWS Series – Suction Capacity: 8 to 2150 m³/hr; Power Consumption: 0.75 kW to 75 kW; Maximum Vacuum: 710 mm of HG (G); Maximum Discharge Pressure: 1.5 bar (G). This pump is widely used in Chemicals, Pharmaceuticals and Process industries. PPI Pumps products range includes: Two Stage Vacuum Pump, Close Couple Vacuum Pump, Dry Screw Vacuum pump, Liquid Ring Vacuum Pump/Compressor, Single Cone Vacuum Pump, Extraction Pump/Filtrate Pump, Two Stage Vacuum Pump, Oil Ring Rotary Vane Vacuum Pump, etc.



Contact:

PPI Pumps Pvt Ltd
Plot No: 4 & 16 C, Phase 1, GIDC Industrial Estate, Vatva
Ahmedabad, Gujarat 382 445
☎ 079 - 4008 3251 • Mob: 99040 47775 / 99040 67775
E-mail: sales@ppipumps.com

FITZER World Class Product Brand

SINCE 1986

PROCESS, MEASURING INSTRUMENTS & AUTOMATION



PRESSURE

- LIQUID COLOUM MANOMETERS
- DIGITAL MANOMETER
- DIGITAL PRESSURE GAUGES
- BAROMETER
- VACUUM MANOMETER
- PRESSURE SWITCHES

FLOW

- GLASS TUBE / ACRYLIC ROTAMETERS
- METAL TUBE ROTAMETER WITH TRANSMITTER / FLOW INDICATOR TOTALIZER
- BY-PASS ROTAMETER
- ELECTROMAGNETIC FLOWMETER
- FLOW SWITCHES
- AIR VELOCITY KIT

LEVEL

- LIQUID LEVEL INDICATORS
- LIQUID LEVEL TRANSMITTER
- LIQUID LEVEL SWITCHES (FLOAT OPERATED)
- CONDUCTIVITY LEVEL SWITCHES
- CAPACITANCE TYPE LEVEL TRANSMITTERS


FITZER INSTRUMENTS COMPANY (INDIA)
® Regd. Correspondence Address:
Atali, Near Ambivali Stn. (W), P.O. Mohone, Tal. Kalyan, Dist. Thane-421 102
Mobile: 8691816354 / 8691816355 / 8691816356 / 9426470248
E-mail: fitzerindia@hotmail.com / fitzergujarat@rediffmail.com
Dealership Enquiries Solicited Website: www.fitzerindia.com

Maxothermie® Heat Transfer Fluids

Nirmal Energy offers Maxothermie® Heat Transfer Fluids. The Power of Efficient Heat Management! Whether you are working in high-temperature or low-temperature environments, Maxothermie®-550 Maxothermie®-600; Maxothermie®-660; Maxothermie®-VPI; and Maxothermie®-FP are designed to offer exceptional thermal stability and performance. Here's why Maxothermie is the preferred choice for industries around the globe: Superior Thermal Efficiency: Maxothermie fluids are engineered to deliver optimal heat transfer efficiency, minimizing energy consumption and maximizing system performance. With Maxothermie-550 and Maxothermie-660, you can maintain precise temperature control even in the most demanding applications. Wide Operating Range: Maxothermie range of heat transfer fluids are designed to perform across a broad temperature range, ensuring stability in extreme conditions. From -40°C to 400°C, you can rely on these fluids to meet your specific process temperature requirements. Enhanced Stability: Maxothermie fluids are formulated with advanced chemical compositions that provide excellent oxidation and thermal stability. This reduces the risk of system fouling, ensuring longer fluid life and reducing the need for frequent maintenance. Varied Heating Applications: Ideal for a variety of industries such as Chemicals, Textiles, Polyester, Plastics, Pharmaceuticals, and Energy so on. Maxothermie fluids support a wide range of applications, including heating, cooling, and temperature control in both closed and open systems. Environmentally Friendly: Non-toxic, non-flammable, and free of harmful components, making them safer for both workers and the environment. Key Features and Benefits: High oxidation and thermal stability; Excellent Heat Transfer Coefficient and efficiency; Wide temperature range for versatile applications; Miscible/Mixable with any good mineral or synthetic thermic fluids; Reduced maintenance costs; Longer fluid lifespan; Eco-friendly and safe for the environment; Expert advice on systems and solutions. Upgrade your heat transfer system with Maxothermie and experience top-tier performance. Say goodbye to inefficiencies and costly maintenance – choose the fluid that powers your process efficiently and safely! Nirmal Energy is looking for experienced dealers with strong local market access, application knowledge, and strong financial capacity to stock and sell, and sales and marketing of Maxothermie range of products across industrial hubs of India.

Contact:

Nirmal Energy Limited
402 ISCON Elegance, Prahladnagar
S G Highway, Ahmedabad, Gujarat 380 015
☎ 079 – 6616 8944 • Mob: 98258 04923 / 99789 84510
E-mail: info@nirmalenergy.com/salesadmin@nirmalenergy.com



GI Channels & Beams

Parco Engineers produces GI Channels and GI Beams. The GI Channels are ideal for supporting structural loads and providing a sturdy framework in any Construction and for Infrastructure Projects such as Bridges, Switchyard Structures, Crane Runway Fixings, etc. Specifications – 75 mm to 400 mm. The GI Beams are widely used in construction and infrastructure projects, Ship building, Factory Sheds, Conveyors, Boilers, Agricultural Equipment, Manufacturing of Truck-Trailers, EOT Cranes and its Gentries. The Company also offers GI Angles, GI Base Plates, GI Chequered Plates; GI Earthing Flats, Earthing Plates, Earthing Rods; GI Round Bars, GI Square Pipes, GI Perforated Cable Trays, GI Ladder Cable Trays, GI Electro forged Gratings, GI Handrails, GI Unistrut Channels, etc. Applications: Building strong foundations across industries like Architectural; Electrical and Utility; Marine (On shore and off shore); Thermal Power Plants; Infrastructures (Airports, Ports, Railways, etc.);

Contact:

Parco Engineers (Mumbai) Private Limited
401 Skyline Epitome, Nr: Jolly Gymkhana
Vidhyavihar West, Mumbai 400 086
Mob: 98192 78530 • E-mail: info@parcoengineers.com



Butterfly Valves

Maruti Industries offers Butterfly Valves with Electropneumatic Positioner, Butterfly Valve with Pneumatic Actuator, Lever Operated Butterfly Valve, and Gear Operated Butterfly Valve. Technical Data – Manufacturing Standard: ISO 5752/BS5155/API 609/IS 13095; Inspection and Testing Std: BS 6755 (Part-1)/API 598/EN 12266-1; End Connection: Wafer to suit ANSI B16.5 150#/ANSI 125#; BS to Tab D&E/IS 6392 NP 0.6/1.0/1.6; Face to face: BS 5155/ISO 5752/API 609; Top Flange Drilling: ISO 5211. The Company's products range includes: IC Knife Edge Gate Valve, Knife Edge Gate Valve with Pneumatic Operating, and Manual operating.

Contact:

Maruti Industries
119 Vikas Est, Nr: Municipal School, Anil Starch Mill Road
Bapunagar, Ahmedabad, Gujarat 380 024
Mob: 99044 66842 / 98983 74361
E-mail: marutivalves@yahoo.com



Triple Offset Butterfly Control Valve Series 47000

Enoch manufactures a range of high technology control valves. The triple offset eliminates all rubbing between the seat and seal ring during valve travel, reducing seat and seal wear and extending cycle life. Once the seat and seal ring are fully engaged, torque is applied in order to create a bi-directional, zero leak, and metal-to-metal seal. Size: 3" to 80"; Pressure Rating: ASME 150# to 900# / 1500# and 2500 #. Features: Tripe Eccentric design; uninterrupted 360° contact; Excellent flow control range-ability; Disc design for minimum dynamic torque; ANSI/FCI 70-2 leakage rate up to Class VI; Metallic/Laminated Graphite/PTFE seal; Modified Equal percentage Inherent flow characteristic; NACE MR0175 compliance; and Low maintenance. Applications: Slurry, Paper and Pulp industries; Chemical Fertilizers, and Water Treatment and Gas Plants.



Contact:

Enoch Controls Pvt Ltd

Plot No: A-40, Near Garware, MIDC, Ambad

Nashik, Maharashtra 422 010

☎ 0253 – 238 3548 • Mob: 96375 88673

E-mail: sales@enochvalve.com

Liquid Ring Vacuum Pumps & Compressors for Thermal Power Plants

Garuda Pumps Private Limited offers a range of Liquid Ring Vacuum Pumps and Compressors in different Series for Thermal Power Plants. The products range are: 2GE 1/3 and



4 Series Liquid Ring Vacuum Pump (Flat Port Type) – Suction Capacity Range: 500 m³/h to 36000 m³/h. Vacuum Range: Up to 690 mmHg; and Power Rating: Up to 750 kW. The GXL Series Liquid Ring Vacuum Pump (Conical Port Type) – Suction Capacity Range: 500 m³/h to 17000 m³/h; Vacuum range: up to 660 mmHg; Power Rating: Up to 500 kW. GAT Series (Two Stage – Conical Port Type) – Suction Capacity Range: 600 m³/h to 4800 m³/h, and Vacuum Range: Up to 740 mmHg. Also offered End Suction Centrifugal Pumps/Slurry Pumps; Twin Lobe Compressors/Blowers (Air and Water Cooled Type).

Contact:

Garuda Pumps Private Limited

Plot No: 375/1, Phase IV, B/h: New Nirma, GIDC

Vatva, Ahmedabad, Gujarat 382 445

Mob: 99790 18430 / 76000 63751

E-mail: sales@garudapumps.com

Kitz Butterfly Valves

Zenith Trading Co offers Kitz Butterfly Valves. The features are: in order to fulfill the ever changing demands of their clients, they have been engaged in offering a quality range of kitz butterfly valves; these valves are widely appreciated for their durability, resistance against rust, and smooth working; the products are developed under the supervision of experts, employing the latest technological machines and tools. Moreover, these valves are tested on various parameters before the final delivery in order to offer a tested range to their clients; their features include: handles for extreme pressure; efficient design; dimensional accuracy; a fine finish and workout; a rigid and sturdy design; negligible pressure loss; and everlasting superior performance. The company is a one of the most well known dealers, manufacturers, wholesalers, traders, and retailers of kitz valves, water meters, industrial valves, metal valves, electromagnetic flow meters, and much more.



Contact:

Zenith Trading Co

29/61 Sembudoss St, Parrys, George Town, Chennai 600 001

☎ 044 – 3295 7270, 2522 9760

Mob: 98411 30142 • E-mail: kaizardhaman@vsnl.net

SENSORS, SAFETY LIGHT CURTAIN, COUNTERS



Inductive Proximity Switches



Photoelectric Sensors



Anti Crane Collision Sensor



Infrared Sensors



Large Display Counters



Mini Infra Red Sensors





Safety Light Curtains



Two Hand Safety Device for Rolling Key Presses



Safety Light Curtains



Photon Controls (India) Pvt. Ltd

Plot No.C 10/1, Gala No.54, NICE INDL. ESTATE,
Ladies Proj. MIDC, Satpur, Nashik - 422 007.

Telefax: (0253) 2355498, 2352760 • Mob: 093739 07348

E-mail: marketing@photoncontrols.com / mukund@photoncontrols.com

Website: www.photoncontrols.com



Pressure Transmitters

For high pressure measurement (Gauge and Absolute), PT-H Series Pressure Transmitters, from HARIS, offer combined repeatability and hysteresis errors that are typically below 0.25% of full scale. Long term minimization of these errors is maintained after millions of full scale over-pressure cycles, making electronic set point virtually drift-free. Use of Piezo Resistive Sensors and its mounting provides excellent resistance to most liquids and chemicals. Ruggedness, reliability and resistance to corrosion are enhanced by the stainless steel housing. Available in the pressure range of 0 to 2000 kg/cm², (both gauge and absolute), with an accuracy of +0.25% and operating temperature range of -40 ~ +120°C, PT-H transmitters are best used in variety of applications such as process control, petrochemicals, transmissions, water management, air-conditioning and refrigeration, pneumatic and hydraulic controls, etc. Intrinsically safe models also available on request.



Contact:

HARIS Sensor Technologies Private Limited
223 Shanti Industrial Estate, Sarojini Naidu Road
Mulund (West), Mumbai 400 080
☎ 022 – 4506 4490 • Mob: 98200 84083 • E-mail: info@haris.in

API 6D Expanding Plug Valve

Ghatge Patil Industries Ltd supplies API 6D Expanding Plug Valve. Its Specifications – Size: 2" to 4" Expanding Plug, Reduced Bore or Full Bore (Pluggable); Pressure Class: ASME Class 150 through 900, Bi-directional, Non-lubricated, Resilient seal, DBB and DIB-1; Design Standard: API 60, ASME B16-34, ASME B16.5, ASME B16.47, ASME B16.10; Testing Standard: API 60, API 598; Quality Specification Level: QSL 2; Material Trim: CS, SS; Temperature Range: -46°C to 200°C (-49°F to 400°F); Fire Safe Design: API 607, API 6FA, ISO 10497; Fugitive Emission Design: ISO 15848; Operation: Hand wheel/Gear Operated, Electric Actuated; Service: Hydrocarbon Liquid and Gas; Elastomers: Viton B, Viton GFLT, Viton Extreme, FFKM; Certification: CE/PED, CRN, ATEX, SIL 3.



Contact:

Ghatge Patil Industries Ltd
Uchagaon, Kolhapur, Maharashtra 416 005
☎ 0231 – 260 8000 / 260 8176
E-mail: marketing@gpi.co.in

Globe Valve

Fluidline offers Globe Valve, which is used for regulating flow in a pipeline, and consists of a movable disk-type element and a stationary ring-seat, in a spherical body. Features: Designed for the least possible obstruction to free flow by providing curvature turns in the body, thereby minimising stresses and turbulence. The plug and seating are machined and lapped very precisely to get a very tight sealing when the valve is closed. Manufactured to the highest standards of quality and durability. Features include: Pressure sealed joints/double block and bleed/cryogenic service to BS 6364/NACE specifications (MR-01-75); Regulating discs for throttling service; Double Disc; and bypass arrangement. Fluidline is a premier manufacturer of industrial valves, and has been designing high-quality valves that are used around the world in industries like Power, Steel, Oil and Natural Gas to Chemicals, Waste Water, and Potable Water, among others.



Contact:

Fluidline Valves Co Private Limited
115 Dr A B Road, Siddharth Nagar, Worli, Mumbai 400 018
☎ 022 – 2494 4057 / 2494 • E-mail: fluidline@hatway.com

Supreme Motorized Roof Air Ventilator

Supreme Fibre Glass Pvt Ltd offers Motorized Roof Air Ventilator, which is an optional powered ventilation without reducing the performance of wind exhaust levels High levels of energy efficiency. Benefits: Much lower operational noise levels compared with similar capacity axial fan products. Advanced German Technology. It outperforms traditional spherical shape metal vents of the same throat diameter. Light weight than comparable axial fans. Technical details: Model: ME (32) and ME (24); Fan Size: 32" and 24"; Medium: Hot and Humid Air; Exhaust Capacity: 10000 CFM and 5000 CFM/20000 CFM; Motor Rating: 1.5 HP/960 RPM 3 phase Crompton Greaves/Bharat Bijli/Havel's make – 1 HP/1440 RPM and 5 HP/960 RPM; Direct Drive; MOC: FRP 5 mm thick (UV stabilized FRP base Plate with Surface Tissue). Application: Fume/Heat Extraction (Exhaust).




Contact:

Supreme Fibre Glass Pvt Ltd
Unit 19, Gr Floor, Keytuo Indl Estate, Kondivita Village Road
Nr: Pidilite Industries, Andheri (E), Mumbai 400 059
Mob: 98339 41241 / 84089 74256
E-mail: supremefibre@gmail.com

Nickel Wire Mesh

Raj Filters & Wiremesh Pvt Ltd offers a wide range of Nickel Wire Mesh. The features are: nickel wire mesh is woven using high-purity nickel wire. This wire mesh is mostly preferred in corrosive environments such as filtration of liquids, gas, etc.; the usage of nickel wire mesh is endless and has high stability and consistent filtration properties; it can supply all types and specifications of wire mesh as per customer requirements. The company is one of the most renowned sister concerns of Fars Wiremesh, a reputed and trusted name in offering superior quality of wiremesh, filters, and gaskets. Being the market leaders for the past three decades, they have the most modern manufacturing unit, equipped with the latest hi-tech machines and equipment to produce the supreme quality output to cater to the various requirements of clients.



Contact:

Raj Filters & Wiremesh Pvt Ltd

Plot No: 493-494, Road No: 6, No: 2, GIDC Road

Opp: Water Tank, Manjusar, Gujarat 391 775

Mob: 97241 90931 • E-mail: support2@rajfilters.com

Globe Valve

Jayant Engineering & Marketing Pvt Ltd offers Globe Valve. Design Features: Design and Manufacturing: BS 1873 / ASME B 16.34; (2" < 24") and API 602 / ISO 15761 (For NPS < 2); Inspection and Testing: API 598, BSEN 12266 Part – 1&2; End Flanges Dimension: ASME B 16.5; W End Dimension: ASME B 16.25; Face to Face and End to End Dimension: ASME 16, 10, BS 2080; Gasket Design: ASME B 16.20; Plug Design: Parabolic, Regulating, Soft seated Plug, Guided Plug; Hand wheel Construction: Rising and Non-rising Hand wheel. Special Features: Gear Operation-applied force exceeds 350N; Limit Switch Arrangement; Electrical and Pneumatic arrangement; Lantern ring arrangement for vacuum service; IBR Certified; NACE MR 0175 and MR 0103; Position Indicator; Locking Arrangement; Extended Stem. The Company also offers Gate Valves, Swing Check Valves, Globe and Lift Check Valves, etc.



Contact:

Jayant Engineering & Marketing Pvt Ltd

Plot No: 2003/2004, Phase II, GIDC Chhatral

Tal: Kalol, Dist: Gandhinagar, Gujarat 382 729

☎ 02764 – 234 053 / 232 182 • E-mail: sales@jayantvalves.com

Oil Sealed Rotary High Vacuum Pump

Promivac supplies Oil Sealed Rotary High Vacuum Pump, which is Single and Double Stage, Air and Water Cooled. Features: Highly compact in design and yet so simple at the same time. Most reliable and efficient performer. An indispensable equipment for Pharmaceutical, Petrochemical, Cosmetic, Oil Refinery, Automobiles, Food, Flavors and Fragrances, Refrigeration, Chemical, R&D Centers, Scientific Labs, Pilot Plants, Vacuum Systems and host of industrial units. Applications: Vacuum Creation, Filling, Drying, Lifting, Forming, Filtration, Deep Freezing, Distillation, Annealing, Impregnation, Dehydration, Sublimation, Film Coating and many more. Promivac is one of the leading enterprises in the field of manufacturing and exporting of Industrial Pump, Vacuum Pump, Industrial Blower, High Vacuum Plant Systems and more. Vacuum Related Pumps became their first choice because this sector had still remained unexploited about three decades ago.



Contact:

Promivac Pumps Pvt Ltd

3575 Netaji Subhash Marg


Darya Ganj, New Delhi 110 002

☎ 011 – 2328 1082 / 2327 3965

E-mail: info@promivacpump.com

Eddy Current Drive

PSP Techno Engineers offers Eddy Current Drive. The features are: there is no physical contact between motor and clutch; this results in smooth response, thereby eliminating shock loading and extending equipment life; operates on AC power supply and provides constant torque at variable speeds over a wide range; the magnetic field is produced by a clutch coil typically below 2 per cent of the total drive power requirements which means smaller and longer life controller circuits can be used. The company provides high quality automation, full turnkey solution and 24*7 service supports to the industries.



Contact:

PSP Techno Engineers Pvt. Ltd

3rd Floor, Aggarwal Modern Bazar, C-33, 306-307

Britannia Road, Dr Lohia Industrial Area

Keshav Puram, Tri Nagar, Delhi 110 035

☎ 011 – 2718 0525 • Mob: 096507 91461

E-mail: sales@psptechno.com

Industrial Valves

Stilonn Valves And Controls manufactures all types of industrial valves like Ball valves, Butterfly valves and Sight flow indicators. Stillon Valves uses advanced digital control machine tools, processing and testing facilities to ensure that its products meet customer expectations for reliable performance and quality. The Company designs and manufactures a wide range of SS sanitary valves and fittings such as sanitary butterfly valves, ball valves, check valves; sanitary sight glasses, and sanitary unions, etc. They are widely used in the dairy, food, and beverage, pharmaceutical, cosmetic, and other industrial markets. All these products are manufactured accordance with different surface finishes, materials and industry standards including ISO, DIN, IDF, and SMS.

Contact:

Stilonn Valves And Controls Private Limited
Unit No: 6, Building No-B, 3rd Floor, Gami Industrial Park
Plot No: C-39/a, TTC Industrial Area
Pawne MIDC, Navi Mumbai 400 705
Mob: 90292 39287 / 86557 95716 • E-mail: info@stilonn.com



Hepa Filter Manufacturing Machines

Kanwal Enterprises offers Hepa Filter Manufacturing Machines. Features are: it is specially designed for fine filtering even at high-efficiency. It is cleanable in nature and has a good mechanical strength, which gives it high dirt holding capacity; it is technosavvy designed at their in-house manufacturing facility by incorporating advanced technology and superior quality raw components; being reliable hepa filter making machines manufacturers, suppliers, and exporters, the company provides safe transit of this product to make a healthy bond with their precious customers; and its features include: easy to install; no bypassing; low maintenance; high dirt holding capacity; long working life; high filtration efficiency. The company is a manufacturer and exporter of high caliber filter making machines for application in the filter manufacturing industry.


Contact:

Kanwal Enterprises
Gali No: 3-4, Sheetla Colony, Sector-5
Gurgaon, Haryana 122 001
Mob: 98102 71423 • E-mail: info@filtermachinesindia.com



Pumping Solutions for Paper, Sugar, Chocolate Industries & High Viscous Applications

Ostech Fluid Technologies India offers Pumping Solutions for Paper, Sugar, and Chocolate Industries and High Viscous Applications. Lobe rotor with a scraping profile, suit-



able for the transfer of highly viscous liquids or with inconsistent rheology and for liquids with many particles or abrasive fluids. Ostech Fluid Technologies, manufacturer, supplier and distributor of AODD (air operated diaphragm pumps) pumps, Pneumatic Diaphragm pump, Peristaltic hose pumps, Chemical dosing pump, Flameproof Peristaltic hose pumps, Barrel unloading Air operated diaphragm pumps, PP-PVDF Non-metallic centrifugal pumps, PVDF and PTFE Diaphragm pumps, Magnetic Drive Sealless centrifugal Pumps. Ostech Fluid Technologies is the leading brand in the field of fluid transfer systems. The Company has developed a wide range of pumps for different industries and applications; and has a wide range of products that can be used in different industries like oil and gas; chemical, water and waste management; and are offered the most competitive prices on pumps and other fluid technology products.

Contact:

Ostech Fluid Technologies – India
J-87, Sector 27, Pradhikaran, Nigdi
Pune, Maharashtra 411 044
Mob: 95278 90446 / 91759 92506
E-mail: info@ostechfluid.co.in

Clean Room Monitor with Alarm

Countronics offer a Clean Room Monitor for Humidity, Temperature and Pressure. The wall mounting monitor has bright 7 segment Red LED displays and alarm settings for all three parameters with in-built buzzer. Visual annunciation of alarm by blinking of parameter display causing alarm is provided. It is a stand alone system with all sensors mounted on the unit itself. An aesthetically designed unit with sleek plastic body and rear metal clamp for direct wall mounting make it an ideal unit for clean room applications.



Contact:

Countronics
M-95, Connaught Circus, New Delhi 110 001
☎ 011 – 2341 8487 • Mob: 98105 36887
E-mail: info@countronics.com

EOT Crane

Eddycranes Engineers, manufactures Elmech make EOT cranes conforming to Class I, II, III and Class IV (M1 to M8), heavy duty application as per IS: 807-2006, IS: 3177-1999, IS: 4137-1967 wherever applicable. EOT cranes are manufactured from 0.5 ton to 150 tons capacity in single Girder design as well as in double Girder design. Elmech EOT cranes offer technologically advanced features such as box type girders for torsional rigidity and strength, tapered plate design for joining the girders to the end carriage to ensure smooth flow of stresses, duly hardened forged wheels running on spherical roller bearings in L-type housing, geared couplings, high torque, crane duty, gearboxes, etc. These cranes offer long life and minimum noise during its operation; and are supplied with safety features consisting of brakes in all motions, limit switch in all motions, overload relays and single phase preventer for all motors in control panel, etc, also with pendant push button controller for operation from floor, or master controllers for operation from driver's cabin or with radio remote control arrangement. Eddycranes Engineers also manufactures Elmech Hoists, Grabbing Cranes, Goliath Cranes, HOT Cranes, Flameproof EOT Cranes and Electric Hoists and Winches etc.



Contact:

Eddycranes Engineers Pvt Ltd
3/23 Tardeo A/C Market
Tardeo Road, Mumbai 400 034
☎ 2352 2710 / 2352 5103 / 2352 1798
E-mail: eddycranes@vsnl.com

Industrial Valves

Kesharbhawani is a manufacturer of Industrial Valves. The Company manufactures and supplies of different types of valve fittings such as Ball Valves, Butterfly Valves, Safety Valves, Gate Valves, Globe Valves, Diaphragm Valves, Check Valves, Pulp Valves, and PTFE lined valves, Forged Valves, and many other valves products. These valves are used in industries like Chemicals; Oil and Gas; Food and Beverages; Energy; Pharmaceutical; Pulp and Paper.



Contact:

Kesharbhawani Engineering Private Limited
Shed No: C-51 Ved Industrial Park 1
100 F Kathwada-Bhuvaldi Road, B/h: Shreenath Estate
Kathwada, Ahmedabad, Gujarat 382 430
Mob: 95744 88845 / 90992 74443 • E-mail: info@kbsvalves.com

Choke Valves

Enoch Controls offers Choke Valves, which offers unique solution for various choke applications and are used for control of high pressure well fluids/solids. The Series 98000 meets the requirements of choke applications in oil production, gas injection, and sea water injection applications where pressure drops up to 400-500 bar are common. The design incorporates various trim from standard to Multi Stage trims that are manufactured from tungsten carbide or ceramic materials for better erosion resistance. The Choke Valves designed and manufactured as per ASME B16.34/API 6A standards, meet the requirement for product specification levels (PSL 1, 2, 3 and 4) temperature and ratings. Choke Valves are available with both screwed seat design and Quick change trim (Clamped design) options. If required valves can be manufactured with NACE compliance. Key Features/Benefits: Robust in construction; High flow capacity and rangeability; Choke valves body material can be forged, casted or Hipped; Clamped, Bolted or Screwed Bonnet design; Various trims option from standard to Low Noise Ant cavitation trim options are available; Linear and Equal percentage inherent flow characteristics; Heavy duty Cage Guided Construction; Sand erosion resistant trim; Metallic Scraper rings; High toughness carbide trims; Optional balanced or unbalanced plug designs; Easy for maintenance (Clamped design); Available in a wide range of end connections; Wide range of actuator options. Applications: Chemical Injection; Water Injection; Gas Injection and Gas Lift; Production; Multi-Phase flows; and high pressure drops, etc.



Contact:

Enoch Controls Pvt Ltd
Plot No: A-40, Nr: Garware, MIDC
Ambad, Nashik, Maharashtra 422 010
☎ 0253 – 238 3548 • Mob: 93675 88673
E-mail: sales@enochvalve.com

High Precision Industrial Valves & Fittings

Microtech Engineering Works manufactures high-precision industrial valves and fittings engineered for extreme performance, uncompromising reliability, and long service life. The products range includes: Ball valve, Non-return valve, Safety Relief valve, Customised Solutions, Fittings, etc.

Contact:

Microtech Engineering Works
Rajprabha Udyog Nagar, Extension 3, Building No: 3
Unit No: 25 & 26, Survey No: 13-A, Waliv
Vasai (East), Dist: Palghar, Maharashtra 401 208
Mob: 80800 07985 • E-mail: sales@mewvalves.in

Submersible Corrosion Resistance Pumps

MBH Pumps offers Submersible Corrosion Resistance Pumps – DS Series, SSPS, DCSS, SSNSS, which are high power, heavy duty dewatering pumps incorporating Special material for prolonged life of the pump for use in highly corrosive environment. Being Equipped with SS 316 / SS 3216L / SS 304 / Duplex parts, the pump delivers outstanding durability in long run. All of the parts of pumps that contact fluid, including the impeller, pump casing, motor frame, strainer stand, and hose coupling, are made in SS. MBH all SS pumps can handle corrosive fluids generated in mines or quarries, and chemical fluids of low pH value along with sea water. Applications: Transferring and draining Seawater from Dockyards, Ports, Ship repair facilities and dry locks; Transferring corrosion resistance chemicals and fluids in Chemical Plants; Draining Corrosive fluids generated in mines and quarries; Dewatering Sea water in industries situated at Sea sides; Various water front development projects; and Aquaculture facilities.

Contact:

MBH Pumps (Gujarat) Pvt Ltd
Plot 14, GIDC Indl Est, Naroda, Ahmedabad, Gujarat 382 430
☎ 079 – 2282 3066 / 2282 1018
E-mail: marketing@mbhpumps.com



Pneumatic and Solenoid Valves

ROTEX offers specially designed basket of Pneumatic and Solenoid Valves, which meet the requirement of long life and consistent performance for cement industry. Challenges met by ROTEK: Pulse Valve with Hytrel Diaphragm for high cyclic demand; Quick Opening and Closing, using optimal Air and Power/Pulse for effective Bag filter cleaning; Three, and Five Port Valve suitable for dusty environment. The Company's other products include: High performance Automotive Valves; Corrosion Resistant Solenoid Valves; Valves for Dusty and High Temperature Environment; Solenoid Valves for High temperature applications; Next Gen Valves for Ultra critical and Mission Safe application; Valves designed to withstand high vibration and voltage variation, etc.

Contact:

Rotex Manufacturers & Engineers Pvt Ltd
Plot R-852/853, TTC Indl Area, Rabale, Navi Mumbai 400 701
☎ 022 – 2087 1065 • E-mail: sales.rabale@rotexautomation.com



Packaging Solution

Plastochem India Private Limited offers complete Packaging Solution. The Company is a manufacturer of value-added, innovative packaging materials for many industries worldwide including Iron and Steel, Beverage, Chemical, Confectionery, Cosmetics, Dairy, Food, Pharmaceutical, Aluminium, etc. Plastochem has attained a world-wide reputation for unsurpassed quality and innovation in the production and conversion of packaging materials. The products line include: Stretch Film, PET Strap and PP Straps, Kraft Paper (with/without Poly Coated), BOPP Tapes, Packaging Machines, Air Bubble Films, Flute Board/Bubble Guard/Edge Protectors, HDPE/PP Fabric (with/without VCI Laminated), Press wood Pallets from Korea with 2 ton dynamic Load capacity (100% eco-friendly product); Complete packaging contract on Turn-key basis, etc.

Contact:

Plastochem India Private Limited
BN-5, Sector-V, Adventz Infinity, Salt Lake City
Suite No: 801, South Wing, Kolkata 700 091
☎ 033 – 4603 7751 • E-mail: sales@plastochem.com



Clear Water Pumps

Darling Pumps Pvt Ltd offers Clear Water Pumps. The features are: these darling openwell submersible pumps are not only unique in design but are also very compact, sturdy, and highly reliable. Offered pumps up to 120 HP and head range up to 140 mtrs.; these pumps come with mechanical seal and ball bearing designs and thus can be installed in inclined positions as well; these pumps can be customized for oil-filled motors or air-filled motors as well; their applications include: this range of darling open well submersible clear water pumps consists of S and M series pumps. These pumps are not only ideal for various agricultural applications but are also very popular for many industrial applications as well. The company, with its expertise spanning over 35 years, has been the chief architect of the submersible pump revolution in India. With every new and innovative product line, it has set a benchmark for others to follow and has thus always kept one step ahead of the market.

Contact:

Darling Pumps Pvt Ltd
340/2 Tigaria Badshah, Nr: Agarbatti Complex
Sanwer Road Indl Estate, Indore, Madhya Pradesh 452 015
Mob: 99819 92833 • E-mail: dpplin@darlingpumps.in



Temperature Gauge

CPI Technology Pvt Ltd, an ISO 9001: 2015 Certified Co offers a range of Temperature Instruments, like Temperature Indicator/Controller; Head Mount Temperature Transmitter, FLP Temperature Indicator/Controller, Thermocouples, Cable Type RTD Sensors, Infrared Sensors, etc. Highlights of Temperature Gauge: It directly measure the temperature to indicate in analog; To measure the temperature gases/liquid; Bi-metal/Gas filled types; Capillary available; Different types of mounting. The Company's products range includes: Level and Flow Instruments, Flow Measuring Instruments, Portable Devices, Pressure Instruments, Humidity Measuring Instruments, Calibration Equipment, etc.



Contact:

CPI Technology Pvt Ltd
SF/3, Kaveri Complex, RTO Circle, Subhash Bridge
Ahmedabad, Gujarat 380 027
Mob: 75758 08287 / 75758 08287
E-mail: info@carepg.com

Globe/SDNR/SDSL Angle Valve

Atam Valves Limited offers Globe/SDNR/SDSL Angle Valve. Its Design Standards: as per NES 375/BS 5354; Inspection and testing standard as per BS 6775 Part 1 for rate A; All material are asbestos free; All valves will be provided with open close indication; Flow Direction: Bi-Directional; Valves to be of non-rising and rising (Both stem design); End Connection standard as per PN6/PN10/PN16. Special Features: Rotary Actuators; Electrical Actuators; Extended Bonnet; Gear-box; Rod Gearing Arrangements. The Company's products range includes: Gate Valves, Globe Valves, Bolted Cover Swing Check Valves, Bolted Bonnet Forged Gate, Globe, and Lift Valves, etc. The products find applications in industries such as Steam Engineering, Hydrocarbon, Marine, Shipbuilding, Distillery, Brewery, Chemical, Power, Mining, Plumbing, Fire-fighting, HVAC Service and General Engineering.



Contact:

Atam Valves Limited
1051 Outside Industrial Area, Jalandhar, Punjab 144 004
Mob: 92161 83505 • E-mail: sales@atamfebi.com

Nitrogen Inflators for Tyres

Trinity Sales & Services offers Nitrogen Inflators for Tyres. The features are: nitrogen has been the choice for maintaining a consistent pressure in the tires; nitrogen gas generator is an ideal addition to the automotive or tire shop as it is compact, uses minimal shop space, runs quietly, and can be easily mounted; the system creates its own pure N2 from the air using an internal nitrogen generator and tire nitrogen generator and makes the gas readily available for tire filling on demand; and nitrogen generators are equipped with an automatic shut-off function; 92% to 95% pure nitrogen output; instant nitrogen output, no waiting. The company is a manufacturer, importer, and exporter of a comprehensive range of diagnostic car scanners, wheel alignment machines, vehicle lifts, and other automobile garage equipment.



Contact:

Trinity Sales & Services
Unit No: 567 Gulmohar Building, Agarwal Complex
Mahajan Wadi, Near Mahavishnu Mandir, Mira Road East
NH 08, Thane, Maharashtra 401 104
Mob: 98332 68605 / 93222 78159
E-mail: tss_trinity@yahoo.com

USB Pen Drive based Data Logger for Humidity and Temperature

Countronics offers a USB Pen Drive based Data logger for Humidity and Temperature. This state of the art logger automatically creates a data file compatible with MS Excel on the pen drive storing the Humidity and Temperature values along with the date and time stamp making it very simple to use. Just unplug the Pen drive and take it to your PC to view all the data. The unit allows the user to set the rate of logging from 1 sec to 99 minutes. No need of any additional complicated software installations. The low cost Pen Drive offers very large storage memory space making this product very economical and easy to use for factory personnel. Capacitive sensor for humidity and Platinum based temperature sensor provide accurate values for humidity and temperature. Internal Real Time Clock allows data to be time stamped in real time. Available as a panel mounted version with 96 x 96 mm front facia.




Contact:

Countronics
3/1/29, Shahibabad Indl Area, Site-IV, Ghaziabad, U P 201 010
Mob: 98105 36887 / 98183 50088
E-mail: info@countronics.com

Helical Gear

J S Engineering Works offers a wide range of Helical Gear. The features are: designed and manufactured in compliance with international quality standards using high-grade raw materials, this gear assures a high level of accuracy; recognised for easy installation, less maintenance, optimum performance, compact design, minimum noise, and longer service life, this spur helical gear is in wide demand in the market; these gears can be availed of at market prevailing rates in varied specifications; corrosion-resistant; easy installation; capable of withstanding high pressure and temperature; precise dimension; and error free operation. The company is a manufacturer and exporter of various types of gear boxes. The range of products includes worm wheel gear, gear boxes, shaft mounted gear boxes, crane duty helical gear boxes, and more.



Contact:

J S Engineering Works
15, Ajit Industrial Estate
Nagarvel Hanuman Road
Rakhial, Ahmedabad, Gujarat 380 026
☎ 079 – 6540 4065 • Mob: 94270 28033
E-mail: jsgears@jsgears.in

Extended Stem Brass Ball Valve

Lehry make Extended Stem Brass Ball Valve Screwed End is suitable for domestic water services, heating, air-conditioning plants and compressed air systems. Features: Female/Female threads; Flat lever handle with Dacromet plating for Anti-Rust; Body in nickel-plated brass as per CW617N Standard; Minimum and maximum working temperatures: -20°C to 120°C in absence of steam; Threads ISO 228 (equivalent to DIN EN ISO 228 and BS EN ISO 228). Specification: Available Size: DN 15 to 50 (1/2" - 2"); Pressure Rating 1/2"-1": PN 30; 1-1/4"-2": PN 25. Lehry's products range include: Lead Free Forged Brass Ball Valve, Forged Brass Ball Valve, Extended Stem Forged Brass Ball Valve, Butterfly Valve with ISI/FM mark, Brass Y-Type Strainer, Y-Type Strainer, T-Type Strainer, Reflux Valve with ISI/Swing Check Valve FM mark, Dual Plate Check Valve, Air vent Valve, etc.



Contact:

Lehry Instrumentation & Valves Pvt Ltd
Lehry Chambers, New No: 78 (Old No: 51), Sembudoss Street
P B No: 1506, Parrys, Chennai 600 001
☎ 044 – 2522 6995 / 2522 6187
E-mail: info@lehry.com

BMT Tool Disc & Tool Holders

Prominent Autotech offers BMT Tool Disc and Tool Holders, which is robust and versatile tooling system designed for seamless integration into existing lathe structures. Its defining feature lies in its ability to be bolted directly onto the lathe's cross-slide, ensuring a rigid and compact configuration. This design promotes enhanced stability during machining operations, contributing to heightened precision and reduced vibration. The key features of BMT Tool Disc and Holders are: Encompass their modular nature, allowing for quick and efficient tool changes. Active Tool Disc and Holders, coupled with a sturdy clamping mechanism, ensure a secure grip on cutting tools, minimizing the risk of deflection. BMT discs boast an array of tool stations, enabling multiple tools to be mounted simultaneously, thereby accelerating machining processes.



Contact:

Prominent Autotech
310x311/4, 8th Cross, 4th Phase Peenya Industrial Area
Nr: NTTF, Bengaluru, Karnataka 560 058
☎ 080 – 2658 1755 • Mob: 99167 01312
E-mail: info@prominentautotech.com

Breather Valves

Caliber breather valves are meant for enclosed bulk storage tanks in the petroleum and other industries. These valves are used as a safety measure to prevent the tanks rupturing or collapsing during filling in and draining out and also to take care of thermal expansion of fluids and consequent pressure build ups. These valves are constructed out of conventional materials and based on the fluids being stored, the valves can be offered in other materials like AISI 304/316, etc. Basically this valve is a combination of pressure relief valve and vacuum breaker put together in a simple and convenient pack. These valves are offered in space saving simple designs, in both flanged and screwed constructions and come in sizes from 50 mm to 150 mm NB. Breather valves can also be furnished with flame arresters and desiccators as per the requirements of the customers.



Contact:

Caliber Valves Pvt Ltd
101, 1st Floor, 4th St, AH Block, Shanthi Colony
Anna Nagar, Chennai, Tamil Nadu 600 040
☎ 044 – 4350 0192 • Mob: 89397 34853
E-mail: info@calibervalves.com, mktg@calibervalves.com

ABB Electric Brake Motor

Electro Mech (India) offers a wide range of ABB electric brake motor. The features are: these ABB electric brake motor are standard motors modified for braking duties. The electromagnetic disc brake is powered either DC or three phase AC current, from a rectifier located in the motor terminal box; it is also known as foot mounted motor; some key benefits are such as wide terminal box - easy installation; hand release; technical and application support; service and support; with standard motors' dimensions and output ratings, aluminum frame. The company is a manufacturer, supplier and trader of electric motor, gear box, inverter speed control drive and gear motor.




Contact:

Electro Mech (India)
57B, Chittaranjan Avenue, Tiretti
Kolkata, West Bengal 700 012
☎ 033 – 2221 7964 • Mob: 94333 17872
E-mail: electromechindia@gmail.com

High Speed Linear Servo Valves

Yuken India offers High Speed Linear Servo valves LSVG/ LSVHG Series. These valves offer extremely high response and excellent anti-contamination characteristics. An intensified small linear motor drives the spool directly. A differential transducer electrically detects spool position for feedback control. These valves are suitable for high speed nibbling machine, high speed injection moulding machine, die casting machine, steel mill equipment, vibration testing machine and various machines. Yuken's products range includes: Variable Displacement Piston Pumps, Variable Displacement Vane Pumps, High Pressure Pumps, Gear Pumps, Flow Control Valves, Pressure Control Valves, Directional Control Valves, Modular Valves, Direct Operated Pressure Relief Valves, Cartridge Valves, Proportional Valves, High Response Type Proportional Electro Hydraulic Valves, High Pressure Pumps, etc.




Contact:

Yuken India Limited
B-80, 2nd Cross, 1st Phase, Peenya Industrial Area
Bengaluru, Karnataka 560 058
☎ 080 – 2839 0225 / 2839 0227
E-mail: marketing@yukenindia.com

Servo Motors

Rotolinear Systems offers AC Brushless Servo Motors. Features are: these are available in range of 0.1 – 115 Nm. The standard frame sizes (square) available are 25, 37, 55, 74, 86, 98 and 142, 190, 240. There are mainly 2 models or series (i.e. TGT Series and TGH Series. TGT Series AC synchronous servomotors are characterized by low inertia, small dimensions, high dynamics, high adaptability and reliability; the servo motors have permanent Neodymium magnets in the rotor. The groove bevels in the stator and segment alignments of magnets on the rotor decrease the torque pulsations; and the normal protection is IP 54 (optional IP 65) and the insulation Class F. TGH Series servomotors are smaller servomotors and the speed is also low. TGH servomotors are 20 to 30 per cent shorter in total length compared to TGT of same torque. TGH motors are available with torque range 0.03 – 25 Nm. The company provides right products and solutions to major CNC machine tools builders, SPM builders and machinery builders.



Contact:

Rotolinear Systems
72 Ground Floor, 1st Main Road, LIC Colony
Yeswanthpur, Bengaluru, Karnataka 560 022
☎ 080 – 2357 2855 • Mob: 98451 96751
E-mail: rotolinearindia@vsnl.com

Brake Motors

Engineering Hindustan offers a range of Brake Motors. Specifications: a wide range from fractional HP to 40 HP; TEFC (totally enclosed fan cooled) motors; and factory fitted and aligned brake motors. The brake mounting provision is in-built. No modifications are carried out on the motors thereby keeping the full warranty of the motors intact. The motors have a wide range and come with full factory fitting and dynamic balancing. The Company also provides the latest and most advanced AC and DC failsafe brakes, having a working voltage of 240 V. Engineering Hindustan is engaged in manufacturing and exporting electromagnetic clutches and brakes.




Contact:

Engineering Hindustan
A-119, Khairane MIDC, TTC Industrial Area
B/h: Reliance Silico, Kopar Khairane
Navi Mumbai, Maharashtra 400 710
☎ 022 – 6520 8640, 2768 3513
Mob: 98213 34017, 98207 40067
E-mail: enghind@bom3.vsnl.net.in

Condensate Pot

Shridhan Automation Pvt Ltd supplies Condensate Pot, which are designed to catch hold the condensate and foreign materials, thus preventing damage of the metering



system and/or manifold. The condensate may be drained from the bottom valve connection. Condensate pots are used as a barrier between the main line and the secondary instruments in the measurement of steam or other vapors which condense to a liquid state insuring compatibility with the secondary instruments. They can also be used to cool down very high temperature liquids. These are custom manufactured to suit client and project applications. Applications: Refineries, Power Plants, Chemical and Petrochemical, Steel plants and other process industries.

Contact:

Shridhan Automation Pvt Ltd

#B-54, KSSIDC Industrial Estate, Kumbalgodu
Mysore Road, Bengaluru, Karnataka 560 074

☎ 080 – 2843 7847 / 2843 7848 • E-mail: info@shridhan.com

Submerged Sump Pumps for High Temperatures

Egger Pumps India Pvt Limited offers Submerged Sump Pumps for High Temperatures. Molten salt for heat transfer, hardening salt, liquid sulphur or hot slop must be pumped at temperatures between 150° and 450°C. These partly sluggish liquids are usually pumped from pressure-free containers. The temperature, pour point, solid matter, corrosive attack or high vapour pressures normally require sealless submerged sump pumps with customised design details. For safety reasons, a dry-installed pump is not recommended and problematic due to the sealing of the shaft. Egger's high pressure and temperature series is the solution. Egger has developed a special high temperature series for these kinds of applications. Depending on the application, the cantilever design (without bearing and without shaft sealing) or the high temperature submerged sump pumps are used. In the case of granulate media the temperature of both types can be adjusted.



Contact:


Egger Pumps India Pvt Ltd

SF No: 206, Kannampalayam (PO), Sulur (Via)
Coimbatore, Tamil Nadu 641 402

☎ 0422 – 268 9855 • E-mail: info.india@eggerpumps.com

PFA/Antistatic PFA/FEP/PVDF/PP HDPE Lined Pipe Fittings

Dipflon Engineering & Co offers PFA/Antistatic PFA/FEP/PVDF/PP HDPE Lined Pipe Fittings. All Types of Lined and Moulded Fittings available in – MOC: DI/WCB/CF8/



CF8M/CF8MI; Lining Material: PFA/Antistatic PFA/FEP/PVDF/PP; Flange Connection: as per ANSI B 16.5/BS 10 Table/DIN Rating. The products range are: Lined Tee,



Lined V Type Strainer, Lined Basket Type Strainer, Lined Double Window Sight Glass, Lined Spool Pipes, Lined Dip Pipe, Lined Elbow, and PTFE Expansion Bellow.

Contact:

Dipflon Engineering & Co

B-413, B G Towers, Nr: Delhi Darwaja


Shahibaug Road, Ahmedabad, Gujarat 380 004

☎ 079 – 2562 4003 • Mob: 98987 94440 / 92276 84378

E-mail: info@dipflon.com

Plastic Recycling Machines

Pimco is one of the leading manufacturers and exporters of world-class industrial plastic recycling machines. The Company supplies wide range of Ancillaries and Recycling Granulators: 12 kg to 1500 kg per hour capacity. The range includes: Portable Granulator, Granulator with Side Chute, Standard Granulator, Dry Colour Mixer Single and Twin Drum (Conical), Dry Colour Mixer (Vertical), Dry Colour Mixer (Roto Cube), Lump Cutter, Knife Sharpener, Pulverizer, Granulator with Blower, Giant Granulator, Conical Pan Mixer, High Speed Pre-Heating Mixer, Film Shredder (Agglomerator), Reprocessing Machine with Pelletizer, Vibratory Screen, Medium Speed Granulator, etc.



Contact:

Pimco Machines Pvt Ltd

A/28 Nanddham Ind Estate, Marol Maroshi Road

Marol Andheri (East), Mumbai 400 059

☎ 022 – 2925 7176 / 2925 7177

E-mail: info@pimcomachiune.in

Jacketed Casing Pump

Abirami Engineering Company provides a complete Solution for all Liquid Handling. The Jacketed Casing Pump Type APC-JT is a Chemical process pump with jacketed casing for High temperature application. Casing, stuffing box jacketing with triple bearing design. Operating Range – Capacity: Up to 800 cum/hr; Head: Up to 160 m; Temperature: Up to 240°C; Working Pressure: Up to 25 kg/cm²; Speed: 3600 RPM max; Speed: 3600 RPM max. Type of Sealing: Gland packing to withstand high temperature. Also available with Mechanical seal of special cartridge type. Lubrication: Special Synthetic grade oil suitable for high temperature operation. Abirami products range includes: Process pumps, Gravity Flow pump, Vertical Inline pump, Vertical Slurry pump, Vertical Cantilever pump, Water pump, High Pressure pumps, Gear pumps, Dosing/Metering pumps, Progressive Cavity pump, etc.



Contact:

Abirami Engineering Company
25 Vivekanantha Nagar, Street No; 1, P N Pudur
Coimbatore, Tamil Nadu 641 041
☎ 0422 – 244 3813 • Mob: 93631 45603 / 93623 45603
E-mail: abiramipumps@yahoo.com

Centrifugal Monoblock Pump

Toshio Technology Pvt Ltd offers Centrifugal Monoblock Pump. Its Features: Axial inlet and radial outlet; Single stage monoblock design; Dynamically balanced Rotor and Impeller; Pumps available with 2880 and 1450 rpm; Good quality Bearing. Technical Data – Flow Range: Up to 135 m³/min; Maximum Head: Up to 76 m; Liquid Temperature: Up to 40°C; Frequency: 50 Hz; MOC: Cast Iron, SS304 and 316. Applications: Chillers, Gardening and Nurseries, Domestic Water Supply, High rise Buildings, Hotels and Hospitals, Agriculture, Irrigation, Drip and Sprinkler Systems. The Company is an STP/ETP Pumps and Aerator Specialist, and its products range includes: Submersible Vortex Sewage Pump in Different Series, Submersible Grinder Pump, Effluent Pumps, Drainage Pumps, Dredging Pumps, Submersible Mixer, etc.



Contact:

Toshio Technology Pvt Ltd
Unit 1, 601/D, Wifi Park, Road No: 1, Above Satkar Grande
Opp: Aplab Co, Wagle Indl Estate, MIDC
Thane, Maharashtra 400 604
☎ 022 – 2582 8400 • Mob: 91672 02692
E-mail: sales@toshiotechnology.com

Pneumatic Control Valve Model 7916-19A/B Series

Avcon Controls Pvt Ltd offers Automated Valves, which includes: Solenoid-Motorized – Pneumatically Operated Valves, used in diverse field where automation is needed. For general use 3-way control valves, size 20 mm (3/4") to 100 mm (4"), Metal Seating as well as Soft Seating. Specifications of Pneumatic Control Valve, Model 7916-19A/B Series – Face to Face: As per DIN 3202 – Part 1, Series F1; Flanges: As per ANSI Cl.150 and also Cl.300; Bodies: WCB, CF8 and CF8M; Pressure: Up to 10 bar; Temperature: Up to 220°C; Characteristics: On and off, or Linear for Mixing or Diverting application. Actuator: Pneumatic Multi-Spring Diaphragm Design.



Contact:

Avcon Controls Pvt Ltd
Plot No: 65, Road No: 13, MIDC Marol Area
Andheri (E), Mumbai 400 093
☎ 022 – 6915 6100 • E-mail: avcon@avconcontrols.com

Rotary Airlock Valve

Nutshell Engineers offers Rotary Airlock Valve. The features are: the prime function of a rotary airlock (rotary valves) is to regulate the flow from one chamber to another while maintaining a good airlock condition. The product is mainly in dry powder or granular form; in the dust filtration field, a good airlock is essential on cyclone and bag filter applications in order that the manufacturers quoted high dust collection efficiencies can be maintained. Airlocks are also important in the pneumatic conveying industry, where products are regulated into a pressure or vacuum conveying line while minimising air leakage. The company is a premium manufacturer, importer, trader, and exporter of flexible connections, relief valves, safety valves, explosion vents, rupture discs, flame arrestors, etc. Manufactured in accordance with industry-set norms and regulations, these products are known for their seamless finish, dimensional accuracy, longer functional life.



Contact:

Nutshell Engineers
F-18, Basaveshwar Industrial Premises Vishweshwar Chowk
Plot No. 2, Sector 10, Thergaon, Pune, Maharashtra 411 026
Mob: 94220 17122, 77740 61105
E-mail: info@nutshellengg.in

Flat Submersible Cables (3-Core)

Empire Cable Industries is India's leading manufacturer of a wide range of electrical PVC insulated wires and cables, which are used by quality conscious electrical contractors and recommended by leading consultants, architects, and builders for projects, domestic, industrial and agricultural wiring for trouble free working. These connecting cables are used for submersible pump motors; and are manufactured keeping in mind the severe and difficult conditions in which they are required to perform. The individual conductors are made from bright electrolytic grade copper; and drawn, annealed and bunched properly to ensure flexibility and uniform resistance. Each of the 3 copper conductors is insulated with special PVC compound. The cores are laid up in flat parallel position. The outer sheath of the cable is made from a special grade of abrasion resistance PVC compound impervious to water, grease, oil, etc.




Contact:

Empire Cables Industries Pvt Ltd
115 Phase II, Badli Industrial Area, Delhi 110 042
☎ 011 – 2789 3424, 2386 8832
E-mail: empirecables@yahoo.co.in

Vacuum Pumps

PPI Pumps, an ISO 9001: 2008 certified company, and is one of India's largest vacuum pumps manufacturers. They offer a range of vacuum pumps in different sizes and capacities: Close Couple Vacuum Pump CC Series (pix, top) – Suction capacity: 20 to 200 m³/hr; Power consumption: 0.75 kW to 5.5 kW; Maximum vacuum: 700 mm of Hg (G). Used in plastic industries and breweries. PRV Series Liquid Ring Vacuum Pump – Suction capacity: 7200 to 16000 m³/hr; Power consumption: 110 kW to 500 kW; Maximum vacuum: 700 mm of Hg (G); widely used in Pulp and paper industries, and Sugar mills.



Contact:


PPI Pumps Pvt Ltd
14 & 16 C, Phase 1, GIDC Estate, Vatva
Ahmedabad, Gujarat 382 445
☎ 079 – 2583 2274, 3251 6741
E-mail: sales@ppipumps.com

ERW Black & Galvanized Steel Pipes & Tubes

Shree Nakoda Pipe Impex Pvt Ltd supplies HECTOR® ERW Black and Galvanized Steel Pipes and Tubes. The ERW pipe range is from 15NB to 175NB pipes conforming to BIS



Standards. Various applications of the pipes: Agriculture and Irrigation; Firefighting and Sprinkler Systems; Infrastructure and Construction; Energy and Utilities; Smart



Design in National Highway; and Smart Design in Street Furniture. The products range are: Circular Hollow Section, Square Hollow Section, Rectangular Hollow Section, Planks, Channel Post, GI Products, etc. Product Parameters and Features: Length: 6 meters, tolerance ± 50 mm; End Finish: Plain blur free end; Surface Finish: Black surface finish without any treatment; Raw material: High quality hot rolled (HR) coils of Tata Steel; Identification: Marking of Hector emblem on all tubes along with BIS mark; Specification: IS 3601 and IS 1161 for Circular, IS 4923 for Square and Rectangular Tubes IS 9295 for idlers, Belt Conveyors, IS 3589 for water and sewage steel pipes, IS 4270 for water wells, IS 1239 for water and gas.

Contact:

Shree Nakoda Pipe Impex Pvt Ltd
Khasra No: 31/27, 31/29, 31/31 & 31/34
Patwari Halka No: 13 Village Khamariya
Raipur (C. G.), 493 116
Mob: 79093 03333 • E-mail: info@hectorpipes.com

Automobile Gas Saver


S Vagadia Innovatives offers Automobile Gas Saver, which is developed using high quality raw material and adhere to quality norms; they have a wide demand and are provided in different specifications, including different sizes and as per the needs of customers; the product is precisely engineered; optimum quality; compact size; and delivered on schedule. The company is one of the leading manufacturers and suppliers of a superior range of gas saver equipment. The product range comprises gas stoves, gas conservators, gas lighters and many more.

Contact:

S Vagadia Innovatives
Plot No: 7, Survey No: 238, Malai Street
Veraval, Rajkot, Gujarat 360 024
Mob: 99251 25625
E-mail: info@svinnovatives.com

HDPE Pipe Die Head

Devikrupa Group offers HDPE Pipe Die Head. Its Features: Improved Inner Pipe Surface and Short Purging Time; Optimized Back Pressure Allows a Balance of Compression and Melt Temperature Control; Uniform Melt Flow Can Be Achieved Yielding Minimum wall Thickness Deviation; Enables PE, PPR, ABS Processability only by changing the Tooling; Constant Processing Characteristics over the Full Range of Material; Consistent Product Quality for all Pipe Sizes; Low Pressure Build-Up and Low Melt Temperature Even with High Throughput. The Company is engaged in manufacturing, exporting and supplying the finest quality range of Single Screw Barrel, Twin Screw Barrel, Bimetallic Screw Barrel, and Food Processing Screw Barrel. Devikrupa Extrusion specializes in the manufacturing of HDPE Pipe Manufacturing Machine, PVC Pipe Manufacturing Machine, PVC Profile Plant, etc. The Company operates from well-equipped machine and fabrication shops facilities; and its products are mainly used in industries like Plastic, Food, Packaging and many other associated manufacturers. The Screw Barrel mainly used in PVC Pipe Plant, Blow Moulding Machines, Injection Moulding Machines, Cable and Wire Extruder Plants, Extrusion Plants, Automated Food Processing Machinery, Single Screw Extruder Machine and all types of Plastic Processing Machinery.



Contact:

Devikrupa Group

L-9, Nr: Abhyudaya Co-Op. Bank, Plot No: 67
14 Road, Opp: Subham Extrusion Technic
Phase I, Vatva GIDC, Ahmedabad, Gujarat 382 445
☎ 079 – 4008 38311 • Mob: 94266 08369
E-mail: info@devikrupaindustries.com

TEFLON®/PTFE Food Grade Non-Stick Coating - TEFCOT™

Blinex offers TEFCOT™ PTFE Coatings, which has got good-non-stick, self-lubricating, heat resistant and chemical fume resistance. The coefficient of friction is extremely compliant for direct food contact uses. Operating temperatures are generally -100°C to +260°C. TEFCOT™ coatings are FDA compliant for direct food contact uses. Operating temperatures are generally -100°C + 260°C. Other characteristics include good abrasion resistance and non-wetting. PTFE Teflon coating application thicknesses can range from 25 microns to 50 microns.

Contact:

Blinex Filter-Coat Pvt Ltd

A3 Nand Bhuvan Industrial Estate,
Mahakali Caves Road, Gokul Nandanvan Co-Op. Society,
Radha Krishna Nagar Shanti Nagar
Andheri East, Mumbai 400 093
☎ 022 – 6596 6219 • Mob: 98920 60191
E-mail: blinex@vsnl.com

Power Steering Oil Filter

Clair Filter Systems offers Power Steering Oil Filter. The features are: these correctly outlined oil filters helps in greasing up moving motor parts; oil filters are accessible with well-being valves, which sidestep over-prohibitive stream and keeps the motor from being oil starved and increment motor life; these power guiding oil filters in fluctuated determinations at



pocket amicable costs in the business sectors; easy to install, and operate; high work capacity. The company is engaged in the manufacturing and supplying a wide range of oil filters, automobile air filters, and fuel filters. Their modern and well-equipped infrastructural facilities help in successfully catering to the needs and demands of a large clientele.

Contact:

Clair Filter Systems

Sr. No: 22/4, Opp: Indira College Of Engineering
Parandwadi, Tal - Maval, Pune, Maharashtra 410 506
☎ 020 – 2767 2525 • Mob: 98816 20899, 77450 90899
E-mail: clairfilter@gmail.com

Centrifugal Chemical Process Pump Series SCP

Jay Ambe Engineering Co offers Centrifugal Chemical Process Pump Series SCP, which find application for handling clear as well as slurry liquid. Mainly used in chemical industry, pharmaceutical industry, ME Plants, condensate application, sludge transfer applications. Design: Horizontal, single stage, back pullout. Flanges are as per ANSI B 16.5 Std. Impeller matched to casing for high efficiency and low NPSH. Performance Data – Delivery Size: Up to 50 mm; Capacity: Up to 80 m³/hr; Head: Up to 60 m; Temperature: Up to 200°C; Pressure: Up to 17 bar; Material: Available in MS, SS, Duplex, Super Duplex Steel and Alloy. The Company's range of products include: Axial Flow Pump, Vertical Axial Flow Pump, and Centrifugal Chemical Process Pump Series PCF.




Contact:

Jay Ambe Engineering Co

Survey No: 416 & 1464, Nr: Water Canal
Kothiya-Kuha Road, Village Kuha, Taluka Daskroi
Ahmedabad, Gujarat 382 433
Mob: 99786 28208 / 80486 04994
E-mail: sales@jecwoodland.com

Environment Solutions

Rieco Industries Limited offers Environment Solutions. Bag Filter: Features: Optimal design to meet specified requirements; Fully automatic bag cleaning mechanism; Constant pressure drop ensures economical operations; Available in square, modular and round shapes with top or side removal of bags; Effective air jet through nozzles on Venturi; Most available for separation of fine and difficult



dust; Combined primary and secondary air to enhance pulse modulation; Effective cleaning mechanism for longer filter bags. Scrubber: Centriscrub (Low Energy Scrubbers): This unit is suitable for low pressure drop applications. It achieves high collection efficiencies in 5-10 micron range with low liquid rates. It utilizes a tangential gas inlet and stationary scrubbing vanes to induce centrifugal motion of the gas for removal of dust. There are no moving parts. It is non-clogging, self-draining design makes it an ideal choice for many applications. The Systems offered by the Company: Dust Extraction Systems; Gas Cleaning Plants; Fume Extraction Systems; Ventilation Systems; Multicell Dust Collectors; FGD-Flue Gas De-Sulphurization.



Contact:

RIECO Industries Limited

11th Floor, Eleven West Panchashil, Survey No: 25

Near Pan Card Club Road, Baner, Pune, Maharashtra 411 069

Mob: 78880 04462 • E-mail: rieco@rieeco.com

Digital Pressure Gauges + Transmitter

Arbuda Instruments offers Digital Pressure Gauges + Transmitter. Features: Nominal size: 63 and 100 mm; Accuracy: +0.25% and 0.15% of full scale; Case and Bezel: ABS plastic and aluminium anodized; Wetted parts: SS 304L/DD 316L; Scale range: -1 to 700 kg/cm²; Battery life: 2 years power saving mode/1000 hrs cont. Applications: Generally used for corrosive gases and liquid media and for calibration lab use.



Contact:

Arbuda Instruments


E-11/1 GIDC Sector-26, Gandhinagar, Gujarat 382 027

Mob: 90337 11390 / 93282 97128

Mob: 82649 37896 • E-mail: info@arbudastruments.com

Programmable Ampere-Hour Meter

Countronics, an ISO 9001: 2000 certified company, offers Model 800AH Ampere-hour Meter, which is a micro-controller based precision product designed to integrate and display DC current flowing with respect to time. It becomes a measure of the total current energy. A preset limit of this integrated current can be pre-programmed and when the limit is reached, a relay is switched On to trigger an alarm. For different ranges, the shunt resistance is user programmable up to 9999 A at 75 mV. In addition, an internal limit of 10.5 V is preset so that a 12 V battery can be tested for its A-H. As soon as the 12 V battery discharges to a voltage below 10.5 V the Amp-hour Meter stops automatically. It can be used for Amp-Min also. This instrument reads current and integrated current up to 999999 A. Resolution of 0.1 A-H and 0.1 A-Min is also available. The 96 x 96 mm light weight ABS cabinet with front panel membrane switches and bright 7-segment LED displays makes it attractive and rugged.



Contact:

Countronics

3/1/29 Sahibabad Indl Area, Site-IV

Ghaziabad, Uttar Pradesh 201 010

Mob: 098105 36887 / 098183 50088

E-mail: countronindia@gmail.com

Wheel Alignment Machine WA-50

Sarveshwari Technologies offers Wheel Alignment Machine WA-50 for Light Commercial Vehicles. Features: this machine has smart key LCD real-time toe-in, camber display; level indicator; battery percentage display; battery status indicator; low battery warning light. Standard features include: Adjustment indicator on sensor head; calibration value backup in sensor heads; long service life; professional high accuracy 6 metre wheel base, 8 toe sensors, fastest and stable data transfer, 24 inch clamps; super large data bank; automatic detect low chassis interchangeable sensor heads two wheel mode (front). The company provides complete comprehensive solutions for the tyre maintenance.



Contact:

Sarveshwari Technologies Ltd

355 Deepali, Pitampura, New Delhi 110 034

☎ 011 – 2702 3750, 2702 1499


E-mail: info@garageequipments.com

CNC Double Column VMC

Jagdeep CNC Vertical Machining Centre (VMC) is used for complex machining operations and production jobs. This VMC is known for reliability and best after sales service and support. Completely designed and developed in-house with high quality parts and components for reliable and consistent operations. Standard Features: AC Servo Spindle Motor with Servo Drive; Spindle (Taiwan); Coolant System; Coolant Gun; Air Gun; Automatic lubrication System; Electricals Panel; Work Light and Tower Light; Fanuc CNC System; Machine Enclosures. Applications: Die Machining; Bolster Plates; Turbine Blade Machining; and Casting. Applications in forging industry. Operations – Facing; Boring/Drilling/Tapping/Threading; Profile Machining; and Milling/Slotting.

Contact:

Jagdeep Machines (India) Private Limited
GT Road, Batala, Punjab 143 505
☎ 01871 – 242 750 • Mob: 87278 42900 / 98149 21641
E-mail: jagdeepmachines@gmail.com



Rim Straightening Machine

Sunrise Instruments offers Rim Straightening Machine. Its features are: renowned for its highlighting attributes such as durability, high accuracy and service in wheel refurbishing and excellent service; vibration free and noiseless while working; efficient wheel rim straightener is used for straightening the wheel rim; it comprises a ram and a hydraulic pump for manually operating the ram; assures smooth and easy working of new and advanced RIM straightening machines. The company engaged in manufacturing and exporting of LED display systems, customized display boards, electronic display boards, LED indicators, smart electronic queuing systems, single and tri colour LED displays widely used in various application areas.

Contact:

Sunrise Instruments Pvt Ltd
Sunrise House, Sr Nos: 33/1, 37/1 to 4/3/1
Near Harsh Agro Pipes, Pisoli, Tal-Haveli
Pune, Maharashtra 411 048
Mob: 98900 66773, 98224 93914
E-mail: info@futuressi.com



Fluid Bed Dryer

ACE Industries (India) Pvt Ltd offers Fluid Bed Dryer, which is designed for fast and uniform drying of powders, crystals and medium sized pellets. The Fluid Bed Dryer finds application in Pharmaceuticals, Bulk Drugs, Dyes and Chemicals, Phytochemicals, Catalysts, Food Products and Starch derivatives, Pesticides, etc. Advantages of Fluid Bed Dryer: In a Fluid Bed Dryer, the temperature is distributed uniformly throughout the product and the heat rate is very high. High production rates are achieved because of reduced drying time. As the product is in close contact with the drying air at a low temperature and for a short duration, the physical and chemical properties of the product are not affected generally and hence the dryer can be effectively used in the case of heat-sensitive products. As the product is continuously moving during the drying process, there is minimal lump formation or case hardening. The Company's products range include: Pilot-Scale Centrifuges, Lifting Bag Centrifuge, 4-Point Suspended Bottom Discharge Centrifuge with Dome Opening, Manual Top Discharge Centrifuge, Air Tray Dryer, Ribbon Blender, Octagonal Blender, Vacuum Tray Dryer, Rotocone Vacuum Dryer, etc.

Contact:

ACE Industries (India) Pvt Ltd
113 Alpine Industrial Estate, Marol Military Road
Andheri (E), Mumbai 400 059
☎ 022 – 4225 8000 • E-mail: sales@acecentrifuges.com



Seat for Butterfly Valve

Arvico Rubber Industries supplies Seat for Butterfly Valves. Sleeves or Seat Rings are blockage units that prevents two parts' leakages. The Butterfly valve sleeves offer exceptional blockage in three possible leakage paths – pipe sealing, flanges, and operating shafts. Even minute differences in the surface or size of these sleeves can lead to a loss of efficiency to the customers. The Butterfly valve sleeves are calibrated precisely, offer exceptionally high pressing actions, and are abrasion-resistance. Size range: 25 mm to 700 mm.

Contact:

Arvico Rubber Industries
104 Shanta Industrial Estate, IB Patel Road
Goregaon East, Mumbai 400 063
☎ 022 – 4972 2865 • Mob: 90822 67081
E-mail: info@arvicorubber.com



Butterfly Valve

Coimbatore Flow Controls Private Limited offers Butterfly Valve. The features are: top flange drilled to suit ISO 5211; bolt circle dimensions to suit all standard Like DIN, ANSI, API, BS 10 Table D&E etc. Unique centre stem lock design virtually eliminates any disc movement while during the open / close function; unique stem retention system to blow out proof stem easy assembly and disassembly of valve body - heavy duty single piece in fabricated and two piece in castings double flanged body designed to withstand specified pressures and ratings; disc - investment / fabricated high strength disc with polished disc edges and hubs ensures excellent corrosion resistant to several chemical media. The company established in 1988, have more than 24 years valve manufacture experience. These valves are manufactured in various material of construction to suit specific service conditions, and temperatures. These valves are used to control the flow media and are used in chemical, fertilizers, sugars, paper, pulp and oil industries.




Contact:

Coimbatore Flow Controls Private Limited
A-7 K, L.R. Building, 207, Sastri Road, Ramnagar
Coimbatore, Tamil Nadu 641 009
☎ 0422 – 2232 435 • E-mail: coflow@rediffmail.com

Hydraulic Products

Deepak Ind Hydraulics manufactures a wide range of hydraulic products such as Hydraulic Cylinders, Hydraulic Power Packs, Gear Pumps, Vane Pumps, and Plunger



Pumps, Hand Pumps, Mobile Valves, Solenoid Valves, Hydro Motor, Steering Units, Prefill Valve, PCM & Pressure Relief Valve, Counter Balance Valve, Hydraulic Hoses and Connectors, Bell Housing, Pressure Gage, Manifolds, Accessories, Honed Tubes and Plotted Rods, Seals, Coolers, Seamless Tube and MSC, etc.

Contact:

Deepak Ind Hydraulics
1st Kasthuribai Street, Ganapathy
Coimbatore, Tamil Nadu 641 006
Mob: 75400 75756 / 75400 75775
E-mail: marketing@deepakind.com

Drum Pump

Ceracin Drum Pumps are vertical centrifugal pumps with an impeller rotating at 10,000-12,500 rpm on a stainless steel or Hastelloy drive shaft. Also known as rod or submersible pumps, they include an electric or compressed air-driven motor, and a matching immersion tube designed for the specific application. Available in various materials, the pump tubes offer flexibility based on chemical resistance and temperature requirements. For non-hazardous areas, immersion tubes can be easily attached to any drum pump motor using a hand wheel, without the need for tools. CeraCin caters to the needs of all major sectors like Oil and Gas, Petroleum Refineries, Chemical and Fertilizers Plants, Process Plants, Boiler Manufacture, Water Treatment Plants, Power Plants, etc, and exports its products. With a team of dedicated Sales Engineers across the length and breadth backed up by a dedicated team of Service Engineers and with many different pumping technologies, the Company has been very successful in providing Solutions to the Industry pertaining to various applications related to Extremely Corrosive and Hazardous Liquids as well as highly flammable liquids ensuring the safety of operation across all the levels. CERACIN not only provides you the Pumping Technology but provides you the Solution to all your problems at your Plants.



Contact:

Ceracin
316-317 Krishna Gold, Maneja Crossing
Vadodara, Gujarat 390 013
Mob: 93167 77213 / 75758 99401 • E-mail: sales@ceracin.com

PF Series Fixed Pump

HTM Hydraulics offers a wide range of PF Series Fixed Pumps for high pressure applications and extreme conditions, including dirty environments, extreme temperatures, and long and difficult duty cycles. Features: Compatible with various water-based, phosphate ester, and MIL-SPEC fluids makes these pumps ideal for testing aerospace components; one split-flow pump can supply independent flows from up to ten separate outlets. Output flow range: 0.5 lpm -110.5 lpm; max pressure up to 1380 bar.



Contact:

HTM Hydraulics Pvt Ltd
Plot No: 1, 1st Floor, 3rd Cross Road, ITI Industrial Estate
Mahadevapura, Bengaluru, Karnataka 560 048
☎ 080 – 4157 2101 • Mob: 97411 65877
E-mail: info@htmhydraulics.co.in

Screw Pumps (Progressive Cavity Pump)

Alpha Techno-Chem Equipments & Services supplies Screw Pumps (Progressive Cavity Pumps). Features – Positive Displacement: Progressing cavities deliver a uniform, metered and non-pulsating flow. Head developed is independent, and flow rate proportionate to the rotational speed. Self-Priming: Can work on snore i.e., handle high percentage of air with liquid and do not require foot valves. Non-Clogging: Can handle solids in suspension or media containing high percentage of solids. Low Internal Velocity: Minimum degradation of shear-sensitive media and can handle high viscous Pseudo-plastic materials. Low NPSH Requirement: Suction lift capability up to 9.5 MWC and effective seven in high vacuum condition. Reversible: Suction and Delivery ends can be interchanged by merely changing the direction of rotation of the pump. Flow Rate: Up to 2000 m³/hr; Pressure: Up to 24 bar (for more system pressures, contact factory assistance); Viscosity: Up to 100,000 cSt; Temperature: Up to 150°C. Material Options – Housing Parts: Cast Iron, Cast Steel, CF8, CF8M, CF9ML, Alloy 20 Hastelloy. Rotor and Shaft: Ni-Cr, Nitrided Steel, Tool Steel, AISI 410, AISI 304, ANSI 316, Hardened and Chrome Plated. Stator: NR, IIR, HNBR, EPDM, CR, CSM, Q, CFM, FKM in black, white, food grade, abrasion resistant and variants. Shaft Sealing: A wide variety of gland packed and mechanical seal options with API plan. The Company's products range includes: Centrifugal Pumps, Diaphragm Pumps, Metering Pumps, Filter Press, Mechanical Seal, Electric Motors, Gear Motors, etc.



Contact:

Alpha Techno-Chem Equipments & Services
Unit No: 2, Gr Floor, Jai Estate, Plot No: 6, 6A, 6B
Opp: State Bank, Phase-1, MIDC Dombivli East
Dist: Thane, Maharashtra 421 204
Mob: 84228 84458 / 84228 84460
E-mail: info@alphatechnochem.com

Valves, Pipes Fittings & Piping System

Dipflon supplies a range of PTFE/PFA/FEP/PVDF/PP Lined valves and pipes fittings, which includes Ball check valves, SS ball valves, Lined ball valves, Diaphragm valves, Plug valves, Butterfly valves, Swing check valves; Spool pipes, Dip-pipes, Reducers, Equal cross, Red tee; Dis piece and spacers, expansion bellows, etc.



Contact:

Dipflon Engineering & Co
B-413, BG Towers, Near Delhi Gate
Shahibaug Road, Ahmedabad, Gujarat 380 004
☎ 079 – 2562 4003, 2562 4169 • Mob: 099244 99948
E-mail: info@dipflon.com

Zero Hold up Filter Press

The filter press is a solid liquid separation device using the principle of pressure feeding. It is highly efficient, compact, dewatering device for separating solids from liquid slurries in the form of compressed cake. It has wide range of applications by several industries like Pharma, bulk drugs, distilleries, beverages and other industries. Salient Features: Single pass filtration with no solid bypass; Full batch recovery, no separate scavenging system needed; Proper sealing, which allows the filtration of volatile, toxic and inflammable products; Plate pack arrangement ensures any type of filtering media singularly or in combination, can be used to achieve required micron efficiency, Easy removal and cleaning of the cartridge assembly; Closed System ensures filtration of toxic, hazardous, explosive materials, efficiently cleaned and sterilized; Central feeding ensures no solid inside the vessel, complete recovery of liquids; Uniform filter-aid bed can be formed; Jacket can be provided for hot filtration and cooling; Available Model 8", 14", 18", 24", and 33"; and with centrifugal/gear/lobe pump. KPM Pharma Machineries is a supreme name involved in the manufacture and export of top quality pharmaceutical, chemical and Allied machinery. The Company manufactures these machines using high grade steel that is procured from reliable vendors to ensure quality of end products.



Contact:

KPM Pharma Machineries
Unit No: 212, 2nd Floor, Centre Point
Sativali Road, Valiv Phata, Vasai East
Dist: Palghar, Maharashtra 401 208
Mob: 98333 44890 / 96533 34812
E-mail: kotharikpm1@gmail.com

Hydraulic & Pneumatic Products


Savantec Automation (P) Ltd supplies Hydraulic and Pneumatic Products. Their products range includes Air Gun, Air Silencers, Camlock Couplers, Solenoid Valves, Check Valves Fittings, Clamping Cylinders, Clean Fittings, Compact Fittings, Flow Control Valves, Hand Valves, High Pressure Nozzles, HP Couplers, KCC Pneumatic and Hydraulic Cylinders, KOBIA Industrial Shock Absorbers, ROTOFLUX Rotary Unions, Sang A PU Fittings and PU Hoses and Couplers, etc.

Contact:

Savantec Automation (P) Ltd
No: 3&4, First Floor, Shop No: 6, Mogappair Road
Mannurpet, Padi, Chennai 600 050
☎ 044 – 4856 8963 • Mob: 73583 12666
E-mail: sales@savantecap.com

Premium Extruded Brass Mill Products – Engineering Excellence in Copper Alloys

Tritonvalves Future Tech stands as a premier manufacturer of precision-engineered extruded products, specializing in an extensive portfolio of copper-based alloys including Brass, Bronze, and Nickel Silver. The Company's state-of-



the-art manufacturing capabilities deliver superior quality products in diverse configurations: Round, Hexagonal, Square, Rectangular, and Custom Profile Rods and Wires, available in various dimensions and temper specifications to meet exacting industry requirements. Global Standards Compliance: the products are meticulously manufactured in strict adherence to major national and international standards, including BSEN, ASTM, JIS, IS, BS, DIN, NES, MIL, and GOST, ensuring consistent quality and reliability across global markets. Comprehensive Alloy Solutions: Tritonvalves offers an unparalleled range of specialized alloy grades designed for optimal performance: Eco-Friendly Lead-Free Brass – environmentally sustainable solutions; Dezincification Resistant Brass – enhanced durability and longevity; Naval Brass – superior corrosion resistance for marine applications; Super High Machining Brass – exceptional machinability and productivity; High Tensile Brass (Multiple Grades) – engineered for demanding mechanical applications; Hot and Cold Forging Brass – versatile forming capabilities; Free Machining Brass – precision manufacturing efficiency. Industry-Leading Applications: Tritonvalves' products serve critical functions across diverse sectors including Automotive, Oil and Gas, Engineering, HVAC, Electrical, Plumbing, Construction, and specialized industrial applications, supporting the infrastructure and innovation needs of industries worldwide.

Contact:

Tritonvalves Future Tech Private Limited
Plot No: 29, 30, 31 Mercara Road, Belvadi
Mysuru, Karnataka 570 018
☎ 080 – 2558 8965 / 2558 8966
E-mail: info@tritonfuturetech.com

Compact Vane Motor CVM10


Grip Mechatronics offers Compact Vane Motor CVM10, a small but powerful air motor, and is used in a wide range of applications in many different industries from the food and cosmetics to factory packaging and pharmaceuticals.

Contact:

Grip Mechatronics Pvt Ltd
412 Medankarwadi, Tal: Khed, Dist: Pune, Maharashtra 410 501
☎ 020 – 2712 0099 • Mob: 99604 26926
E-mail: info@gripmech.com

Pollution Control Equipments & Systems

Vintech Air Control Engineers And Consultants is one of the leading Designers, Engineers, Consultants, and Manufacturers of Air Pollution Control Equipments. The Company offers a range of products like Centrifugal Fans, Blowers, Axial Flow Fans, Bifurcated Fans, Boiler ID, FD and PA Fans, SISW, DIDW Fans, Roof Extractors, Cyclones, Pulsejet Bag Filters, Unit Dust Collectors, Mini Dust Collectors, Ventury Scrubbers, Packed Column Scrub-



bers, Built-in Clean Room and Pressurization module, etc. Vintech provides Turnkey Systems: Ventilation, Pressurization, Exhaust, Heating, Fume Exhaust, Gas Cleaning, Dust Extraction, Dust Collection, Kitchen Exhaust and Liquid Spray Painting Booth. Applications are in industries such as: Chemical and Process, Pharma (Bulk Drugs), Power Plants (Thermal and Nuclear), Packaging, Tea; Automobile Manufacturing Units, Boilers, Furnaces, and Dryers; Cement Plants, AC & R Projects, Modern Rice Mills, Foundry Units (Ferrous and Non-Ferrous), Wood Working Units, etc.

Contact:

Vintech Air Control Engineers And Consultants
Sai Raghvendra, 207 Dr Radhakrishna Salai
Ramakrishna Nagar, Valasaravakkam
Chennai 600 087
☎ 044 – 2486 6221 • Mob: 98409 70221 / 94441 38884
E-mail: vintechair@gmail.com

Chemicals & Additives


Macawber Engineering Systems India Pvt Ltd supplies Chemicals and Additives like Lustron, Mancozeb, Optical Brightener, Soda Ash, Sodium Sulphate, Frisis, HA20, Field spar, Sulphur powder, Urea granules, potassium Chlorate, Carbon Black, Kaolin, Boric Acid, Diammono Stilbene Disulphonic Acid (DASD), Filter aide, STPP (Sodium Tripolyphosphate), Salicyclic acid, Sludge cake dry powder, etc.

Contact:

Macawber Engineering Systems India Pvt Ltd
130-131, 125-126 Hindustan Kohinoor Complex
LBS Road, Vikhroli, Mumbai 400 083
☎ 022 – 2577 2047 / 2579 4624 I
E-mail: sales@macawberindia.in

Edge Protector Making Plant

K U Sodalamuthu And Co Pvt Ltd, an ISO 9001: 2008 Company, offers Sodaltech Edge Protector Making Plant is made heavy duty to produce high strength paper edge protec-



tors and 'U' Profile channels which are very ideal to prevent damages to edges of various palletized goods and circular goods like paper reels, steel coils etc. The machine is rugged, yet easy to use. It has facility to interchange profile design and variable speed drive for faster setting and control of process wastage. The future of packaging lies in the recyclability of most of the packaging materials. Edge protector is an environment-friendly product using strong paper board which is easily recycled. The use of edge protectors eliminates the damage to edges and corners in handling, warehousing and transport operations.

Contact:

K U Sodalamuthu And Co Pvt Ltd
428 Mettupalayam Road, Coimbatore, Tamil Nadu 641 043
☎ 0422 - 244 1223 • E-mail: sales@sodaltech.net

Bellow Seal Globe & Gate Valve

Aqua Engineering offers Bellow Seal Globe & Gate Valve. Standards – Design Standard: BS 1873/BS 5352/DIN/API. 600/API 603; Inspection and Testing Standard: API 598/BS 5146/BS EN 12266 I (BS 6755-I); Face to Face: As per ANSI B 16.10 BS 2080/BS 5352; End Collection: Flanged End to ANSI B 16.5 / BS 10 Table D E; Screwed End IS 554/BS 21/ISO 7 Socket Weld End to ANSI B16.11 (Buttweld End to ANSI B 16.25; Size Range: ½" to 12"; Pressure Rating: 150#/300#/600#800#/900#/1500#/ND 40; Operation: Hand Wheel/Gear. The Company's range of products include: Gate Valve, Globe Valve, Check Valve, Forged Steel Valve, Ball Valve, Jacketed Ball Valve, Butterfly Valve, Dual Place Check Valve, Strainers, etc.



Contact:

Aqua Engineering
14, 15, 16 Rajnagar Estate, B/s: Vishvanath Nagar, Nr: Ajit Mill Cross Roads, Rakhial, Ahmedabad, Gujarat 380 023
Mob: 90990 93865 / 90990 93866
E-mail: aquavalves@gmail.com

Horizontal Pumps

Plastico Pumps offers. The features are: temp. up to 120°C; suitable with V-belt drive or direct coupled with a motor; a heavy duty shaft, sturdy construction, simple design, back pull out design; micro metric wears adjustable facility hence, works at constant head for a longer period; non-clogging and handles solids up to 10 mm, The company manufacturers of Horizontal Pumps. These are horizontal pumps: end suction, horizontal, centrifugal coupled pumps with semi open impeller.



JCP pumps are centrifugal semi open impeller type pumps smaller volume using less floor space. Horizontal Pumps Operating Range: Capacity : up to 40 m³/hr, Head : up to 48 hrs, Size : 25 mm to 65 mm, Temperature : 80°C, Speed : up to 3500 rpm, Pressure : up to 5 Kg/cm, M.O.C : C.I, C.S., SS-304/304L SS 316/316 L, Bronze, Alloy-20, CD4MCU, Hast alloy B & C, etc.

Contact:

Plastico Pumps
199/2 GIDC Estate, B/h: Bank of Baroda
Nadesari, Vadodara, Gujarat 390 010
☎ 0265 – 2840 787 • Mob: 98250 69165 / 94287 64521
E-mail: plasticopumps@gmail.com

H₂O Series Horizontal Split Casing Pumps

MBH Pumps (Gujarat) Pvt Ltd offers Horizontal Split Case Pumps that are characterized by their high efficiency and low noise levels, as well as how easy they are to service.

The pumps are designed to work in a variety of applications, including public water supply to HVAC systems as well as Industrial water supplies. These pumps are horizontal split casing type with suction, discharge nozzles and their supporting feet integrally cast in the lower half casing. This construction enables to remove the rotating unit for inspection and repairs by just removing upper half casing and without disturbing alignment, pipe connection or prime mover. Product Features: Heavy duty built resulting in long service life; Good suction performance and low NPSH. Technical Specification – Delivery Size: Up to 250 mm; Capacity: Up to 1000 m³/hr; Head: Up to 110 metres; Frequency: 50/60 Hz; Temperature: Up to 40°C.




Contact:

MBH Pumps (Gujarat) Pvt Ltd
Plot No: 14, GIDC Industrial Estate
Naroda, Ahmedabad, Gujarat 382 330
☎ 079 – 2282 3066 • Mob: 94275 33830
E-mail: marketing@mbhpumps.com

Butterfly Valve

Nirmala Pumps & Equipments offers a wide range of Butterfly Valve. The features are: butterfly valve design is an essential aspect which controls the flow of fluid through a piping system; it has a quick opening and closing quarter-turn function that controls the flow of gases or liquids. Butterfly valve typically pivots on an axis perpendicular to the direction of flow inside the flow chamber and is situated on a spindle that allows for flow in a single direction; this valve is frequently used as a throttling device which controls the level of flow in entirely closed/opened or partially opened positions; and they offer butterfly valves in various materials such as PVC, aluminum, stainless steel, ductile iron, carbon steel etc. The company established in 1989, is acclaimed for the manufacturing and supplying broad spectrum of Pump and Valve.



Contact:

Nirmala Pumps & Equipments

**Shed No. 74-75, Gangotri Estate, Near Vatva Ramol Circle
Phase IV, Ahmedabad, Gujarat 382 445**

Mob: 84012 62518 • E-mail: sales@nirmalapumps.com

Precision Series Filter Regulator

Features: Siemag Precision Series Filter Regulator are specifically designed for use in the process Instrument & Fluid power Field. It has high instrumental accuracy & large flow capacity. It has accurate flow & precise regulation characteristics. Also, it has rapid response & greater stability. These high capacity industrial combinations are compact & economical to provide clean, dry & regulated air for process instruments, diaphragm actuated control valve, valve positioners transmitters, air cylinders and I to P Convertors etc. All PRS Models have a large outlet volume for greater stability & built in aspirating characteristics to maintain controlled pressure over wide range of flows.



Contact:

Siemag Industries, Mumbai 400 063

Mob: 77188 75757 • E-mail: info@siemag.net

Bin Washing Machine

Ultravelox Private Limited, a specialist for industrial component cleaning machines offers Bin Washing Machine. Its features: Bin cleaning batch type machine where washing and drying done in single chamber; the top-loading machine features a Rotary Basket within the wash chamber, designed to accommodate various bin sizes; Complete SS304 Construction; 3 to 5 Bar Spraying pressure; Inbuilt blower and Heater for drying avoids compressed air requirement; PLC and HMI operator friendly control panel; Minimum floor space required and no spillage; 150 to 200 bins/shift based on contamination; Online micron filtration; Oil Separator for effective recirculation of fluid; Partition Bins are effectively cleaned. The Company also offers Conveyor Bin Washing machine, Cabinet Type Washing machine, Rotary Parts Washing machine, Small Parts Washing machine, Front Load Parts Washer, Ultrasonic Cleaning machine, Spray cum Ultrasonic Cleaning machine, etc.



Contact:

Ultravelox Private Limited

Plot No: 267, 7th Main Road, SIDCO Industrial Estate

Thirumudivakkam, Chennai 600 044

Mob: 94453 56642 / 63815 76995

E-mail: marketing@ultravelox.in

Sewage Pumps

Sharp Pumps Pvt Ltd supplies Sewage Pumps PC Series – Cutter for pumping drainage water or effluents in Residential, Commercial or Industrial application; Gray water pumping, septic effluent pumping, soft solid, hard dirt, effluent with lots of fibrous material. Technical

Data – Voltage and Phase: 230 V – 1 phase, 415 V – 3 phase; Insulation Class: F; Protection Class: IP68; Speed: 1440 / 2880 rpm; Frequency: 50 Hz; Casing: FG 200; Impeller: FG 200 Steel Castings. Performance Data – Flow Rate: 2 m³/h to 300 m³/h; Maximum Head: 45 m; Maximum Particle Size: 135 mm; Pipe Size: Up to 150 mm. The Company's products range includes: Multistage Pumps, Hydro pneumatic System, Swimming Pool Pumps, Booster System, Crushers, Macerators, Pressure Boosting Pumps, etc.



Contact:

Sharp Pumps Pvt Ltd

Point Arcade, Sharp Nagar, Kalappatti

Coimbatore, Tamil Nadu 641 048

☎ 97861 97100 / 90477 77757 • E-mail: info@pointpumps.com

Hammer Mills

Vijimech offers Hammer Mills along with many other range of Pulverisers. The range offered is from 3 HP to 50 HP in various models. The Swing Hammers are ideal for material which are non-uniform. The Hammer Mill can grind material from Coarse to Medium fine. Material is fed from the top into the grinding chamber. There are 2 modes of Discharge, one from bottom and other sideways through Blower attached. Dust collector is offered for controlling the material generated while grinding. Vijimech offers Hammer Mill in Commercial Series and Heavy Industrial Series as per customer's application. The Hammer mill is offered in MS and SS both.



Contact:

Premium Vijimech Pvt Ltd
3815 Phase 4, GIDC, Vatva, Ahmedabad, Gujarat 382445
Mob: 97129 87467 • E-mail: sales@vijimech.com

Hydraulic Drives

EKCP's Hydraulic Drive includes drive unit with bull gear, planetary gear system driven by a hydraulic motor, which in turn is operated through a hydraulic power pack. Also the unit includes a torque transducer to activate the overload alarm and to produce an output signal. Automatic rake lifting arrangement and drive tripping arrangement is provided in order to protect the mechanism from overloading. The drive Heads with duly rated torque up to 2,711,000 Nm and peak torque rating up to 9,760,000 using High Precision Ring Gears are standard on large EKCP Thickeners; Increased torque capacity; Reliable and adjustable torque sensing; Torque sensing by electronic main drive slip sensor with fixed high torque alarm and motor cut off valves but with adjustable rake raise torque value and also the some feature is available with load cell type transmitter. EKCP's range of products include: Horizontal Belt Filters, Thickeners (High Rate and Conventional), Swing Lift Thickeners, Drum Filters, Dewaxing Filters, Clarifiers, Reactor Clarifiers, Classifiers, Recausticizing Systems, Lime Slakers, Flocculators, Surface Aerators, Rotary Distributors, Brown Stock and Bleach Pulp Washers, Drive Heads, etc.



Contact:

The EIMCO KCP Ltd
Ramakrishna Buildings, 239 Anna Salai, Chennai 600 006
☎ 044 – 2855 5171 • Mob: 94440 96921 / 94440 86920
E-mail: info@ekcp.com

Dual Plate Check Valves

Jayant Engineering & Marketing Pvt Ltd offers Dual Plate Check Valves. Design Features: Design by Wire; FEM Stress Analysis; CFD – Computational Fluid Dynamic Software helps to achieve Low-Pressure Drop, High Cv Design; Retainer less Design is intrinsically Fire Safe; Stellite Lapped Seat; High Performance Spring Design; Shock Bumper Prevents Slamming with Spring and Pins; Serrated Finish 125-250 AARH or RTJ as per requirement; No Fugitive Emission. Applications: In downstream of pump, prevents flow reverser; In wellhead injection lines, for Oil Rigs and Platforms; In Gas and Oil Processing plants and refinery on Delivery/Discharge side of pumps; For LNG and Chemical storage tank, use on discharge side of pump to prevent backflow. The Company provides services across a broad spectrum industries like Oil and Gas, Chemicals, Petrochemicals, Fertilizers, Power Plants, Paper industries, Refineries, Atomic Energy Plants, Building Equipment, Water and Waste Water industries. The products range includes: Gate valves, Globe valves, Swing Check valves, Forged Steel valves, Pressure Seal valves, Butterfly valves, Ball valves, Dual Plate Check valves, etc.



Contact:

Jayant Engineering & Marketing Pvt Ltd
Plot No: 2003/2004, Phase II, GIDC Chhatral
Tal: Kalol, Dist: Gandhinagar, Gujarat 382 729
☎ 02764 – 234 053 / 232 182
E-mail: sales@jayantvalves.com

Transformer Oil Pumps

Ajay Engineers offers Transformer Oil Pumps. This Centrifugal monoblock (pump and motor have been combined to form a single unit) type pump fitted with single stage closed impeller in volute casing having axial end suction and vertical centerline delivery. Compact in design, can be arranged for horizontal or vertical mounting, totally enclosed and having no glands. The Company manufactures, supplies and exports centrifugal pumps and AC induction motors of various specifications; and has vast experience in design, development and manufacturing of centrifugal pumps.



Contact:

Ajay Engineers
Phase-I, Plot No: 269, Opp: Road No: 4, Kathwada GIDC Este Odhav, Kathwada, Ahmedabad, Gujarat 382 430
Mob: 92277 92099 • E-mail: contact@ajayengineers.com

Pipes & Fittings

PNEUMSYS offers complete End to End solutions in the compressed air industry from point of generation to point of application. From the Air Compressor, Air Receiver, Air Dryer, Piping for the compressor, digital flow meters and pneumatic accessories like Air Hose Reels, Quick Release Couplings, and Air Blow Guns; and manufacturing its own range of industrial automation products in the field of pneumatics and low-cost automation products. The Company is supplying products for the Pneumatic, Hydraulic, Compressed Air, Oil & Gas, Petroleum, Cement, Steel, Power, Machine Tool, Packaging and Printing, Pipeline products, Mist system, Refineries, Food Grad, Railways, Aerospace, Defense and all applications requiring good quality and extremely reliable operations. Products range includes: Push Fitting Range (20 mm - 63 mm), Accessories (Manifold Block), Groove Fit Range (40 mm - 200 mm), Seamless/ERW Aluminium Pipes, Grooved Stainless Steel Range, John Guest Range, SS304/SS316L Pipes, SS Crimping Range, etc. These products are used in Industries like: Automobile, Aerospace, Defence, Electronics, Cement, Machine Tools, Oil & Gas, Railways, and Textile.



Contact:

Luthra Pneumsys

Plot No: 31-34, Royal Industrial Hub

Bhiwandi Kaman Road Kaman, Thane, Maharashtra 401 208

Mob: 86554 27657 • E-mail: marketing@luthrapneumsys.com

Ball Valve, 3-Piece Flanged End

Rasaii Flow Lines offers Ball Valve, 3-Piece Flanged End. Features: Full bore and reduced bore (CI/DI/WCB/CF8/CF8M/CN7M/CF3/CF3M/Hastelloy B&C/CZ100). Design Standard: BS 5351/EN ISO 17292/ASME B16.34; Pressure Class 125, 150 and 300; Size: 15 mm to 150 mm – 3-piece design; Body: ASTM A 351 Gr CF8/CF8M; Trim: AISI 304/304L/316/316L; Seat: PTFE/Peek; Rating: ASME Class 150/300; Face to Face: ASME B16.10; End: ASME B16.5; Testing Std.: BS 6755-1/API 598; Optional: Fire Safe – API 607; Mounting Pad – ISO 5211. User areas: Refineries, Petrochemical, Fertilizers, Sugar, Paper industry, Steel, Cement, Pharma, Waste Water, Food, and Power Plants, etc.



Contact:

Rasaii Flow Lines Pvt Ltd

Ferndale, 1st Avenue, RWD Palm Layout

Nr: Gayathri Nagar, Medavakkam, Chennai 600 100

Mob: 93848 00896 / 93848 00897

E-mail: admin@rflvalves.com

Wire Rope Hoists

Tacklers Engineering Pvt Ltd (formerly known as Techno Industries) offers Wire Rope Hoists. Features: Modular lightweight construction and compact designed hoists with very low head room; Hoisting gearbox, motor and brake is in one single compact unit eliminating coupling and alignment problems; All gear drives are made in Germany and are life time lubricated; Two speed hoisting drive in 6/1 ratio with built-in flywheel and soft start/stop feature; Extremely low noise levels during operation; All motors are pole changing crane duty with Class F insulation; DC brakes with a minimum of one million maintenance free operation; Wide, large diameter steel wheels with permanently lubricated bearings; Equipped with two upper and two lower position geared limit switches; Heavy duty wire rope guide for rope guidance; Easy to service electrical control system; All controls mounted in IP 54 panel enclosure; Variable frequency drive is available as an option on hoist as well as cross travel drives; Overload limit switches, and Remote control pendant are available as an option. Available in load range from 2 Tonnes to 25 Tonnes in different class of duties and lift and hoisting speeds.



Contact:

Tacklers Engineering Pvt Ltd

Plot No: 613, Phase-IV, GIDC, Vatva

Ahmedabad, Gujarat 382 445

☎ 079 – 4032 3330

Mob: 93287 39901, 93770 39904

E-mail: info@technoind.com

Roots Vacuum Pumps

Toshniwal Instruments (Madras) offers Roots Vacuum Pumps. The Roots-type pumps belong to the group of positive displacement delivery pumps. Two symmetrical pistons having an eight feature, housed in the pump body, rotate in opposite directions with no contact neither between each other or with the pump body, meshing continuously. The pistons are driven by a set of gears with synchronized rotation, which guarantees friction free movement. During rotation, a progressively growing space is created with corresponds to the suction stage: phase 1 and 2, being gradually decreased phase 3 and 4, compressing the volume of gas. This cycle is repeated four times per each complete rotation of the drive shaft.



Contact:

Toshniwal Instruments (Madras) Pvt Ltd


267 Kilpauk Garden Road, Chennai 600 010

☎ 044 – 2644 8983 • Fax: 044 – 2644 1820

E-mail: sales@toshniwal.net

Heavy-Duty Industrial Process Chillers

Chilton Refrigeration (P) Ltd supplies Heavy-Duty Industrial Process Chillers. The Chilton Air Cooled & Water Cooled Chillers are used in Industries like: Wood – Ply-



wood/MDF, and Laminates. Coir: Carpet manufacturing. Rubber: Footwear, Tyre, Conveyor Belts, and Gloves. Chemical – Solvents, Anodizing, Battery, CED, Dye, Ink, Soap, Electroplating, Mattress. Plastic – Blister PP, Blown Film, Blow Moulding, Box strapping, Pipe Extrusion, Injection Moulding, Lamination, Non-Woven, Woven Sack, Pet Blow, Pre Form, PVC Door/Window Profile, Corrugated Sheet, Stretch Film, Ropes, Granules. Pharma – Active Pharmaceutical Ingredient, Cosmetics, Blisters Packing. Marine – Hatcheries. Food and Beverage – Soda manufacturing, Cola manufacturing, Mineral Water, Dairy, Bread, Extraction, Glazing Process, Chocolate, Edible Oil, Ice Cream, Flakes. Advantages of Chilton Chillers are: Saves 15% Electricity; Increases Efficiency by 20%; Durability 20% higher than conventional; Built to withstand ambient temperature up to 52°C.

Contact:

Chilton Refrigeration (P) Ltd
6/78E, IDA, Binanipuram, Edayar
Aluva, Ernakulam, Kerala 683 502
Mob: 79944 43021 • E-mail: chiltonmktg@chiltonindia.com

Transmission Chain Coupling

Hasmukhlal offers Transmission Chain Couplings, which are used to join two pieces of rotating equipment while permitting the various degrees of misalignment, end movement, or both; moreover, by careful installation and maintenance of couplings, substantial savings can be made in reduced downtime and maintenance costs; and their features include: longer service life; resistance against corrosion; sturdy construction; easy use. The company is ISO 9001: 2000 certified, and engaged in manufacturing, supplying, and exporting power transmission equipment, oil seals, threads, and various industrial components.



Contact:

Hasmukhlal & Brothers
No: 7, Samrat Industrial Area, Gondal Road
B/h: Chandan Marble, Rajkot, Gujarat 360 004
☎ 0281 – 236 0761 • Mob: 98253 40600, 98797 60004
E-mail: bonnaflex@gmail.com

Electric Actuated Butterfly Valve

Trisha Engineers offers Electric Actuated Butterfly Valve. The features are: this plastic actuator body passes impaction and acid-base tests and also meets SGS. Valve position can be adjusted from 15 degrees to 90 degrees. The assembly of actuators and valves meets the EN ISO 5211 standard. Improved PP disc to enhance the performance. Thickened body and seal to extend the service life. Materials meet drinking water standards; the material has been modified by nanometers to improve the pressure resistance and impact resistance. Raw materials add anti ultraviolet absorbent and antioxidants, improving durability and aging resistance. The company is a leading supplier of quality sinking thermoplastic products, including PVC / PP / CPVC valves, pipes, and fittings. They cater to various industries like water treatment, metal finishing, chemicals, swimming pools, and spas.



Contact:

Trisha Engineers
#11, Sri Nivasam, Bull Temple A Cross, Behind Uma Theatre
6th Main, Chamaraipet, Bengaluru, Karnataka 560 018
☎ 080 – 2661 4315 • Mob: 93412 70830
E-mail: trishaengineers@yahoo.com

Goliath/Gantry Cranes

Tacklers Engineering Pvt Ltd (formerly known as Techno Industries) manufactures Goliath/Gantry Cranes. TACKLERS' heavy duty Gantry Crane is the ideal material han-



dling equipment for various industries and project like maintenance Factories, Power Stations, Large Water Works, Railway Yards, Harbours, Warehouses, Construction Sites, Transporters, Mines, Quarries, Heavy Fabrication Units, Contracting Firms, etc. It finds numerous applications such as loading and unloading trucks, heavy pipe laying in trenches, erection of bulky equipment, shifting of heavy load, etc. The Crane capacity is from 1 ton to 80 tons.

Contact:

Tacklers Engineering Pvt Ltd
Plot No: 613, Phase-IV, GIDC, Vatva
Ahmedabad, Gujarat 382 445
☎ 079 – 4032 3330 • Mob: 93287 39901, 93770 39904
E-mail: info@technoind.com

Screw Conveyors

Screw Conveyor is among the simplest and most versatile type of Material Handling Equipment. MASYC offers – Standard Pitch, Short Pitch, Variable Pitch, Double Flight, Tapered Flight and Ribbon Flight Screw Conveyors to suit various applications. The Screw Flights are formed on the hydraulic press so as to maintain accurately the screw dia, pitch and the helix angle. Single Shaft, Double Shaft Paddle Conveyor mixers are also available. Screw conveyors handling highly abrasive material can be designed without hanger bearings up to the length of 12 m. MASYC an ISO 9001: 2000 Company has a formidable presence in the market in Bulk Material Handling Systems and Equipments, and has more than 30 years of experience in turnkey execution of Bulk Material Handling Systems. Its products range suit all the requirements in different processing industries like Cement, Steel, Coal, Pulp and Paper, Glass, etc.



Contact:

MASYC Projects Pvt Ltd

23 Community Center, Mayapuri Phase-I, New Delhi 110 064

☎ 011 – 2811 5745, 2811 5453 • Fax: 011 – 2811 6850

E-mail: masycc@masyccproject.com

Double Eccentric High Performance Valve

Jayant Engineering & Marketing Pvt Ltd offers Double Eccentric High Performance Valve range from 40 mm up to 1000 mm (1-1/2" ~ 40"). Pressure temperature range: Metal Seat Type 4.90 Mpa (50 kgf/cm²) WMT 450°C; Teflon Seat Type WMP 1.96 Mpa (20 kgf/cm²) WMT 230°C. Flange connections – ISO PN 10, 16, 20 and 25 MSS SP 44 Cl. 150, 300; ANSI B 16.1 Cl. ANSI B 16.5 Cl. 150, 300; BS 4504, PN 10, PN 16 BS 10 Table D and E; AS 2129 Table D and E JIS B 2210K, 16K and 20K. The Valves are Conforms to API 598. Body test 1.5 times the maximum working pressure with water. The test is performed on the assembled valve with the disc in half open position. Seat and Shaft Seal Test 1.1 times the maximum working pressure. The shaft seal test and inspection is conducted simultaneously with seat test. Features: Double eccentric disc and stem; Application: Chemical Processing; Power Plant; Hydrocarbon Processing, and Shipbuilding.



Contact:

Jayant Engineering & Marketing Pvt Ltd

Plot No: 2003/2004, Phase II, GIDC Chhatral

Tal: Kalol, Dist: Gandhinagar, Gujarat 382 729

☎ 02764 - 234 053 / 232 182 • E-mail: sales@jayantvalves.com

Subscription Order Form

To,
The Circulation Manager
Product News Publication
104, Sudama Yash, Nr. Ramkrishna Hotel
Kelkar Cross Road, Ram Nagar, Dombivli (E), Thane 421 201

Dear Sir,

I / We would like to subscribe **Industrial Products Source**.

Please commence my/our subscription with the _____ (Month & Year) Issue. I / We enclose the payment of Rs. _____

Name _____

Address _____

_____ Pin code _____

Telephone _____ Mobile No. _____

Date: _____ Signature _____

☐ 1-Year (12 issues) ₹ 300/-

☐ 2-Year (24 issues) ₹ 550/-

☐ 3-Year (36 issues) ₹ 750/-

Subscribers who wish to receive magazine through courier, will be charged extra

in favour of **PRODUCT NEWS PUBLICATION**,

by "A/c. Payee" Draft / Cheque No. _____

Dated _____ of Bank _____

Our Bank details for NEFT payment Transfer:

Name of the company: **PRODUCT NEWS PUBLICATION**

Name of our bankers: IDBI BANK, Dombivli (East Branch)
Thane Dt.

A/C NO: 118102 00000 6569

Nature of Account: Current

IFS Code: IBKL0000455

Industrial Products Source

Visit us at: www.ips.co.in / www.industrialproductssource.com

Kusam-Meco Intrinsically Safe Two-in-one, Ring Laser Infrared Thermometer Model IRL 8 Ex

KUSAM-MECO has added another intrinsically safe infrared thermometer to its existing model IRL 7 Ex. While IRL 7 Ex has a measuring range -32°C to 700°C, model IRL 8 Ex has range -50°C to 1000°C. It has DS Ratio 20 : 1. It has protection grade IP54. The Ex marking is Ex ib IIC T4 Gb/Ex ib IIIC T 130°C Db. The resolution is 0.1°C. The error is up to $\pm 1.5\%$. The Laser is circular type. Readings can be viewed in °C or °F. It has power off function. It has Backlight for viewing in dark places. It gives sound & light Alarm, MAX, MIN, DIFF, AVG Display. It has fast response time of 150ms. The emissivity is adjustable from 0.1 to 1.0 (in steps of 0.01). Additionally it has facility of temperature measurement by K-Type Thermocouple -50 to 1370 °C. The polarity indication is Automatic. The instrument is very handy size Approx. 170 x 50 x 95 mm & light weight about 250 gms.



Contact:

Kusam Electrical Industries Ltd.
Shop No. 18, 1st Floor, CIDCO Shopping Complex
Plot No. 9, Sector-7, Rajiv Gandhi Marg
Sanpada, Navi Mumbai 400 705
☎ 98674 88006 / 98676 75093
E-mail: sales@kusam-meco.co.in

Extrusion Machinery

Yesha Engineering is engaged in manufacturing, supplying and exporting a wide variety of Extrusion Machinery. These machines are fabricated using supreme quality raw material and high-grade metals. Furthermore, these products are popular in the market due to their features like induction hardened/ hard chrome, mirror finishing rollers, higher production capacities and larger flow surface. The Company offers products such as: Multi-Layer Die; Lamination Plant; Extrusion Dies; Extruders; Raffia Tape Die; Sheet Plants, MS Pipe Coating Plant; Ancillary Equipment; and Spares of Extrusion machines.



Contact:

Yesha Engineering
3-E, Dev Estate, Opp: Torrent Power, Phase 1
GIDC, Vatva-Ramol Road
Ahmedabad, Gujarat 382 445
☎ 079 - 2589 4781 • Mob: 93773 23300
E-mail: yeshaeng4126@gmail.com

M Pumps – Metallic Mag Drive Pumps

Shanbhag Engineering Company offers M Pumps – Metallic Mag Drive Pumps. Features: Standards Compliance: Meets standard including API 685/ISO 5199 / ANSI B 73.3 and M Pump manufacturer standard. Material Excellence:



Standard SS 316 MOC, with options to upgrade to material such as SS 316L, SS 317L, Hast C-276, Nickel 200, LLOY 20, etc. Jacketing option available. Different magnet materials and rear can options available. Operation Range: Flow up to 4000 m³/hr., and head up to 220 m temperature from negative 150°C to 400°C. Innovative Containment Shell: Features a patented Hybrid technology, optimizing for minimal temperature rise and reduces magnetic losses, enhancing longevity and efficiency. Close-coupled, long-coupled options available; Flushing options for liquids containing solids, having solid settling issues. The Company also distributes pumps manufactured by DELLME-CO®, Lutz®, boyser®, teryair®, and Jung Process Systems.

Contact:

Shanbhag Engineering Company
B-50 Nandbhuvan Industrial Estate, Mahakali Caves Road
Andheri (East), Mumbai 400 093
☎ 022 - 4036 5700 / 4036 5711 • E-mail: info@shanbhags.com

Screw Pump KX-V Series

Hydro Prokav offers KX-V Series Screw Pumps. Features: Flow up to 135 m³/hr; Temperature up to 200°C; Viscosity up to: 100,000 cP; Pressure up to: 12 bar. This pump is ideal for transferring: Acids, Sludge, Varnish, Cream, Malt extract, Fuel, Lube and Furnace oils, Drug formulations. Hydro Prokav Pumps India Private Limited is a leading manufacturer and exporter of various types of Positive displacement Pumps. Hydro Prokav manufactures various types of Progressive Cavity Pumps and Eccentric Screw Pumps; and supplies its Positive Displacement Pumps to various Industries like Chemical, Petro chemical, Pulp and Paper, Sewage/Effluent Treatment, Edible Oil Refineries, Sugar, Distilleries, Breweries, Cattle Feed Plants, Fruit Pulp canning Industries, Cosmetic Industries, Toilet Soap and Detergent Soap Manufacturing Plants, Printing Ink manufacturers, Pharmaceuticals, Fertilizer Plants, Fisheries, Marine Industries, Ship Building Industries, Steel, etc.



Contact:

Hydro Prokav Pumps India Private Limited
S FNo: 1/18-1, Palladam Road, Pollachi Main Road
Ottakkalmandapam, Coimbatore, Tamil Nadu 641 032
Mob: 86056 96664 | E-mail: sales@affinitypump.in

Gas Detector SSS-903

ESP Safety Pvt Ltd offers ESP Model SSS Gas Detector of hydrogen sulphide, combustible and toxic gases is intended for automatic and continuous monitoring of flammable, toxic and combustible gas levels. SSS consist of Transmitter SSS (threshold device) and plug-in universal gas transducers PGU with electrochemical (PGU-E), infrared (PGU-IR) and photo ionized (PGU-P) sensors. Transmitter SSS is the universal one-channel threshold unit intended for visualization of gas signals values receiving from plug-n gas transducers. Transmitter SSS has following output signals: 3 threshold relays and 1 fault relay, digital output (RS-485) and analog output 4-20 mA. Any HART-Communicator device can be connected to Transmitter SSS via standard HART-connector for read-out gas concentration values, threshold changing, and zero set-up and sensitivity calibration in a field conditions. Transmitters SSS body is made from either SS316 mark or Aluminium and has explosion proof protection and intrinsically safe barrier level. Features and benefits: 3-Colour LED status indicator (normal, fault, alarm); Integral 48 Digit LCD for easy viewing of detector status; Calibration Indicator; Non-intrusive configuration of device; Quick and easy start up procedure (warm up time of device is less than 15 sec); Remote sensor option; Viewing of last 30 min historical trend on display; Continuous self-checking to ensure stable full functionality at all times; Display: Gas Type; Threshold level; Measuring units; Reading history of last 30 minutes with self-illuminating backlight. Areas of Use: Drilling and production; Refineries, bulk terminals and tank farms; Compressor stations and pipeline facility; Petrochemical, paint and fertilizer plants; Fuel loading facilities; Transportation facilities; and Residential areas.

Contact:

ESP Safety Pvt Ltd
528-529 Udyog Vihar Phase IV, Sector 19
Gurugram, Haryana 122 008
☎ 0124 -414 2837 • E-mail: info@esp-safety.in



Hydraulic Products


Fluidics offers Hydraulic products like Hydraulic Power Units, Hydraulic Trainer Kit for Colleges and Training Institutes; also Proportional valve, Servo Valves, Logic Valve, Directional Controls, Flow Controls, Gear Pumps, Vane Pumps, ASR, and ASE Pumps, pressure pumps, etc.

Contact:

Fluidics Engineers Pvt Ltd
12/1 Vetri Vinayagar Nagar, Sivananthapuram,
Saravanampatti (PO), Coimbatore, Tamil Nadu 641 035
Mob: 98867 71752 / 98431 52346
E-mail: fluidics@fluidsmith.com

Strapping Tools, Pneumatic & Hydraulic Cutters

Strapping Tools, Pneumatic & Hydraulic Equipment Pneumatic Power Tools & Co is a leading manufacturer of Strapping Tools, Pneumatic & Hydraulic Cutters in the Indian



market. The products range includes Manual Strapping Tool, Manual Sealer, Manual Strap Cutter, Pneumatic Tensioner and sealer, Pneumatic Combination Tool, Pneumat-



ic Plastic Strap Combination Tool, Strap Dispenser, Pneumatic Sheet Nibbling Machine, Pneumatic Hand Shear, Pneumatic Bolt Cutter, Hydraulic Road Cutter Single Acting Sol Operated DC Valve, Hydraulic Rod Cutter Double Acting Lever Operated DC Valves, Hydraulic Rod Cutter Double Acting Solenoid Operated DC Valves, Hydraulic Bar Straightener, Hydraulic Cold Upset Press Machine, Hydraulic Cold Upset Shear Machine, Hydraulic Cold Upset Shear and Press Machine, Hydraulic Sucker Rod Cutter, Air Hydraulic Pump, Hydraulic Power Pack, Binding Wire Horizontal Wrapping machine, Vertical Wire Coil Wrapping machine, Adjustable Wire Guide, Guide Roller, Straighteners, etc.

Contact:

Pneumatic Power Tools & Co
A K Point, 2nd Floor, Room No: 13
68B, APC Road, Kolkata 700 009
Mob: 98311 95835 / 76040 06074
E-mail: info@strappingtoolpvt.com

Hardened & Soft Jaws, Foundry Equipments, Jigs & Fixtures

ACM Engineering, an ISO 9001: 2015 Company manufactures Hardened and Soft Jaws, Foundry Equipments, Jigs and Fixtures. The products are: Top Clamping Jaws, Hardened and Jaws of 200 mm, VTL 360 mm Jaws, Soft Jaws, Moulding Guide Pin, Moulding Closing Pin, Screw Cup, etc.

Contact:

ACM Engineering
No: 93, Lottery Thottam, Athipalayam Road
Chinnavedampatti, Coimbatore, Tamil Nadu 641 049
Mob: 99655 90091 • E-mail: acmengg17@gmail.com

Air Terminal Product

Air Flow Pvt Ltd offers Air Terminal Products like Linear Grille, Double Louver Adjustable Grille, etc. The Linear Grille with fixed bars at front or vertical bars at rear having 0.15 and 30° deflection to suit every interior with fixed or removable core. Wide range of possible combinations suitable for side wall, ceiling suspended or false floor grilles. Double Louver Adjustable Grille – Supply or return air grille with single or double deflection adjustable louvers to provide multi directional air flow. Optionally, front fixed louvers at 0, 15 and 30 degrees deflection, available in combination with Rear Vertical adjustable louvers. The Company is a leading manufacturer and Exporter of Air Terminal Products, Air Distribution products, Smoke/Fire Dampers, Air Ventilation products and Air treatment products and Flexible Duct Connectors.

Contact:

Air Flow Pvt Ltd

J-90 & 91, Site-V, Surajpur UPSIDC Industrial Area
Kasna, Greater Noida, Uttar Pradesh 201 308
☎ 0120 – 429 5527 • E-mail: mail@airflow.in



V Spin Ram Type Vertical Turning Center

Askar Micron (P) Ltd, an ISO 9001:2015 Company, and a Total Machining Solutions provider offers a V Spin Ram Type Vertical Turning Center with features like: Small Footprint; High Stability; High Precision; High Productivity; and Ease of operation. Standard Machine: Cast Iron Structure with base, column, cross rail and carriage; Spindle and Gear train with recirculating oil lubrication; 2 Speed gear box; CNC Controller-Fanuc Oi-T/Siemens 828D; Standard coolant system with tank, chip tray and pumps for cutting and bed flushing; Complete splash guard; Machine operator panel with MPG; 3-tier lamp and Machine lamp; Machine mounting pads with levelling screws; Foot switch for chuck clamp/unclamp; Table with manual 4-jaw chuck as specified; Hydraulic power unit; and Air Condition unit for electrical cabinet. Essential Accessories: Voltage stabilizer; Isolation Transformer; Chip Conveyor; and Machine packing.

Contact:

Askar Microns (P) Ltd

Plot No: 293-C, Hebbal Industrial Area
Mysuru, Karnataka 570 016
☎ 0821 – 400 6249 | E-mail: info@askarmicrons.com



Industrial Products Source

A technical magazine useful for:

**Industries, Libraries, Technical Institutions Polytechnics,
Engineering Colleges etc.**

23rd
YEAR OF
PUBLICATION

Subscribe Now:

For 1 year (12 issues)	₹ 300/-
For 2 years (24 issues)	₹ 550/-
For 3 years (36 issues)	₹ 750/-

The issues
are available
as
e-Magazine also.
Visit:
www.ips.co.in

Product News Publication

104, Sudama Yash, Kelkar Cross Road, Ram Nagar
Dombivili (E), Thane 421 201
Mob: 98206 70855 / 98208 38998
E-mail: ipsmaginfo@gmail.com / ipsmag@yahoo.com

Industrial Products Source

A Magazine for Indian Industries since 2004

SPECIAL SECTION SCHEDULE - October 2026 to March 2027

October	2026	Material Handling & Storage Equipment
November	2026	Electrical & Electronics, Solar, Wind & Alternative Energy
December	2026	23 rd Annual Issue + IMTEX 2027
January	2027	ELECRAMA 2027 Special Focus
February	2027	Chemical, Pharma, Bio-Tech & Food Processing Packaging, Pollution Control Equipment
March	2027	Cables, Wires, Connectors, Control Panels Transformers Switchgears & Welding Equipment



Area of Circulation (Industry wise)

- Agriculture
- Air Condition
- Airlines & Aerospace Industries
- Atomic Sector
- Automation
- Automobile
- Bio-Tech & Pharmaceuticals
- Boilers
- Banking Sector
- Cement
- Ceramics
- Chemical Plants
- Construction Machinery & Equipment
- Defence
- Electrical & Electronics
- Exporters
- Fasteners
- Fertilizer
- Food & Beverage
- Foundry & Forgings
- Heat Exchangers & Cooling Towers
- Heavy Engineering
- Hydraulics & Pneumatics
- Industrial Safety & Security
- Libraries
- Machine Tools
- Material Handling
- Oils & Refineries
- Paints
- Paper & Pulp
- Petrochemicals
- Plastic & Rubber
- Pollution Control Boards
- Printing & Packaging
- Project Consultants
- Pumps & Valves
- Railways
- Research Institutions
- Steel
- Sugar / Tea
- Testing Laboratories
- Textiles
- Universities
- Welding

Advertisement Tariff

Size	4-Color	Black & White
Full Page (18 [W] x 25 [H] cm)	₹ 21,000/-	₹ 14,000/-
Half Page (H-18 [W] x 12 [H] cm) (V-8.7 [W] x 25 [H] cm)	₹ 12,800/-	₹ 8,500/-
Quarter Page (8.7 [W] x 12 [H] cm)	₹ 7,200/-	₹ 4,800/-
Double Spread (39.6 [W] x 25 [H] cm)	₹ 42,000/-	₹ 28,000/-
Cover Pages		4 - Color
Front Cover-Half Page (H)	₹ 24,000/-	
Front Cover-Quarter Page	₹ 15,000/-	
Front Cover-Strip (H) (17.5 [W] x 6 [H] cm)	₹ 15,000/-	
Front Inside Cover	₹ 27,000/-	
Back Inside Cover	₹ 27,000/-	
Back Cover	₹ 32,400/-	
Front Gate Fold	₹ 54,000/-	

Home Page	3-Months	6-Months
Small Banner (100 x 100 pixels)	₹ 6,000/-	₹ 10,000/-
Large Banner (240 x 100 pixels)	₹ 8,000/-	₹ 14,000/-
■ Inclusive of Design & Hosting - 12 kb maximum ■ If the advertiser wishes to change the design or any updating in the banner will be charged extra		

1-Year (12 Issues)	₹ 300/-	Subscription Charges
2-Year (24 Issues)	₹ 550/-	
3-Year (36 Issues)	₹ 750/-	
Outstation payment should be at par cheque/DD drawn in favour of "Product News Publication" on		

Trim Size: 28 [H] x 21 [W] cms; Bleed Size: 28.6 [H] x 21.6 [W] cms Material Requirement: CorelDraw or PDF Files



Editorial, Circulation & Marketing Office

Product News Publication

104, Sudama Yash, Nr: Ramkrishna Hotel, Kelkar Cross Road, Ram Nagar, Dombivli (E), Thane 421 201
Mobile: 98206 70855 / 98208 38998 | E-mail: ipsmaginfo@gmail.com / ipsmag@yahoo.com

Visit: www.ips.co.in / www.industrialproductssource.com to view our e-magazine



Film & Tape Expo 2026: Connecting Global Buyers With Advanced Materials Supply Chains And High-growth Industries

As demand for high-performance materials accelerates across the new energy, consumer electronics, automotive, semiconductor, and advanced manufacturing sectors, **FILM & TAPE EXPO 2026** will return to Shenzhen from **October 27-29, 2026**, delivering a comprehensive sourcing and technology platform for the global functional film, adhesive tape, coating, and converting industries.

Held as part of Megashow ITWA Shenzhen 2026, **FILM & TAPE EXPO 2026** will take place at Shenzhen World Exhibition & Convention Center (Bao'an), China, across 180,000 m². The event is expected to feature more than 3,600 exhibitors and brands, attract 170,000 trade visitors, host 30+ technical conferences and forums, and showcase over 200 new products.

The exhibition will showcase the entire industry value chain, from functional films and industrial tapes to adhesives, chemical raw materials, high-performance materials, coating and converting equipment, inspection technologies, and supporting components.

Register now to connect with leading suppliers and stay up to date on the latest industry trends: <https://isclick.cn/57DB2>

One Platform, Connecting Diverse Industries And Applications

A defining feature of **FILM & TAPE EXPO 2026** is its application-driven approach, connecting materials technologies with real-world sourcing needs across key growth sectors.

In new energy and battery applications, exhibitors will present battery separator films, aluminum-plastic composite films, electrode tab tapes, and other materials engineered to meet stringent safety and high-energy-density requirements.

The automotive sector will showcase TPU paint protection films, window heat-insulation films, color-change films, and advanced battery materials supporting vehicle weight reduction, electrification, and smart mobility.

For display and touch applications, technologies including TAC films, PMMA films, OCA optical adhesives, and optical films for backlight modules will address the evolving requirements of foldable displays, automotive displays, and polarization technologies.

The consumer electronics and semiconductor sectors will feature release films, protective films, PI films, thermal management materials, electronic tapes, wafer tapes, and other precision materials supporting smartphones, wearables, electronic components, advanced packaging, and semiconductor manufacturing.

Additional solutions cover PCB/FPC, die-cutting, printing and labeling, flexible packaging, medical applications, and industrial materials, enabling buyers to source across multiple categories at a single event.

A Comprehensive Supply Chain, From Materials To Production Tools

The exhibition will bring together the following key technology categories: **functional films, industrial tapes, adhesives, chemical raw materials, converting equipment, and components.**

Exhibits will include PET, BOPET, BOPP, TPU, optical films, protective and release films, PI films, battery and photovoltaic films, automotive films, electronic and semiconductor tapes, OCA and thermal-management adhesives, coating and laminating systems, die-cutting and slitting equipment, inspection and measurement technologies, and many other advanced manufacturing solutions.

With thousands of materials, equipment, and processing solutions expected on display, the event will provide international buyers with an efficient environment to compare technologies, identify suppliers, and explore new applications.

Procurement-focused Business Matching

Beyond the exhibition floor, **FILM & TAPE EXPO 2026** will place special emphasis on measurable business outcomes. The exhibition's **Targeted Attendee Program (TAP)** will facilitate more than **3,000 one-to-one business matching meetings**, helping exhibitors connect with buyers whose needs align with their offerings.

Professional buyers are expected to attend from functional film and tape manufacturing, die-cutting, consumer electronics, automotive, display and touch, lithium batteries, semiconductors, PCB/FPC, printing, and packaging, creating direct opportunities for supplier sourcing and business collaboration.



EXHIBITIONS • FAIRS • SEMINARS

30+ FORUMS EXPLORING THE NEXT WAVE OF MATERIALS INNOVATION

Alongside the exhibition, more than **30 conferences and technical forums** will bring together industry experts and senior technology executives to discuss emerging opportunities in **advanced PI films, automotive films, semiconductor adhesives, thermal management materials, battery materials, coating and die-cutting technologies, MLCC materials, robotics, and new material applications.**

As part of **ASIA MATERIAL WEEK**, FILM & TAPE EXPO 2026 will also benefit from cross-industry connections spanning high-performance materials, adhesives, chemical raw materials, and CMF technologies.

By bringing together **materials, technologies, applications, and buyers**, FILM & TAPE EXPO 2026 aims to help global professionals discover new suppliers, identify emerging technologies, and unlock the next wave of growth across Asia's advanced materials supply chain.

For further information, please contact:

<https://www.film-expo.com/en-gb.html>

International visitor registration:

Mr. Sam Jia • E-mail: sam.jia@rxglobal.com

Reed Exhibitions China

FILM & TAPE SHENZHEN 2026

Iris Huang

42F, Intercontinental Center, 100 Yutong Road

Zhabei District, Shanghai 200070 P.R. China

☎ +86 195 1806 9192 | E-mail: Iris.Huang@rxglobal.com

Tools & Equipment Expo 2026 with Global Participation, Spotlighting Innovation Across India's Manufacturing Ecosystem

The Tools & Equipment Expo 2026 (TAEEx) held from 17th September 2026 to 19th September 2026 at Bharat Mandapam, New Delhi, bringing together more than **300 exhibitors, over 2,000 products on display, 150+ new product launches and 8000+ industry professionals** with participation from leading domestic and international

The grand inauguration of Tools & Equipment Expo 2026 was held in the presence of **Mr. Vinkesh Gulati**, Chairperson, Automotive Skills Development Council; **Mr. Mukesh Mohan Gupta**, President, Chamber of Indian Micro Small and Medium Enterprises; **Mr. Didaarjit Singh Lotey**, Vice President, Chamber of Industrial & Commercial Undertakings; **Mr. Yadu Kumar Yadav**, Deputy Director, NPC-DPIIT, Ministry of Commerce and Industry, Government of India; **and Mr. S.P. Rana**, Director, Directorate of Industrial Safety & Health (DISH), Government of NCT of Delhi, along with **Mr. Yogesh Mudras**, Managing Director, Informa Markets in India, and **Mr. Prashant Jain**, Group Director, Informa Markets in India.



brands. **International participation from Germany, China, Taiwan and Hong Kong** highlights the growing global engagement with India's tools and equipment market. The three-day exhibition, held from 17th-19th September 2026, organised by Informa Markets in India, is showcasing the latest solutions across hand tools, power tools, cutting and welding technologies, smart tools, automation and sustainable equipment.

The expo focused on the growth and transformation of India's tools and equipment industry, with the opening day addressing the policy landscape, sector growth, manufacturing ecosystems and key industry priorities. The accompanying **TAEEx Conference 2026** brought together industry representatives, manufacturers, OEMs, MSMEs and other stakeholders for discussions on sector growth potential, manufacturing clusters, supply-chain resilience, policy support and ease of doing business.

Mr. Yadu Kumar Yadav, Deputy Director, NPC-DPIIT,



EXHIBITIONS • FAIRS • SEMINARS



Ministry of Commerce and Industry, Government of India, said “India’s next phase of manufacturing growth will depend on enabling MSMEs to move from lean manufacturing towards Industry 4.0 and IoT-enabled systems. Over the past decade, efforts have focused on integrating MSMEs’ products, processes and systems through lean manufacturing, and the focus is now shifting towards the next level of digital integration. Under the Ministry of MSME’s RAMP scheme, more than 750 units are currently being integrated into an Industry 4.0 ecosystem in Gujarat, with similar ecosystems envisaged across the country. The recently launched BRICS Center for Industrial Competencies is also creating an ecosystem for manufacturers and industry associations to connect, facilitate B2B matchmaking and promote innovation. Platforms such as TAAE can support this transition by bringing innovators, MSMEs and technology providers together to exchange knowledge and explore collaborations.”

Mr. Mukesh Mohan Gupta, President, Chamber of Indian Micro Small and Medium Enterprises, said “Tools & Equipment Expo 2026 is an important platform for MSMEs to discover new technologies and accelerate technological upgradation. Government support through exhibition assistance and financing schemes, including collateral-free credit of up to ₹100 crore for eligible MSMEs, can further enable enterprises to adopt modern plant and machinery, expand capacity and improve competitiveness. With more than 9.5 crore MSMEs contributing over 30% to India’s GDP and providing employment to more than 42 crore people, strengthening MSME-led manufacturing can play a significant role in technological advancement and employment generation.”

Mr. Vinkesh Gulati, Chairperson, Automotive Skills Development Council, said “Tools and equipment are the backbone of every manufacturing industry, supporting the productivity and output of factories across sectors,

including automotive. As India moves from a consumption-led economy towards a manufacturing-led growth story, technology and talent will be equally critical to building a competitive ecosystem. India has an opportunity to localise technology, machines and components, but unless we also localise capabilities through a skilled workforce, our supply chains cannot become truly self-reliant. Strengthening skilling and talent development alongside technology adoption will therefore be essential to making India’s manufacturing ecosystem globally competitive.”

Mr. S.P. Rana, Director, Directorate of Industrial Safety & Health (DISH), Government of NCT of Delhi, said “Tools and equipment have a direct connection with occupational safety, as almost every industrial activity involves machines, tools or equipment. Proper design, maintenance and safe use can protect workers while improving productivity, while unsafe equipment or work practices can lead to accidents. With the Occupational Safety, Health and Working Conditions Code, 2020, greater emphasis is being placed on accident prevention, hazard identification, risk assessment and safe workplaces. Safety must be built into equipment design rather than added later, enabling the industry to move from reacting to accidents towards identifying and controlling risks before they occur. This requires collaboration among government, employers, manufacturers, safety professionals and workers.”

Mr. PG Subramanian, Executive Secretary, Indian Cutting Tool Manufacturers’ Association, said, “The Indian cutting tool industry is going through a transformative phase, driven by the growing manufacturing market in the country. The global cutting tool market is currently around US\$23 billion and is projected to reach nearly US\$30 billion by 2030, while India currently accounts for only around 15% of this market, according to industry estimates. This leaves significant headroom for Indian manufacturers to expand both domestically and in export markets. At the same time, MSMEs need greater awareness and easier access to the nearly 40 government schemes available for the sector, including support for start-ups. Simplifying compliance is equally important, as businesses today have to navigate a large number of central and state regulations. The industry is also facing raw-material challenges and the lack of domestic recycling and reprocessing facilities, making it important to strengthen local capabilities and build a more resilient cutting-tool supply chain.”

Mr. Didaarjit Singh Lotey, Vice President, Chamber of



EXHIBITIONS ● FAIRS ● SEMINARS

Industrial & Commercial Undertakings, said ‘The participation of more than 300 exhibitors at Tools & Equipment Expo reflects the growing opportunities within India’s manufacturing ecosystem. For India to emerge as a globally competitive manufacturing hub, we need to strengthen our focus on exports, mass production, lean manufacturing and cluster-based development. China’s manufacturing experience demonstrates how scale, efficient production systems and a strong ecosystem can build global competitiveness. Indian industries must work towards improving productivity and competitiveness to serve global markets, supported by continued government efforts, stronger infrastructure and a shift in mindset towards large-scale, cluster-based and lean manufacturing. With these capabilities, India has the potential to emerge as a global manufacturing hub across product categories.’

Mr. Shitu Sahni, Managing Director, Raw Power, said “India’s power tools industry is undergoing a significant transformation, with the country emerging as a major consumption market and an important opportunity for building a stronger domestic ecosystem. India’s power-tool consumption, currently estimated at around US\$4 billion, has the potential to grow to nearly US\$15 billion, creating substantial opportunities across manufacturing, technology and exports. Developing the ecosystem is particularly important as power tools involve around 28 critical components and require capabilities across the wider supply chain. The transition towards EVs is another major growth driver, with electric and cordless technologies making power tools an increasingly important part of the future manufacturing ecosystem. Platforms such as Tools & Equipment Expo can help bring MSMEs, startups, technology providers and industry together to accelerate this transition and build a more competitive Indian power-tools industry.”

Mr. Yogesh Mudras, Managing Director, Informa Markets in India, said “It is encouraging to see Tools & Equipment Expo 2026 get underway with strong participation from exhibitors, visitors and industry stakeholders at a time when India’s tools and equipment sector is entering an important phase of growth. With India’s hand and power tools exports currently at around US\$1 billion, and the potential to scale this to more than US\$25 billion by 2035, the opportunity to strengthen India’s manufacturing and export capabilities is significant. TAAE brings this opportunity into focus by connecting manufacturers, technology providers, buyers and global stakeholders on one platform. Through the rebranded edition, we aim to support the industry’s transition towards greater technology adoption, stronger supply chains and global market access, while enabling busi-

nesses to discover new technologies, forge partnerships and identify opportunities for growth.”

Live Demonstrations and New Product Launches Highlight Exhibition Floor. Alongside the conference, the exhibition floor featured live demonstrations, new product launches and technology-led solutions, giving visitors an opportunity to experience the latest developments across industrial tools and equipment. The **Demo Zone** and **Innovation Zone** highlighted solutions focused on improving productivity, efficiency, precision, equipment performance.

Some notable innovations showcased at the exhibition include Rebar Cutting Tools by **Nakoda Tools**, Electric Airless Paint Sprayers by **MS Industries**, Ringsaw Chains by **Sahni Overseas (Raw Power)**, Welding & Plasma Cutting Machines by **Minasu Welding (Weltronix)**, Cordless Rotary Hammers by **Sonic Air**, Advanced Cordless Tools by **Yuri**, and Heavy-Duty Cut-Off Machines by **Vig Power Tools**.

The expo was also provided manufacturers, distributors, dealers, buyers, OEMs and technology providers a platform to explore business opportunities, identify emerging technologies and build industry partnerships.

This show focused towards technology, skills, markets and the industry’s future roadmap. Key sessions will examine how precision, automation and advanced manufacturing can accelerate industrial growth, alongside discussions on Digital Manufacturing and Industry 4.0 adoption. The programme will also address workforce readiness and skills development, including training, certification and apprenticeship opportunities, while sessions on export potential will explore international market opportunities, quality and certification requirements and strategies for building globally competitive Indian brands. Discussions will further examine emerging demand from EV, defence, aerospace and infrastructure sectors, as well as financing options for MSMEs seeking to upgrade technology and operations and develop indigenous solutions.

The event was supported by leading industry associations including the **Chamber of Industrial and Commercial Undertakings, Ludhiana Hand Tools Association, Indian Cutting Tool Manufacturers Association, Jalandhar Traders and Manufacturers Association, Association of Welding Products Manufacturers, Aji GIDC Association, AP State Carpenters Association and Rajkot Engineers Association**.

For further information, please contact:

Roshni Mitra – E-mail: Roshni.mitra@informa.com
Milhi Lallwani – E-mail: mili.lalwani@informa.com

ABB and Rolls-Royce SMR sign agreement on nuclear small modular reactor collaboration

- **Memorandum of Understanding (MoU) between ABB and Rolls-Royce SMR aims to support standardized, factory-built small modular reactors, each capable of generating 470 MW of low-carbon electricity**
- **As part of the MoU, ABB will explore how its automation and electrification solutions can enable the SMR projects to scale**
- **With current policy frameworks, the International Energy Agency forecasts total SMR capacity globally will reach 40 GW by 2050**

ABB has signed a Memorandum of Understanding (MoU) with Rolls-Royce SMR, a nuclear power company developing small modular reactor (SMR) technology designed to reduce project risk, increase delivery certainty and provide low-carbon electricity quickly and affordably across global markets.

Within the scope of the MoU the two companies will explore collaboration opportunities on Rolls-Royce SMR's plans to develop a fleet of units, each of which will generate 470 MW of low-carbon electricity and be capable of powering one million UK homes for 60 years[1]. ABB will explore how its automation, electrification, instrumentation and communication solutions across its three business areas can enable the SMR projects to scale.

Rolls-Royce SMR has begun site-specific design and delivery activities for the UK's first SMRs, initially comprising three units in North Wales, which will create thousands of jobs and boost local-for-local supply chains.

The company is also working with EZ to deploy Rolls-Royce SMRs at Temelín – with potential for additional units at Tušimice and Dtmárovice – and has recently been selected by Videberg Kraft to deliver three SMRs on Sweden's Värö Peninsula.

The MoU collaboration will be developed through ABB's UK operations, which are headquartered in Warrington. ABB has around 110,000 employees worldwide, including at locations in Sweden and the Czech Republic.

"Rolls-Royce SMR is transforming the way nuclear projects are delivered, to give greater cost and schedule certainty with a standardized, factory-built approach," said Stacy O'Brien, Head of Procurement Enterprise at Rolls-Royce SMR. "ABB has a long and impressive record of delivering automation and electrification solutions to energy infrastructure projects and this agreement brings an opportunity to consider how we can further

strengthen our delivery team."

According to the International Energy Agency (IEA), SMRs can be a catalyst for change if boosted by government support and new business models. With current policy settings, the IEA forecasts that total SMR capacity will reach 40 GW by 2050 – but with tailored policy support for nuclear power, streamlined regulations for SMRs and industry delivery on new designs, capacity could reach 120 GW[2].

"We are delighted to explore how we can work with Rolls-Royce SMR on its efforts to develop a global fleet of SMRs that can help expand reliable and affordable base-load power capacity to meet an increasing demand for low-carbon energy," said Per Erik Holsten, President of ABB's Energy Industries division. "Collaboration is also key – no single company or country alone can deliver the scale of energy expansion and energy transformation required to meet future demand. Partnerships along the energy value chain are instrumental for accelerating the commercialization of modern, advanced nuclear technologies."

At the heart of each Rolls-Royce SMR is a pressurized water reactor (PWR) using technology that is already operating within hundreds of nuclear reactors worldwide. The Rolls-Royce SMR's PWR is a symmetrically arranged, three-loop, close coupled reactor. The plant design provides multiple layers of safety, redundancy and back-up systems, meeting the highest standards of safety, security and safeguards.

ABB is a global technology leader in electrification and automation, enabling a more sustainable and resource-efficient future. By connecting its engineering and digitalization expertise, ABB helps industries run at high performance, while becoming more efficient, productive and sustainable so they outperform. At ABB, we call this 'Engineered to Outrun'. The company has over 140 years of history and around 110,000 employees worldwide. ABB's shares are listed on the SIX Swiss Exchange (ABBN) and Nasdaq Stockholm (ABB). www.abb.com

For more information, please contact:

[1] <https://www.rolls-royce-smr.com/>

[2] <https://www.iea.org/reports/the-path-to-a-new-era-for-nuclear-energy/executive-summary>

Monica Iyengar: + 91 98330 49690 /

miyengar@webershandwick.com

Elton D'souza: +91 70458 12669 /

EDsouza2@webershandwick.com

Riya Ajit: +91 96193 65668 / RAjit@webershandwick.com

The new EcoCbase from Ecoclean (an efficient entry point into solvent cleaning for smaller capacity requirements)

Keep process, material, and unit costs low in the long term

When it comes to efficiently removing contaminants such as oils, greases, emulsions, and chips, there's no substitute for non-halogenated hydrocarbons and modified alcohols. The new EcoCbase enables a cost-effective entry into high-performance and economical cleaning with these solvents. The compact and flexible plug-and-play system was developed specifically for companies with lower capacity requirements and high standards for process reliability as well as resource and energy efficiency. It can be adapted as needed for pre-cleaning, intermediate cleaning, and final cleaning applications.

On the one hand, general industry is facing increasingly stringent requirements for component quality and cleanliness. On the other hand, more diversified product port-



The EcoCbase was developed in S and M versions to provide a cost-effective way to begin using non-halogenated hydrocarbons and modified alcohols for powerful, economical, and reliable cleaning when cleaning volumes are low

folios are leading to lower production volumes. To remain competitive in the face of these challenges, component cleaning must be carried out reliably, economically, and in an energy- and resource-efficient manner. For these applications, Ecoclean has developed the flexible EcoCbase—a cost-effective yet high-performance entry-level solution for cleaning with non-halogenated hydrocarbons and modified alcohols. The compact plug-and-play system, available in S and M versions, requires a footprint of just 2,000 x 1,400 mm and 2,500 x 1,600 mm (L x W), respectively. Its comparatively low transport height of 1,940 mm ensures that the single-chamber full-vacuum cleaning system can be easily installed even in areas with



Combining standard processes—such as steam degreasing, spray and immersion cleaning, and injection flush washing—with technologies like Ultrasound, Ultrasound Plus, and Pulsated Pressure Cleaning (PPC) enables the efficient and sustainable cleaning of various parts with high cleanliness requirements

low ceiling heights. The maximum batch size for the EcoCbase S is 430 x 225 x 200 mm s (L x W x H), with a weight of 50 kg; the M version is designed for batches weighing up to 75 kg with dimensions of 530 x 320 x 250 mm. The conveyor is operated manually as standard via an ergonomic loading station and can be automated upon request.

High flexibility, cost-effectiveness, and process reliability right from the start

The system, which comes standard with a flood tank, ensures that the solvent is always available in optimal quality thanks to full-flow filtration during filling and emptying of the working tank, as well as bypass filtration. If the system is equipped with a second tank, this tank features a corresponding, separate filtration system. Continuous solvent treatment via the integrated distillation unit also contributes to consistently optimal media quality. The separated oil is continuously discharged into an external tank with level monitoring. This enables the recovery of expensive machining oils, which, in addition to long media service life, contributes to low operating costs.

The working tank is filled and emptied using high-performance, frequency-controlled flood pumps tailored to the parts being processed. To ensure that various compo-

nents are cleaned according to specifications and that the required cleanliness standards are met, standard processes such as steam degreasing, spray and immersion cleaning, and injection flood washing can be freely combined with ultrasonic cleaning, Ultrasonic Plus, and Pulsated Pressure Cleaning (PPC). The cleaning effectiveness of these processes can be further enhanced by a frequency-controlled rotary drive for part rotation and positioning. This high level of flexibility ensures that the required cleanliness for pre-cleaning, intermediate cleaning, and final cleaning tasks is always achieved reliably and cost-effectively. The necessary process steps are stored in the system control as part-specific cleaning programs and can be easily selected via the intuitive HMI interface. With a total of 50 program slots, the new EcoCbase is optimally equipped for both current and future cleaning tasks.

Resource and energy efficiency are also impressive

To minimize energy consumption during cleaning, the EcoCbase not only heats the solvent entirely using waste heat from distillation. The solvent system also incorporates new heat recovery functions that reduce energy consumption and operating costs. The redundant safety concept—which includes multiple automatic monitoring points for all relevant temperatures and pressures—and the virtually emission-free cleaning process also contribute to the safe and sustainable operation of the solvent system. Another advantage is the high flexibility regarding material compatibility, allowing components made of different materials to be cleaned in a single system.

These features enable companies with low volumes of items to be cleaned to make a cost-effective transition to solvent cleaning. Furthermore, the system is ideally suited for decentralized cleaning stations in larger manufacturing environments. Another advantage is that the solvent system can also be operated in regions where the use of water as a cleaning medium and/or the disposal of

wastewater from cleaning applications is regulated. A prerequisite is that solvent cleaning is suitable for the application. Ecoclean offers cleaning trials for this purpose at its own test centers worldwide.

The SBS Ecoclean Group develops, manufactures, and distributes future-oriented equipment, systems, and services for industrial component cleaning and surface treatment, as well as customized automation solutions. is another business segment focused on the development and series production of efficient alkaline electrolysis systems for the decentralized production of green hydrogen. Innovation is driven by the two Germany-based centers of excellence, which support the group's global subsidiaries with technical expertise, research, and groundbreaking developments. The cleaning solutions, which are world-leading, help companies across a wide range of industries—such as mechanical engineering, the semiconductor supply industry, precision optics, medical technology, the automotive and automotive supply industries, micro- and precision engineering, aerospace, and fastening technology—around the globe to produce high-quality products efficiently and sustainably. Ecoclean's success is based on innovation, cutting-edge technology, sustainability, customer focus, diversity, and respect. The corporate group unites the brands Ecoclean, UCM, and Mhitraa. It is represented by eleven production sites in Germany and eight other countries worldwide and employs approximately 900 people.

Contact:

Doris Schulz, Journalist DJV
Landhausstrasse 12, 70825 Korntal, Germany
☎ +49 711 854085 • E-mail: ds@pressetextschulz.de,
www.schulzpressetext.de
Ecoclean GmbH, Kathrin Gross
Marketing
☎ +49 711 7006-223 • Fax +49 711 7006-148
kathrin.gross@Ecoclean-group.net, www.Ecoclean-group.net

Industrial Products Source

October 2026

Material Handling & Storage Equipment

ASSOCHAM Cold Chain and Warehousing Summit.

“Unlocking the Next Phase of India’s Cold Chain” Report Flags USD 18.5 Billion Annual Post-Harvest Loss, Calls for Shift from Capacity to Capability “India Produces Enough, Now India Must Preserve Enough”: Shri Sukanta Kumar Panigrahi, Member of Parliament, at Cold Chain and Warehousing Summit

- India’s cold-storage infrastructure comprises 8,815 facilities with a combined capacity of 40.22 million tonnes as of June 2025, providing a strong foundation for the country’s expanding cold-chain ecosystem. With continued participation from private players and growing demand for integrated logistics solutions, the next phase of development will focus on strengthening multi-temperature, multi-product capabilities and seamless end-to-end connectivity across the cold chain.
- The report highlights that annual post-harvest losses in India have been estimated at nearly USD 18.5 billion and points to significant opportunities to expand the use of cold-chain solutions, with currently only around 4 per cent of perishables moving through organised cold-chain networks
- Cold storage capacity is projected to reach 43.7 million tonnes by 2031 at a CAGR of just 2.2 per cent, with the report calling for a shift in focus from building capacity to improving integration, utilisation and end-to-end cold chain connectivity.

“India produces enough. Now, India must preserve enough,” said **Shri Sukanta Kumar Panigrahi, Hon’ble Member of Parliament and Member of the Parliamentary Standing Committee on Agriculture, Animal Husbandry and Food Processing, Government of India**, speaking as Chief Guest at the **ASSOCHAM Cold Chain and Warehousing Summit**, themed “Building Ecosystem for Viksit Bharat,” held today at Hotel Le-Meridian, New Delhi.

“A fruit harvested today has a biological clock. Milk collected from a farmer has a quality clock. Fish landed at the harbour has an even faster clock. If we manage time and temperature well, we preserve value. If we fail, we lose food, income and resources,” he said. “That is why I believe cold chain is not about keeping products cold. It is about keeping value alive. So, a strong cold chain is not merely a logistics asset, it is a stronger income chain for the farmer. Because the ultimate return on investment



is not the capacity we build, it is the value we preserve.”

He added, “Let us therefore build a culture that connects farm to market, farmer to consumer, production to processing, and India to the world. Let us move from wastage to value, from fragmented logistics to integrated supply chains, and from cold chain to stronger farmer incomes.”

Delivering the welcome address, **Shri Saandip Wadhwa, Chairman, National Council on Logistics and Warehousing, ASSOCHAM, and Group Director, JM Baxi Group**, said, “Warehousing and cold chain are no longer simply support infrastructure. They are becoming strategic enablers of economic growth, food security, farmer incomes, exports and industrial competitiveness. India has made significant progress in expanding its physical infrastructure. However, the next phase of growth must focus not merely on creating more capacity, but on creating connectivity.

In the theme address, **Shri Sanjay Bajpai, Industry Veteran and Advisor, National Council on Logistics and Warehousing, ASSOCHAM, and Former Executive Director, CONCOR**, observed, “Supply chains, as they extend further out of the country, are also becoming increasingly trust chains. These chains of trust depend on standardisation, on preservation of quality, and on resilience to connect with the market. This is where one sees

the future of warehousing and cold chain getting increasingly and intimately integrated with the supply chain.”

Delivering the industry address, **Shri Mata Prasad, DGM – ABU and GSS, State Bank of India**, said, “From SBI’s perspective, cold chain infrastructure represents an important opportunity to connect agriculture infrastructure, food processing and logistics exports. Our approach is to look at the complete agri value chain and provide the right financial solution depending upon the nature of the activity, the borrowers and the cash flow profile. In cold chain, we can finance construction of cold storage, plant and machinery, working capital and other needs.”

Speaking as the Guest of Honor, **Dr Devendra Kumar Dhodawat, Former Additional Chief Secretary to the Governor of Kerala and Member, Warehousing Development and Regulatory Authority (WDRA)**, noted, “India today is among the leading agriculture producers. In 2024-25, the country recorded food grain production of about 358 million tonnes, while horticulture has also emerged as a major driver of agriculture growth, with production reaching about 371 million tonnes.” He added, “As we collectively work towards realising the vision of Viksit Bharat 2047, I sincerely urge the leaders of industry to focus on five key priorities, foremost among them expanding integrated, efficient and sustainable cold chain infrastructure.”

Also speaking as the Guest of Honor, **Shri Amrit Lal Meena, Former Chief Secretary, Government of Bihar, and Former Special Secretary (Logistics), DPIIT, Ministry of Commerce, Government of India**, said, “It is time that industry associations and state governments plan their industrial townships, warehousing and multimodal logistics parks, including smaller logistics parks, at the junctions of trunk infrastructure, railway lines and highways.” He added, “Industry should take advantage of these developments, and through conferences such as

this one, meaningful recommendations should emerge, recommendations that reach the appropriate forums for implementation.”

The Inaugural Session also saw the release of the ASSOCHAM-ASCELA Knowledge Report, and a presentation by **Shri Nivesh Chaudhary, Co-Founder and Managing Director, ASCELA**.

The summit featured three thematic panel discussions throughout the day. The first, on **Building Future-Ready Warehousing and Cold Chain Infrastructure: Driving India’s Logistics Growth**; the second panel, on **Sustainable Cold Chains for Global Markets: Green Warehousing, Smart Refrigeration and Agri-Export Competitiveness**; and the third panel, on **Advancing Multimodal Logistics: Integrating Supply Chains for Seamless Connectivity**.

The summit also featured a special address by **Shri Ajit Kumar Panda, Chairman and Managing Director, CONCOR**.

The event concluded with a vote of thanks by **Shri Saurabh Sanyal, Secretary General, ASSOCHAM**, who thanked the Chief Guest, dignitaries, speakers, industry leaders and participants for their contributions to the summit. He highlighted the importance of cold chain, warehousing and multimodal logistics in making Indian supply chains more competitive, resilient and globally integrated, and urged participants to put forward practical, actionable recommendations. The summit reaffirmed ASSOCHAM’s commitment to strengthening the cold chain and warehousing ecosystem by bringing industry, government and other stakeholders together on a common platform.

For more information, please contact:
Neeraj Atri
Mob: 9811714871

Attention Readers...

*If you are a manufacturer or dealer of any industrial product,
we invite you to
send your Product write-ups for Free publication,
in about 200 words describing the product, such as
its technical specifications, special features, applications, etc,
along with a clear photograph of the product to:*
ipseditor@gmail.com or

The Editor

Industrial Products Source

Product News Publication

104, Sudama Yash, Nr: Ramkrishna Hotel, Kelkar Cross Road
Ram Nagar, Dombivili (E), Thane 421 201

AIFI's 2nd Annual Conference Highlights India's 'China Plus One' Opportunity and the Need for Smarter, More Resilient Forging Industry

The Association of Indian Forging Industry (AIFI), the apex body of the Indian forging sector, successfully hosted its **2nd Annual Conference** on the theme “**New Development Trends – Impact on Forging Industry**”, bringing together leading industry stakeholders to deliberate on the evolving business environment and the opportunities and challenges shaping the future of the Indian forging industry. The conference brought into focus the changing global supply-chain landscape, the emerging **China Plus One** opportunity, technology and automation, productivity, manpower, rising input costs and the need for greater resilience and competitiveness across the sector.

The discussions at the conference underscored that the Indian forging industry is at a pivotal point, with a significant opportunity to strengthen its position in global value chains as companies increasingly look to diversify their supply chains. However, the industry will need to move decisively beyond traditional manufacturing and supplier models by investing in technology, automation, engineering and R&D capabilities, skilled manpower, productivity and sustainability. The collective message emerging from the conference was clear, while India has the manufacturing base, engineering talent and market opportunity to become a preferred global partner, forging companies must build the capability to take greater responsibility, manage uncertainty, meet rising customer expectations and deliver higher-value solutions to capitalise on the next phase of growth.

Addressing the gathering, Mr. Yash Munot, President, AIFI & CEO, Varsha Forgings Pvt. Ltd., said, “*The Indian forging industry is at an important juncture, with global supply-chain realignments creating significant opportunities for India. At the same time, we must remain prepared to navigate geopolitical uncertainty, rising in-*



put costs, technology disruption and changing customer requirements. Our focus must be on increasing productivity, accelerating technology adoption, developing our people and strengthening innovation and sustainability. The opportunity before the Indian forging industry is significant, but we must build the capabilities and competitiveness required to become a stronger and more valuable partner to global customers.”

A key highlight of the conference was the address by **Chief Guest, Mr. Thomas Dose, Managing Director, BMW Group Plant Chennai**, who spoke about the growing global relevance of India in the context of the **China Plus One** strategy. He highlighted that geopolitical turbulence and the risks associated with dependence on a single supplier are prompting global companies to diversify their supply chains. With its engineering talent, large domestic market and capable forging ecosystem, India has a strong opportunity to emerge as the preferred “Plus One” destination. Mr. Dose emphasised that this opportunity goes beyond manufacturing and sourcing, with global customers increasingly seeking suppliers that can contribute greater engineering and development capabilities and take end-to-end responsibility.

Mr. Thomas Dose, Managing Director, BMW Group Plant Chennai, said, “*We believe India should be the Plus One. India has engineering talent, a large market and a very capable forging industry. But China Plus One is not only about supply; we want to see much more partnership from India. Customers are looking for capable partners who can take responsibility, contribute to engineering and development, and become part of the development process. India is no longer just a supply chain; Indian companies need to be part of our development. The challenge is to connect the capabilities that are*





already there, and AIFI has a major role to play in this.”

The conference also featured a **welcome address by Mr. Sunil Javalekar, Chairman, Western Region, AIFI & CEO, S. B. Forgetech Pvt. Ltd.,** while **Mr. Yogesh Thakar, Executive Director, PwC,** delivered a presentation on **“Indian Forging Industry – Next Global Edge”**, providing insights into the opportunities for Indian forging companies to strengthen their position in the global manufacturing ecosystem. The programme was attended by members of the AIFI Managing Committee, industry leaders and delegates from across the forging fraternity. The **memento presentation and vote of thanks** were delivered by **Mr. S. Ravishankar, Vice President, AIFI & MD, Super Auto Forge Pvt. Ltd.**

The conference also featured a high-level panel discussion on **“Managing Uncertainty / Challenges to Capitalize on Demand Surge”**, moderated by **Mr. S. Ravishankar, Vice President, AIFI & MD, Super Auto Forge Pvt. Ltd.,** with **Mr. Vidyashankar Krishnan, CMD, M.M. Forgings Ltd.;** **Mr. Vikas Bajaj, MD, Bajaj Motors Ltd.;** and **Mr. Sahil Jain, CEO, Hirschvogel Components India Private Limited,** as panellists. The discussion focused on the expected rise in demand and the industry’s preparedness to capitalise on it, with deliberations covering **GST, manpower availability, automation, technology upgrades, investments, training, contingency planning, R&D, productivity, demand management and rising input costs.** The panellists emphasised the need for **proactive investments in technology, automation, skills and R&D, along with stronger productivity and contingency planning,** to manage uncertainty and convert the emerging demand opportunity into sustainable growth.

The discussions at the conference reinforced the **significant opportunity available to the Indian forging industry** as global supply chains evolve and companies look

to diversify their sourcing and manufacturing bases. The industry will need to leverage its existing manufacturing capabilities while investing in **technology, engineering, skills and innovation** to move higher up the global value chain and build stronger, long-term partnerships with global customers.

The conference concluded with a renewed commitment towards **strengthening the competitiveness of the Indian forging industry and creating greater opportunities for Indian forging companies in both domestic and global markets.** AIFI continues to play an important role in bringing together industry stakeholders, facilitating knowledge exchange and representing the interests of the forging fraternity.

About Association of Indian Forging Industry

Established in 1965, the Association of Indian Forging Industry (AIFI) is the strongest, oldest Forging Association with highest members from the industry in India. The Indian Forging Industry has always been a major growth driver of the Indian manufacturing sector and is one of the important industries for the success of automobile, power sector and general engineering in the country. The Association of Indian Forging Industry (AIFI) is the umbrella organization of the forging Industry in India with more than 200 members across India. Its members’ products include rough forgings and/or machined/finished parts like Crankshafts, Connecting Rods, Camshafts, Shifted Fork, Steering Components, Crown Propeller Shafts, Gear Box Components; Crown Wheel and Pinions, Front Axle Beams, Rear Axle Shafts, Earth Moving Link, Suspension parts, CV joint parts, Braking parts, Auto electrical components, Railway Wheel, Flanges/Pipe Fittings, Industrial Valves etc. The forging industry is a major supplier to the auto companies and a critical industry that generates employment.

AIFI has been the spokes body of the Indian Forging Industry for about six decades. It has played a major role in encouraging proactive dialogue between all the relevant stakeholders like the industry and Government (both in terms of suggestions for policy making and problem-solving), as also between the industry and the market (User industries — domestic and global customers.) India is the 2nd largest producer of forgings globally next to China.

For more information, please contact:

Ankush R Chavan

Senior Manager – Public Relations

☎ +91 9594706060

E-mail: ankush.chavan@dentsu.com, dentsucreative.com

Products INDEX

A		Cable Trays, Gratings & Solar Structures	13
ABB Electric Brake Motor	23	Cables & Wires	c-ii
AC Capacitors (MFD)	c-i	Capacitance Type Level Transmitters	13
Advanced Horizontal Band Saw Systems	3	Capacitors	c-i
Aerial Bunched Cables	c-ii	Carbon Canister	c-iii
Air Pollution Control Equipment & Systems	c-iv	Carbon Steel	3
Air Terminal Product	41	Carbon Steel Seamless Pipes	9
Air Velocity Kit	13	Cartonator Pockets	4
All Kinds of Other Special Cables	c-ii	Case Hardening Steel	3
Alloy Steels	3 & 9	CCT / Cat-5 / LAN Cables	c-ii
Anti Crane Collision Sensor	15	Centrifugal Chemical Process Pump Series SCP	27
APFC Control Panels	c-i	Centrifugal Fans / Blowers	c-iv
API 6D Expanding Plug Valve	16	Centrifugal Monoblock Pump	25
API in RCC	c-iii	Chain Hoist	c-i
As Extruded	5	Chain Pulley Block up to 20 Ton	c-i
Automobile Gas Saver	26	Chemical Process Pump	6
Axial Flow Fans	c-iv	Chemical Sealed Gauges	11
B		Chemicals & Additives	32
Ball Valve, 3-Piece Flanged End	36	Choke Valves	19
Barometer	13	Clamps for Photo Cells	4
Bellow Seal Globe & Gate Valve	33	Clean Room Monitor with Alarm	18
Belt Oil Skimmer	c-iii	Clear Water Pumps	20
Belt Tumbler (Tumblast) Type Shot Blasting Machine	8	CNC Double Column VMC	29
Bifurcated Fans	c-iv	Co-Axial / Instrumentation / Computer Cables	c-ii
Bi-Metallic Temperature Gauges	11	Coiled & Disc Springs	3
Bin Washing Machine	34	Cold Work Tool Steels	3
Bipod	4	Commercial Gauges	11
Blast Room and Paint Room System for Paper Industries Machine Manufacturers	c-i	Compact Sealed Gauges	11
BMT Tool Disc & Tool Holders	22	Compact Vane Motor CVM10	32
Brackets & Guides	4	Comparison Tester	11
Brake Motors	23	Condensate Pot	24
Brass Mill Products	5	Conductivity Level Switches	13
Brass Wires	5	Conveyors & Components	4
Breather Valves	22	Counters	15
Built in Clean Room	c-iv	CPI Tank, Baffle & Plate Pack	c-iii
Butterfly Valve	6, 14, 30 & 34	Crane Kits and Components	c-i
By-Pass Rotameter	13	Cranes & Hoists	c-i
C		Customised Profile	5
Cable Drag Chain	c-i	Cutting, Chamfering & Drilling Machine Model	
		CNC75 for Round Bars	9

Cylindrical Type Power Capacitors	c-i	G	
Dezincification Resistance Brass	5	G. G. Wheel	c-i
D		Gas Detector SSS-903	40
Die Steels	3	Gas Filled Power Capacitors	c-i
Digital Pressure Gauges + Transmitter	28	Gas/Heavy Oil Burners	4
Digital Pressure Gauges	13	Gas/Light Oil Burners	4
Digital Pressure Switches	13	Gauge Saver	11
Direct Drive Pump	12	GI Channels & Beams	14
Dissolved Air Flootation Units	c-iii	Glass Tube/Acrylic Rotameters	13
Double Eccentric High Performance Valve	38	Globe Valve	16 & 17
Double Girder EOT Cranes	c-i	Globe/SDNR/SDSL Angle Valve	21
Drum Pump	30	Goliath Crane	c-i
DSL System	c-i	Goliath/Gantry Cranes	37
Dual Plate Check Valves	35	Grab Buckets	12
E		H	
Eco-Friendly Brass	5	H2O Series Horizontal Split Casing Pumps	33
Economical Gauges	11	Hammer Mills	35
Eddy Current Drive	17	Hardened & Soft Jaws, Foundry Equipments,	
Edge Protector Making Plant	33	Jigs & Fixtures	40
Effluent Treatment Plant	c-iii	HDPE Pipe Die Head	27
Electric Actuated Butterfly Valve	37	Heat Transfer Fluid	4
Electric Chain Hoist	c-i	Heavy-Duty Industrial Process Chillers	37
Electromagnetic Flowmeter	13	Helical Gear	22
Electronic Safety Guards	15	Hepa Filter Manufacturing Machines	18
End Carriage	c-i	Hex Bars	5
Environment Solutions	28	High Precision Industrial Valves & Fittings	19
EOT Crane	19	High Speed Linear Servo Valves	23
ERW Black & Galvanized Steel Pipes & Tubes	26	High-Speed Circular Cutting Systems	3
Extended Stem Brass Ball Valve	22	Hollow Brass Rod	5
Extrusion Machinery	39	Hollow Rods	5
F		Homogenizer Gauges	11
Fastoon System – C Rail	c-i	Hook-up Wires	c-ii
Fittings & Flanges	9	Horizontal Pumps	33
Flame Arrestor Valves	12	Hot and Cold Forging Brass	5
Flat Bars	5	Hot Work Tool Steels	3
Flat Submersible Cables (3 Core)	c-ii & 26	House Wiring / Multicore Cables	c-ii
Flexible / Industrial Cables	c-ii	Hydraulic & Pneumatic Products	31
Flow Switches	13	Hydraulic Drives	35
Fluid Bed Dryer	29	Hydraulic Products	30 & 40
Forging Components	3	I	
FR / FRLS / PVC Cables (HT & LT Cables)	c-ii	Impact Sockets	3
Free Machining Brass	5	Incinerator	c-iii

Induced Gas Flotation	c-iii	Modular Dry Type Power Capacitors	c-i
Inductive Proximity Switches	15	Modular Supports	4
Industrial Burners	4	Moulded Plugs	c-ii
Industrial Dual Block Burners	4	Mud Gauges	11
Industrial Fans & Blowers	c-iv	N	
Industrial Gauges	11	Naval Brass	5
Industrial Valves	18 & 19	Needle Valves	11
Infrared Sensors	15	New Generation Hoist	c-i
J		NICAL Pro Series Precision Calibration,	
Jacketed Casing Pump	25	Built to Perform	10
Jib Crane	c-i	Nickel Wire Mesh	17
K		Nitrogen Inflators for Tyres	21
Kitz Butterfly Valves	15	O	
Kusam-Meco Intrinsically Safe Two-in-one, Ring		Oil Filled Power Capacitors	c-i
Laser Infrared Thermometer Model IRL 8 EX	39	Oil Sealed Rotary High Vacuum Pump	17
L		Oil Water Separators Sewage	c-iii
LAN Cables	c-ii	Oil/Gas/Dual Fuel Burners	4
Large Diameter	9	Optical Systems	11
Large Display Counters	15	P	
Lead Free Brass	5	Packaging Solution	20
Liquid Column Manometers	13	Packed Column Scrubbers	c-iv
Liquid Level Indicators	13	Pendent Push Button	c-i
Liquid Level Switches (Float Operated)	13	PF Series Fixed Pump	30
Liquid Level Transmitter	13	PFA/Antistatic PFA/FEP/PVDF/PP HDPE	
Liquid Ring Vacuum Pump/Compressor VWS Series	13	Lined Pipe Fittings	24
Liquid Ring Vacuum Pumps & Compressors		Phase Cap Capacitors	c-i
for Thermal Power Plants	15	Photoelectric Sensors	15
Liquid Ring Vacuum Pumps	6	Pipe Flocculator	c-iii
Low Pressure Capsule Gauges	11	Pipes & Fittings	36
M		Plastic Mould Steels	3
M Pumps – Metallic Mag Drive Pumps	39	Plastic Recycling Machines	24
Magnet Pumps	9	Plate Settler	c-iii
Material Handling Equipments	c-i	Pneumatic and Solenoid Valves	20
Maxothermie® Heat Transfer Fluids	14	Pneumatic Control Valve Model 7916-19A/B Series	25
Measuring Instruments	13	Pollution Control Equipments & Systems	32
Membrane Bio-Reactor	c-iii	Power & Control Cables (Aluminium / Copper /	
Metal Tube Rotameter with Digital Flow Indication		Conductor / Armoured Unarmoured Cables)	c-ii
& Transmitting Output	8	Power Cables	11
Metal Tube Rotameter with Transmitter /		Power Factor Controller	c-i
Flow Indicator Totalizer	13	Power Factor Correction	c-i
Mini Dust Collectors	c-iv	Power Steering Oil Filter	27
Mini Infra Red Sensors	15	Precision Series Filter Regulator	34

Premium Extruded Brass Mill Products –		Socketed Panels	c-i
Engineering Excellence in Copper Alloys	32	Solar Cables	c-ii
Preservation Line Inline Blasting, Painting and Baking System	c-i	Special Blasting Machine for Roof-Mounted	
Pressure Gauges	11 & 12	Pantographs Contact Strips of Electric Rail	c-i
Pressure Switches	13	Special Pressure Blaster Machine for Roll Etching	c-i
Pressure Transmitters	16	Special Pressure Blaster Machine to Blast Clean of Mould of Alloy Wheel	c-i
Pressurisation Module	c-iv	Special Shot Blasting Machine for Cleaning of	
Process Equipment	6	Submersible Pump Casing	c-i
Process Equipments	10	Special Shot Blasting Machine for Mining	
Process Instruments	13	Digging, Tools, Bits Moving Parts	c-i
Programmable Ampere-Hour Meter	28	Spring Steels	3
Programmable Counter	15	Square & Round Bars	3
PSC Series Single Cone Vacuum Pump	8	Square Bars	5
Pulsejet Bag Filters	c-iv	SS Seamless Pipes	9
Pumping Solutions for Paper, Sugar, Chocolate Industries & High Viscous Applications	18	Stainless Steel	9
PVC Insulated Industrial Wires & Cables	c-ii	Strapping Tools, Pneumatic & Hydraulic Cutters	40
R		Submerged Sump Pumps for High Temperatures	24
Rim Straightening Machine	29	Submersible Corrosion Resistance Pumps	20
Roof Extractors	c-iv	Super High Machining Brass	5
Roots Blower	6	Supreme Motorized Roof Air Ventilator	16
Roots Vacuum Pumps	36	Surface Finishing Solution	c-i
Rotary Airlock Valve	25	Synthetic Heat Transfer Fluid	4
Round Bars	5	Syphons	11
S		T	
Safety Guards	15	TEFLON®/PTFE Foo Grade Non-Stick Coating –	
Safety Light Curtains	15	TEFCOT™	27
Screw Conveyors	38	Telecommunication Cables	c-ii
Screw Pump KX-V Series	39	Temperature Gauge	21
Screw Pumps (Progressive Cavity Pump)	31	Temperature Gauges	11
Sealless Magnetic Drive Chemical Pumps	9	Temperature Measuring Instruments & Allied Products	13
Seamless SS Pipes Annealed & Pickled	6	Tequatic Self Cleaning Filter	c-iii
Seat for Butterfly Valve	29	Testing Equipments & Accessories	11
Sensors	15	Three Core Flat Submersible Cables	c-ii
Servo Motors	23	Through Beam Sensors	15
Sewage Pumps	34	Tool & Alloy-Special Steels	3
Sewage Water Treatment Plant	c-iii	Tools – Collets	3
Shrouded DSL System	c-i	Transfer Trolley	c-i
Single Cone Vacuum Pump	6	Transformer Oil Pumps	35
Single Girder EOT Cranes	c-i	Transmission Chain Coupling	37
Sluice Gate	c-iii	Triclover Sealed Gauges	11

Triple Offset Butterfly Control Valve		Vacuum Pumps	6 & 26
Series 47000	15	Valves, Pipes Fittings & Piping System	31
Tripod	4	Various Grades of High Tensile Brass	5
TRMS Digital Multimeter Model KM-2257	13	Ventury Scrubbers	c-iv
TRMS Enhanced Practical Multimeter Model -		Vertical Plate Cutting Systems	3
KM 2807CSE	10	Vessel & Pumps	c-iii
TRS / TRS Braided / Welding Cables	c-ii	VOC Abatement Package	c-iii
Tubes	9	W	
Two Hand Safety Device for Rolling Key Presses	15	Waste Water Treatment Plant	c-iii
U		Water Ring Vacuum Pumps	6
UASB Anaerobic Reactor	c-iii	Water Treatment Plant	c-iii
Ultra-Efficient Compact Incinerator	c-iii	Welded Pipes	9
Unit Dust Collectors	c-iv	Wheel Alignment Machine WA-50	28
USB Pen Drive based Data Logger for Humidity		Wheel Block Drive Side	c-i
and Temperature	21	Wheel Block Idler	c-i
U-Tubes	9	Wire Rod	3
V		Wire Rope Hoist c-i &	36
V Spin Ram Type Vertical Turning Center	41	Z	
Vacuum Manometer	13	Zero Hold up Filter Press	31

ADVERTISERS' INDEX

A		P	
Arbuda Instruments	11	Photon Controls (India) Pvt Ltd	15
E		PPI Pumps Pvt Ltd	6
Empire Cable Industries Pvt Ltd	c-ii	S	
F		Shree Trading Syndicate	c-i
Fitzer Instruments Company (India)	13	Suraj Limited	9
K		T	
K-Pack Systems Pvt Ltd	c-iii	Tacklers Engineering Pvt Ltd	c-i
M		Tritonvalves Futuretech Private Limited	5
Machbow Products	9	V	
Mec Shot Blasting Equipments Pvt Ltd	c-i	Ventura Alloy and Steels	
Moldex Corporation	4	Private Limited	3
N		Vintech Aircontrol Engineers	
Nirmal Energy Limited	4	And Consultants	c-iv

K-PACK Systems Private Limited - ISO 9001 : 2015
Environmental Management System - ISO 14001 : 2015
Occupational Health and Safety Management Systems - ISO 45001 : 2018
Leading manufacturer of wastewater treatment solutions focused on
performance and flexibility designed to yield clean water, recover energy
and resource recovery



Products



Dissolved Air Floatation Units



API



CPI Tank, Baffle & Plate Pack



Plate Settler



Pipe Flocculator



Vessel & Pumps



Carbon Canister



Belt Oil Skimmer



VOC Abatement Package



Suice Gate



Induced Gas Flotation



API in RCC


Complete Sewage Treatment Solutions

We provide end to end Solutions for all your Sewage Related issues.

Our new Advanced Membrane Bio-Reactor

Benefits of K-Pack MBR:

- Better COD/BOD reduction compared to ASP, MBBR, FAB and others.
- Lower sludge production
- Higher nutrient removal compared to conventional process.
- Lower footprint
- Better treated water quality



Specialists in waste water treatment with over 30 years experience in the field.

K-PACK SYSTEMS
PRIVATE LIMITED



Unit No-004, Embassy Square, Ground Floor
 No.148, Infantry Road, Bangalore-560001, India
 Mobile: +91 9591 97 4580 / +91 9886 20 2940
 Email: sales@kpack.in • Web: www.kpack.in

An ultra-efficient compact incinerator designed to safely dispose of sensitive and rejected waste right at the source.



What we do

- Effluent Treatment Plant
- Oil Water Separators Sewage
- Sewage Water Treatment Plant
- Waste Water Treatment
- Water Treatment
- Serve all Industries

Water Treatment Companies & EPCs

WHY US

- We have 32 year Experience of Working with 450+ Clients across Industries in Indian and Global Markets
- We have Successfully Completed 2900+ Installations
- Tie ups with Multiple Reputed International Firms
- Provide Tailor Made Solutions
- Client Experience and Satisfaction is a Key Goal

K-PACK SYSTEMS
PRIVATE LIMITED



K - Pack Systems Pvt. Ltd | ISO 9001:2015

Unit No-004, Embassy Square, Ground Floor, No.148, Infantry Road, Bangalore-560001, India • Mobile: +91 9591 97 4580 / +91 9886 20 2940
 Email : sales@kpack.in, Web : www.kpack.in

VINTECH



Industrial Fans & Blowers

Air Pollution Control Equipments & Systems

Solution For Pollution

Range of Products:

Centrifugal Fans / Blowers, Axial Flow Fans, Bifurcated Fans, Boiler ID, FD & PA Fans, SISW, DIDW Fans, Roof Extractors, Cyclones, Pulsejet Bag Filters, Unit Dust Collectors, Mini Dust Collectors, Ventury Scrubbers, Packed Column Scrubbers, Built in Clean Room & Pressurisation Module.

Turnkey Systems:

Ventilation, Pressurisation, Exhaust, Heating, Fume Exhaust, Gas Cleaning, Dust Extraction, Dust Collection, Kitchen Exhaust & Liquid Spray Painting Booth.

VINTECH AIRCONTROL ENGINEERS AND CONSULTANTS

"Sai Raghavendra", 207, Dr. Radhakrishna Salai, Ramakrishna Nagar, Valasaravakkam, Chennai - 600 087

Phone Nos: 044 - 2486 6221, +91 - 98409 70221, +91 - 94441 38884

E-mail: vintechair@gmail.com

Website: www.vintechchennai.com